

## **AMPHIPOD NEWSLETTER 34**

This issue of the Amphipod Newsletter has been much delayed; it was meant to have come out in good time before the 14<sup>th</sup> International Amphipod Conference in Sevilla 13-18 Sept. 2010. My excuses!

As usual, I have had much assistance in collecting the data for the bibliography, especially from Franz Krapp (Bonn) and Egor Vinogradov (Moscow). I am also grateful to those colleagues who sent me pdf's of or references to their recent papers; I wish more would be so considerate! Since my retirement it has become even more complicated than before to keep abreast of the amphipod literature, and there will no doubt be many omissions.

Since AN 33, the amphipod world has lost some of its most illustrious members. The death of Prof. Sandro Ruffo (Verona), active in amphipod science and nature conservation far into his nineties, signifies almost the end of an era. He was the undisputed master in the fields of Mediterranean amphipods and many freshwater and subterranean groups, and the 4-volume monograph on the Mediterranean Amphipoda, as well as the very rich and well-organized amphipod collection in the Museo Civico di Storia Naturale, Verona are among the many lasting monuments in his honour.

Dr Nina Tzvetkova died this summer in St Petersburg after a long career at the famous museum there. She too was a prominent amphipod worker during many years, and especially her monograph on the Russian gammarids, and her many faunistic and taxonomic novelties from northern and northeastern Russia deserve mention.

Finally, Dr Angelo Libertini (Venice) died very recently after long illness; his name is even still present among the participants of the Sevilla conference. Dr Libertini specialized in the study of the chromosomes of i.a. amphipods, and obtained many new and interesting results in this rather exclusive specialty.

Tromsø, 6 Sept. 2010

Wim Vader

## Bibliography

- ABELL, R., M. L. THIEME, C. REVENGA, M. BRYER, M. KOTTELAT, N. BOGUTSKAYA, B. COAD, N. MANDRAK, S. CONTRERAS BALDERAS, W. BUSSING, M. L. J. STIASSNY, P. SKELTON, G. R. ALLEN, P. UNMACK, A. NASEKA, R. NG, N. SINDORF, J. ROBERTSON, E. ARMIJO, J. V. HIGGINS, T. J. HEIBEL, E. WIKRAMANAYAKE, D. OLSON, H. L. LOPEZ, R. E. REIS, J. G. LUNDBERG, M. H. SABAJ PEREZ & P. PETRY 2008. Freshwater ecoregions of the world: a new map of biogeographic units for freshwater biodiversity conservation. ---- *BioScience* 58, 403-414.
- ADAM, O., P.-M. BADOT, F. DEGIORGI & G. CRINI 2009. Mixture toxicity assessment of wood preservative pesticides in the freshwater amphipod *Gammarus pulex* (L.). ---- *Ecotoxicology and Environmental Safety* 72, 441-449. ('The present data strongly suggest that the environmental impact of wood preservative mixtures might be frequently underestimated.')
- ADRIAENSSENS, V., P. L. M. GOETHALS & N. DE PAUW 2006. Fuzzy knowledge-based models for prediction of *Asellus* and *Gammarus* in watercourses in Flanders (Belgium). ---- *Zoological Modelling* 195, 3-10.
- AILFORD, A., S. J. B. COOPER, W. F. HUMPHREYS & A. D. AUSTIN 2008. Diversity and distribution of groundwater fauna in a calccrete aquifer: does sampling method influence the story? ---- *Invertebrate Systematics* 22, 127-138. (Not seen)
- AL-YAMANI, F., N. BOLTACHOVA, N. REVKOV, M. MAKAROV, V. GRINTSOV, E. KOLESNIKOVA & G.-V. MURINA 2009. Winter species composition, diversity and abundance of macrozoobenthos in Kuwait's waters, Arabian Gulf. ---- *ZooKeys* 31, 17-38. (Amphipods, generally at the genus level, listed on pp 26-27)
- ALBANO, M. J. & S. M. OBENAT 2009. Assemblage of benthic macrofauna in the aggregates of the tubicolous worm *Phyllochaetopterus socialis* in the Mar del Plata harbour, Argentina. ---- *Journal of the Marine Biological Association UK* 89, 1099-1108. (i.a. *Monocorophium insidiosum* and *Caprella dilatata*)
- ALBRECHT, C. & T. WILKE 2008. Ancient Lake Ohrid: biodiversity and evolution. ---- *Hydrobiologia* 615, 103-140.
- ALONSO, A. & J. A. CAMARGO 2008. Ameliorating effect of chloride on nitrite toxicity to freshwater invertebrates with different physiology: a comparative study between amphipods and planarians. ---- *Archives of Environmental Contamination and Toxicology* 54, 259-265. (Not seen)
- ALONSO, A., H. J. de LANGE & E. T. H. M. PEETERS 2009. Development of a feeding behavioural bioassay using the freshwater amphipod *Gammarus pulex* and the Multispecies Freshwater Biomonitor. ---- *Chemosphere* 75, 341-346.
- ALONSO, A., H. J. de LANGE & E. T. H. M. PEETERS 2010. Contrasting sensitivities of the freshwater amphipods *Gammarus pulex* and *G. fossarum*. ---- *Ecotoxicology* 19, 133-140.
- ALVAREZ, M. & I. PARDO 2007. Do temporary streams of Mediterranean islands have a distinct macroinvertebrate community? The case of Majorca. ---- *Archiv für Hydrobiologie* 168, 55-70.
- ALVES, L. C., U. BORGMANN & D. G. DIXON 2009. Kinetics of uranium uptake in soft water and the effect of body size, bioaccumulation and toxicity to *Hyalella azteca*. --- *Environmental Pollution* 157, 2239-2247.

- ALVSVÅG, J., A.-L. AGNALT & K. E. JØRSTAD 2009. Evidence for a permanent establishment of the snow crab (*Chionoecetes opilio*) in the Barents Sea. ---- *Biological Invasions* 11, 587-595.
- AMIARD-TRIQUET, C. 2009. Behavioral disturbances: the missing link between sub-organismal and supra-organismal responses to stress? Prospects based on aquatic research. --- *- Human and Ecological Risk Assessment* 15, 87-110.
- AMSLER, M. O., J. B. MCCLINTOCK, C. D. AMSLER, R. A. ANGUS & B. J. BAKER 2009. An evaluation of sponge-associated amphipods from the Antarctic Peninsula. \_\_\_\_ *Antarctic Science*, in press. (With many data on amphipod-sponge associations)
- ANDERSSON, S., M. PERSSON, P.-O. MOKSNES 2009. The role of the amphipod *Gammarus locusta* as a grazer on macroalgae in Swedish seagrass meadows. ---- *Marine Biology* 156, 969-981.
- ARBACIAUSKAS, K., V. SEMENCHENKO, M. GRABOWSKI, R. S. E. W. LEUVEN, M. PAUNOVIC, M. O. SON, B. CSANYI, S. GUMULIAUSKAITE, A. KONOPACKA, S. NEHRING, G. v. d. VELDE, V. VEZHNOVETZ & V. E. PANOV 2008. Assessment of biocontamination of benthic macroinvertebrate communities in European inland waterways. -- *- Aquatic Invasions* 3, 211-230.
- ARIYAMA, H. 2009. Species of the genus *Erichthonius* (Crustacea: Amphipoda: Ischyroceridae) from western Japan with description of a new species. ---- *Bulletin of the National Museum of Nature and Science, Ser.A, Suppl.* 3, 15-36. (Deals with *E. convexus* n.sp. (off Otsu Island, Yamaguchi pref.) and *E. pugnax*.)
- ARIYAMA, H. 2009. Four species of the genus *Seba* from Japan, with descriptions of two new species (Crustacea: Amphipoda: Sebiidae). ---- *Zootaxa* 2159, 44-68. (Deals with *Seba chiltoni*, *S. ekepuu*, *S. latiquinta* n. sp. (off Soneura ; Kata Bay, Mie prefecture) and *S. latisexta* n. sp. ( off Tsuiura, Oita prefecture). A key to Japanese *Seba* species is provided. The genus *Caribseba* is considered a junior synonym of *Seba*.)
- ARIYAMA, H., S. ANGUPANICH & E. RODCHAROEN 2010. Two new species of the genus *Kamaka* (Crustacea: Amphipoda: Kamakidae) from Songkhla Lagoon, southern Thailand. ---- *Zootaxa* 2404, 55-68. (*Kamaka appendiculata* n.sp. and *K. songkhlaensis* n. sp.)
- ARNOTT, G. & R. W. ELWOOD 2009 Assessment of fighting ability in animal contests. ---- *Animal Behaviour* 77, 991-1004 (Data on *Gammarus pulex*)
- ARRIGHETTI, f. & P. E. PENCHASZADEH 2010. Macrobenthos-sediment relationships in a sandy bottom community off Mar del Plata, Argentina. ---- *Journal of the Marine Biological Association UK* 90, 933-939. (Many amphipods, not identified)
- ASHTON, G. V., M. T. BURROWS, K. J. WILLIS & E. J. COOK 2010. Seasonal population dynamics of the non-native *Caprella mutica* (Crustacea, Amphipoda) on the west coast of Scotland. ---- *Marine & Freshwater Research* 61, 549-559. (Not seen, unfortunately.)
- ASHTON, G. V., E. I. RIEDLECKER & G. M. RUIZ 2008. First non-native crustacean established in coastal waters of Alaska. ---- *Aquatic Biology* 3, 133-137. (*Caprella mutica*)
- ASLAN-CIHANGIR, H., M. SEZGIN & S. TUNCER 2009. New records of two species of amphipods, *Melphidippella macra* (Norman, 1869) and *Monocorophium sextonae* (Crawford, 1937) for Turkish Seas. ---- *Crustaceana* 82, 111-116. (Both collected from Canakkale Straits= Dardanelles)

- AUEL, H. & W. EKAU 2009. Distribution and respiration of the high-latitude pelagic amphipod *Themisto gaudichaudi* in the Benguela Current in relation to upwelling intensity. --- *Progress in Oceanography* 83, 237-241.
- AUER, N. A., B. A. CANNON & M. T. AUER 2009. Life history, distribution and production of *Diporeia* near the Keweenaw peninsula, Lake Superior. ---- *Journal of Great Lakes Research* 35, 579-590.
- AUDZIJONYTE, A., M. E. DANELIYA, N. MUGUE & R. VÄINÖLÄ 2008. Phylogeny of *Paramysis* (Crustacea: Mysida) and the origin of Ponto-Caspian endemic diversity: Resolving power from nuclear protein-coding genes. ---- *Molecular Phylogenetics and Evolution* 46, 738-759.
- AYAR, A. & K. NASRI-AMMAR 2008. Étude expérimentale comparative du rythme locomoteur de deux amphipodes supra-littoraux sympatriques de la plage de Bizerte (Tunisie): *Talitrus saltator* et *Talorchestia deshayesii*. ---- *Bulletin du Société Zoologique de France* 133, 159-167.
- AYDIN, A. & I. ÖZEL 2007. (Distribution of pelagic amphipods (Hyperiidea, Amphipoda) in surface waters of Izmir Bay.) ---- *Ege University Journal of Fisheries & Aquatic Sciences* 24, 295-297. (In Turkish. Ten spp collected)
- AZMAN, B. A. R. 2009. Amphilochidae. In J.R.Lowry & A.A.Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 143-152. (Deals with *Amphilochus justii* n. sp. and *A. lacertus* n. sp., both from Lizard Island, GBR)
- AZMAN, B. A. R. 2009. Cyproideidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 380-392. (Deals with *Cyproidea cobia* n. sp. (Lizard island), *Gbroidea dingaalana* and *Narapheonoides lowryi* n. sp. (Lizard island).)
- AZMAN, B. A. R. & J. K. LOWRY 2009. Bolttsiidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 285-289. (Deals with *Bolttsia myersi* n. sp. (Lizard island), the first bolttsiid found outside Africa.)
- BA, J., Z. HOU, D. PLATVOET, L. ZHU & S. LI 2010. Is *Gammarus tigrinus* (Crustacea, Amphipoda) becoming cosmopolitan through shipping? Predicting its potential invasive range using ecological niche modelling. ---- *Hydrobiologia* 649, 183-194.
- BACELA, K., M. GRABOWSKI & A. KONOPACKA 2008. *Dikerogammarus villosus* (Sowinsky, 1894) (Crustacea, Amphipoda) enters Vistula—the biggest river in the Baltic basin. ---- *Aquatic Invasions* 3, 95-98.
- BACELA, K., A. KONOPACKA & M. GRABOWSKI 2009. Reproductive biology of *Dikerogammarus haemobaphes*: an invasive gammarid (Crustacea: Amphipoda) colonizing running waters in Central Europe. ---- *Biological Invasions* 11, 2055-2066.
- BACH, L., V. E. FORBES & I. DAHLÖF 2009. The amphipod *Orchomenella pinguis*—A potential bioindicator for contamination in the Arctic. ---- *Marine Pollution Bulletin* 58, 1664-1670.
- BAEZA-ROJANO, E., S. GARCIA, D. GARRIDO, J. M. GUERRA-GARCIA & P. DOMINGUES 2010. Use of amphipods as alternative prey to culture cuttlefish (*Sepia officinalis*) hatchlings. ---- *Aquaculture* 300, 243-246.

- BAKALEM, A., T. RUELLET & J. C. DAUVIN 2009. Benthic indices and ecological quality of shallow Algerian fine sand community. ---- *Ecological Indicators* 9, 395-408.
- BAKIR, K., M. SEZGIN & T. KATAGAN 2007. Contribution to the knowledge of alien amphipods off the Turkish coast: *Gammaropsis togoensis* (Schellenberg, 1925). ---- *Aquatic Invasions* 2, 80-82. (Many collected in far SE Turkey)
- BAKIR, K., M. SEZGIN & T. KATAGAN 2009. First record of *Abludomelita aculeata* (Crustacea: Amphipoda) from the eastern Mediterranean. ---- *Marine Biodiversity Records* 3, 2 pp. (At Izmir, W. Turkey)
- BANO, H. & Q. B. KAZMI 2008. New record of *Phrosina semilunata* Risso, 1822 (Crustacea: Amphipoda: Phrosinidae) from Sindh territorial waters (Northern Arabian Sea). -- *Pakistan Journal of Marine Sciences* 17, 55-57.
- BANO, H. & Q. B. KAZMI 2010. *Grandidierella trispinosa*, a new species of amphipod from the Karachi coast, Pakistan (Crustacea: Amphipoda: Aoridae). ---- *Turkish Journal of Zoology* 34, 151-157. (Close to *G. spinicoxa*)
- BARBEAU, M. A., L. A. GRECIAN, E. E. ARNOLD, D. C. SHEAHAN & D. J. HAMILTON 2009. Spatial and temporal variation in the population dynamics of the intertidal amphipod *Corophium volutator* in the upper Bay of Fundy, Canada. ---- *Journal of Crustacean Biology* 29, 491-506.
- BARCA-BRAVO, S., M. J. SERVIA & R. COBO 2008. (Data on the biology of *Talitrus saltator* (Montagu, 1808) (Amphipoda, Talitridae) on the Galician coast.) ---- *Nova Acta Cientifica Compostelana (Biologia)* 17, 135-148. (In Spanish, not seen)
- BATES, A. E., R. POULIN & M. D. LAMARE 2010. Spatial variation in parasite-induced mortality in an amphipod: shore height versus exposure history. ---- *Oecologia* 163, 651-659 (*Paracalliope novaezealandensis*.)
- BAUZA-RIBOT, M. M., D. JAUME, C. JUAN & J. PONS 2009. The complete mitochondrial genome of the subterranean crustacean *Metacrangonyx longipes* (Amphipoda): A unique gene order and extremely short control region. ---- *Mitochondrial DNA* 20, 88-99. (Not seen)
- BEAUCHAMP, G. 2009. Functional response of staging Semipalmated Sandpipers feeding on burrowing amphipods. ---- *Oecologia* 161, 651-655. (The amphipods are *Corophium volutator*.)
- BEDULINA, D. S., M. A. TIMOFEYEV, M. ZIMMER, E. ZWIRNMANN, R. MENZEL & C. E. W. STEINBERG 2010. Different natural organic matter isolates cause similar stress response patterns in the freshwater amphipod, *Gammarus pulex*. ---- *Environmental Science and Pollution Research* 17, 261-269.
- BEDULINA, D. S., M. ZIMMER & M. A. TIMOFEYEV 2010. Sub-littoral and supra-littoral amphipods respond differently to thermal stress. ---- *Comparative Biochemistry & Physiology B* 155, 413-418. (*Gammarus oceanicus* and *Orchestia gammarellus*)
- BEISEL, J.-N. & V. MÉDOC 2010. Bird and amphipod parasites illustrate a gradient from adaptation to exaltation in complex life cycles. ---- *Ethology Ecology & Evolution* 22, 265-270.
- BENESH, D. P., J. KITCHEN, K. PULKKINEN, I. HAKALA & E. T. VALTONEN 2008. The effect of *Echinorhynchus borealis* (Acanthocephala) infection on the anti-predator behavior of a benthic amphipod. ---- *Journal of Parasitology* 94, 542-545.
- BEREZINA, N. A. 2009. Interspecific interactions of amphipods *Gammarus lacustris* and *Gmelinoides fasciatus*.

---- *Russian Journal of Ecology* 40, 81-85. (An experimental study; predation is the basic mechanism accounting for their mutual exclusion in nature.)

BEREZINA, N. A. & Z. DURIS 2008. First record of the invasive species *Dikerogammarus villosus* (Crustacea: Amphipoda) in the Vltava River (Czech Republic). ---- *Aquatic Invasions* 3, 455-460.

BERGMANN, M., J. DANNHEIM, E. BAUERNFEIND & M. KLAGES 2009. Trophic relationships along a bathymetric gradient at the deep-sea observatory HAUSGARTEN. ---- *Deep-Sea Research* 1 56, 408-424.

BESACIER- MONBERTRAND, A.-L., A. PAILLEX & E. CASTELLA 2010. Alien aquatic macroinvertebrates along the lateral dimension of a large floodplain. ---- *Biological Invasions* 12, 2219-2231. (i.a. *Crangonyx pseudogracilis* in the floodplain of the Rhone river)

BISWAS, T., C. O. COLEMAN & E. A. HENDRYCKS 2009. *Andeepia ingridae* a new genus and species of Pardaliscidae (Crustacea, Amphipoda) from the Antarctic deep-sea and short redescription of *Nicippe unidentata* K. H. Barnard, 1932. ---- *Zootaxa* 1977, 21-38. (*Andeepia ingridae* n. gen, n. sp. from 63°38'S, 16°38'W, 2659m. The genus is thoroughly compared with *Nicippe*, and a key to all pardaliscid genera provided. The little known species *Nicippe unidentata* is redescribed.)

BLANKENSHIP, L. E. & L. A. LEVIN 2007. Extreme food webs: Foraging strategies and diets of scavenging amphipods from the ocean's deepest 5 kilometers. ---- *Limnology & Oceanography* 52, 1685-1697. (Deals with 4 scavenging amphipods (*Eurythenes gryllus*, *Scopelocheirus schellenbergi*, *Hirondellea dubia*, and *Uristes* n. sp) from the deep Tonga Trench. The amphipods show extreme foraging flexibility)

BOETS, P., K. LOCK, M. MESSIAEN & P. L. M. GOETHALS 2010. Combining data-driven methods and lab studies to analyse the ecology of *Dikerogammarus villosus*. ---- *Ecological Informatics* 5, 133-139. (in Belgium)

BOLLACHE, L., J. T. A. DICK, K. D. FARNSWORTH & W. I. MONTGOMERY 2008. Comparison of the functional responses of invasive and native amphipods. ---- *Biology Letters* 4, 166-169. (*Dikerogammarus villosus*, *Gammarus pulex* and *G. roeseli*.)

BORZA, P. 2009. First record of the Ponto-Caspian amphipod *Echinogammarus trichiatus* (martynov, 1932) (= *Chaetogammarus trichiatus*) (Crustacea: Amphipoda) for the Middle-Danube (Slovakia and Hungary). ---- *Aquatic Invasions* 4, 693-696.

BORZA, P., B. CSANY & M. PAUNOVIC 2010. Corophiids (Amphipoda, Corophioidea) of the river Danube—the results of a longitudinal survey. ---- *Crustaceana* 83, 839-849. (*Chelicorophium curvispinum*, *C. sowinskyi* and *C. robustum*, the latter two species new to the Upper Danube)

BOULTON, A. J., G. D. FENWICK, P. J. HANCOCK & M. S. HARVEY 2008. Biodiversity, functional roles and ecosystem services of groundwater invertebrates. ---- *Invertebrate Systematics* 22, 103-116.

BOURLAND, W. A. 2009. Redescription and neotypification of a poorly known freshwater ectocommensal ciliate, *Larvulina variabilis* (Penard, 1922), and consideration of its systematic position. ---- *European Journal of Protistology* 45, 219-230. (Found on *Gammarus lacustris* in Idaho)

BOUSLAMA, M. F., M. EL GTARI & F. CHARFI-CHEIKHROUHA 2009. Impact of environmental factors on zonation, abundance, and other biological parameters of two Tunisian populations of *Talitrus saltator*. ---- *Crustaceana* 82, 141-157.

- BOXSHALL, G. A., D. L. DANIELOPOL, D. J. HORNE, R. J. SMITH & I. TABACARU 2010. A critique of biramous interpretations of the crustacean antennule. ---- *Crustaceana* 83, 153-167.
- BOXSHALL, G. A. & D. JAUME 2009. Exopodites, epipodites and gills in crustaceans. ---- *Arthropod Systematics & Phylogeny* 67, 229-254
- BRADFORD, T., M. ADAMS, W. F. HUMPHREYS, A. D. AUSTIN & S. J. B. COOPER 2009. DNA barcoding of stygofauna uncovers cryptic amphipod diversity in a calcrete aquifer in Western Australia's arid zone. ---- *Molecular Biology Resources* 10, 41-50 (Chiltoniidae)
- BRÉHIER, F. & D. JAUME 2009. A new species of *Pseudoniphargus* (Crustacea, Amphipoda, Melitidae) from an anchialine cave of the French Mediterranean coast. ---- *Zoosystema* 31, 17-32. (*P. leucatus* n.sp. from Leucate, Aude, France.)
- BRÉHIER, F., R. VONK & D. JAUME 2010. First South American phreatogammarid, with comments on the arrangement of coxal and sternal gills, and on the biramous condition of the seventh pereopod in amphipods. ---- *Journal of Crustacean Biology* 30, 503-520. (*Ruffia patagonica* n. gen, n. sp. (Madre de Dios island, Chilean Patagonia).)
- BROOKS, S. J., D. PLATVOET & C. LLOYD 2008. Cation regulation and alteration of water permeability in the amphipod *Dikerogammarus villosus*: an indicator of invasion potential. ---- *Fundamental and Applied Limnology* 172, 183-189. (*D. villosus* seems to be able to regulate both water permeability and sodium influx.)
- BROWNE, W. E., S. H. D. HADDOCK & M. Q. MARTINDALE 2007. Phylogenetic analysis of lineage relationships among hyperiid amphipods as revealed by examination of the mitochondrial gene, *cytochrome oxidase I (COI)*. ---- *Integrative and Comparative Biology* 47, 815-830. (This most interesting paper suggests the existence of three hyperiid clades. These concur largely with the existing classification, but there are a number of interesting anomalies.)
- BRUGNI, N. L. & G. P. VIOZZI 2009. A new hedrurid species (Nematoda) from Galaxiid fishes in Patagonia (Argentina), and infection of amphipods as intermediate host. ---- *Journal of Parasitology* 96, 109-115. (Not seen; the amphipod is *Hyaella patagonica*.)
- BRUSCHETTI, M., C. BAZTERRICA, T. LUPPI & O. IRIBARNE 2009. An invasive intertidal reef-forming polychaete affects habitat use and feeding behaviour of migratory and locals birds in a SW Atlantic coastal lagoon. ---- *Journal of Experimental Marine Biology and Ecology* 375, 76-81. (An Argentine study. More amphipods in areas with the reef-building *Ficopomatus enigmaticus* than in areas without.)
- BUCKLIN, A., R. R. HOPCROFT, K. N. KOSOBOKOVA, L. M. NIGRO, B. D. ORTMAN, R. M. JENNINGS & C. J. SWEETMAN 2010. DNA barcoding of Arctic Ocean holozooplankton for species identification and recognition. ---- *Deep-Sea Research II* 57, 40-48. (Includes the amphipods *Cyclocaris guilelmi*, *Cyphocaris bouvieri*, *Eusirus holmii*, *Hyperoche medusarum* and *Themisto libellula*.)
- BUNDSCHUH, M., T. HAHN, M. O. GESSNER & R. SCHULZ 2009. Antibiotics as a chemical stressor affecting an aquatic decomposer-detritivore system. ---- *Environmental Toxicology and Chemistry* 28, 197-203. (*Gammarus fossarum*)
- BUSSELL, J. A., I. A. N. LUCAS & R. SEED 2007. Patterns in the invertebrate assemblage associated with *Corallina officinalis* in tide pools. ---- *Journal of the Marine Biological Association UK* 87, 383-388. (A study from N. Wales)



- CABEZAS, M. P., J. M. GUERRA-GARCIA, E. BAEZA-ROMANO, S. REDONDO-GOMEZ, M. E. FIGUEROA, T. LUQUE & J.C. GARCIA-GOMEZ 2010. Exploring molecular variation in the cosmopolitan *Caprella penantis* (Crustacea: Amphipoda): results from RAPD analysis. ---- *Journal of the Marine Biological Association UK* 90, 617-622. (*C. penantis*, *C. andreae* and *C. dilatata* are clearly different species; all populations of *penantis* clustered together.)
- CACABELOS, E., C. OLABARRIA, M. INCERA & J. S. TRONCOSO 2010. Effects of habitat structure and tidal height on epifaunal assemblages associated with macroalgae. ---- *Estuarine, Coastal and Shelf Science* 89, 43-52. (A study from NW Spain, dealing with the epifauna of *Sargassum muticum* and *Laminaria ochroleuca* . Amph. on p. 50)
- CAMPBELL, L. M., R. THANCKER, D. BARTO, D. C. G. MUIR, D. GREENWOOD & R. HECKY 2009. Re-engineering the Eastern Erie littoral food web: trophic function of non-indigenous Ponto-Caspian species. ---- *Journal of Great Lakes Research* 35, 224-231. (i.a. *Echinogammarus ischnus*)
- CANTOR, M., S. G. L. SIQUEIRA, G. T. CRUVINEL & F. P. P. LEITE 2009. Occurrence of the amphipod *Leucothoe spinicarpa* (Abildgaard, 1789) (Amphipoda) in the ascidian *Phallusia nigra* (Urochordata, Ascidiacea) in Southeastern Brazil. ---- *Nauplius* 17, 13-17.
- CANTU, V., J. N. FRIES & T. A. RYAN 2009. An apparatus for separating live amphipods from debris. ---- *North American Journal of Aquaculture* 71, 8-9. (For use in freshwater)
- CARLINI, D. B., J. MANNING, P. G. SULLIVAN & D. W. FONG 2009. Molecular genetic variation and population structure in morphologically differentiated cave and surface populations of the freshwater amphipod *Gammarus minus*. ---- *Molecular Ecology* 18, 1932-1945.
- CARLTON, J. T. 2008. *Deep invasion ecology and the assembly of communities in historical time*. ---- Pp 13-56 in G. Rilov & J. A. Crooks (eds). *Biological invasions in marine ecosystems. Ecological, management, and geographic perspectives*. Springer Verlag, Berlin-Heidelberg. (Not seen)
- CARTES, J.A., A. LIGAS, A. M. DE BIASI, L. PACCIARDI & P. SARTOR 2009. Small-spatial scale changes in productivity of suprabenthic and infaunal crustaceans at the continental shelf of Ebro Delta (western Mediterranean). ---- *Journal of Experimental Marine Biology and Ecology* 378, 40-49.
- CARTES, J. E., T. MADURELL, E. FANELLI & J. L. LOPEZ-JURADO 2008. Dynamics of suprabenthos-zooplankton communities around the Balearic Islands (NW Mediterranean): influence of environmental variables and effects on higher trophic levels. ---- *Journal of Marine Systems* 71, 316-335. (Not seen)
- CARTES, J. E., V. PAPIOL, A. PALANQUES, J. GUILLÉN & M. DEMESTRE 2007. Dynamics of suprabenthos off the Ebro delta (Catalan Sea: western Mediterranean): Spatial and temporal patterns and relationships with environmental factors. ---- *Estuarine, Coastal and Shelf Science* 75, 501-515. (Amph. listed on p. 506)
- CARUSELA, M. F., F. R. MOMO & L. ROMANELLI 2009. Competition, predation and coexistence in a three trophic system. ---- *Ecological Modelling* 2120, 2349-2352. (A theoretical Argentinian paper studying a system with *Hyaella* species and water plants.)
- CARVALHO, V. L., C. M. L. BEVILACQUA, A. M. IÑIGUEZ, H. MATTHEWS-CASCON, F. B. RIBEIRO, L. M. B. PESSOA, A. C. OLIVEIRA DE MEIRELLES, JU. C. G. BORGES, J. MARIGO, L. SOARES & F. J. DE LIMA SILVA 2010. Metazoan parasites



- of cetaceans off the northeastern coast of Brazil. ---- *Veterinary Parasitology*, in press. (Includes *Cyamus boopis* from *Megaptera novaeangliae* and *Syncyamus pseudorca* from *Stenella clymene*, the first Brazilian record for this last species.)
- CASELLATO, S., G. LA PIANA, L. LATELLA & S. RUFFO 2006. *Dikerogammarus villosus* (Sowinsky, 1894) (Crustacea, Amphipoda, Gammaridae) for the first time in Italy. --- *Italian Journal of Zoology* 73, 97-104. (Lake Garda)
- CERDA, O., I. A. HINOJOSA & M. THIEL 2010. Nest-building behaviour by the amphipod *Peramphithoe femorata* (Krøyer) on the kelp *Macrocystis pyrifera* (Linnaeus) C. Agardh from northern-central Chile. ---- *Biological Bulletin* 218, 248-258. (Not seen)
- CERDA, O., U. KARSTEN, E. ROTHÄUSLER, F. TALA & M. THIEL 2009. Compensatory growth of the kelp *Macrocystis integrifolia* (Phaeophyceae, Laminariales) against grazing of *Peramphithoe femorata* (Amphipoda, Ampithoidae) in northern-central Chile. ---- *Journal of Experimental Marine Biology and Ecology* 377, 61-67. (Not seen)
- CESAR, A., D. M. de S. ABESSA, C. D. S. PEREIRA, A. R. SANTOS, N. FERNANDEZ, R. B. CHOUERI & T. A. DelVALLS 2009. A simple approach to integrate the ecotoxicological and chemical data for the establishment of environmental risk levels. ---- *Brazilian Archives of Biology and Technology* 52, 10 pp.
- CÉZILLY, F., F. THOMAS, V. MÉDOC & M.-J. PERROT-MINNOT 2010. Host-manipulation by parasites with complex life-cycles: adaptive or not? ---- *Trends in Parasitology* 26, 311-317. (The jury is still out!)
- CHAINHO, P., M. F. LANE, M. L. CHAVES, J. L. COSAT, M. J. COSAT & D. M. DAUER 2007. Taxonomic sufficiency as a useful tool for typology in a poikilohaline estuary. ---- *Hydrobiologia* 587, 63-78. (The Mondego estuary in western Portugal.)
- CHAOUTI, A., I. COLOMBINI, M. FALLACI, E. GAGNARLI, L. CHELAZZI & A. BAYED 2008. Structure and distribution of the benthic macrofauna on a Northwest African sandy beach close to a freshwater river discharge. ---- *Marine Ecology* 29, Suppl. 1, 99-107.
- CHAPLIN, G. J. & J. F. VALENTINE 2009. Macroinvertebrate production in the submerged aquatic vegetation of the Mobile-Tensaw delta. Effects of an exotic species at the base of an estuarine food web. ---- *Estuaries and Coasts* 32, 319-332. (The exotic species is the waterplant *Myriophyllum spicatum*; it had a positive influence on the production of amphipods, primarily *Gammarus mucronatus*, probably because of reduced predator foraging efficiency).
- CHARMASSON, S., P.-M. SARRADIN, A. LE FAUDER, M. AGARANDE, J. LOYEN & D. DESBRUYÈRES 2009. High levels of natural radioactivity in biota from deep-sea hydrothermal vents: a preliminary communication. ---- *Journal of Environmental Radioactivity* 100, 522-526.
- CHAVANICH, S., N. KETDECHA, V. VIYAKARN & S. BUSSARAWIT 2007. Preliminary surveys of the commensal amphipod, *Leucothoe spinicarpa* (Abildgaard, 1789), in the colonial tunicate, *Ecteinascidia thurstoni* Herdman, 1891, in the Andaman Sea, Thailand. ---- *The Nagisa World Congress*, 97-101.
- CHAVANICH, S., V. VIYAKARN & H.-S. PARK 2010. Amphipods associated with *Codium* species in Korea. ---- *Crustaceana* 83, 795-807.
- CHAVANICH, S., V. VIYAKARN, S. PIYATIRATITIVORAKUL, K. SUWANBORIRUX & S. BUSSARAWIT 2009. Two introduced tunicate species, *Ecteinascidia thurstoni* Herdman, 1891 and *Clavelina cylus* Tokioka & Nishikawa, 1975, in Thailand. ---- *Aquatic*

*Invasions* 4, 349-351. (*Leucothoe spinicarpa* found inside the *Ecteinascidia*; the authors consider also the amphipod to be allochthonic.)

CHAW, C. & N. H. PATEL 2009. Gastrulation in *Parhyale hawaiiensis*: how do they do it? -- *Developmental Biology* 331, 456 (Abstract only)

CHIESA, I. L. & G. M. ALONSO 2009. Biodiversity of the Gammaridea and Corophiidea (Crustacea: Amphipoda) from the Beagle Channel and the Straits of Magellan: a preliminary comparison between their faunas. ---- *Revista de Biología Tropical* 55, Suppl. 1., 103-112. (127 spp of amphipods are listed on pp 106-109. *Schraderia serraticauda* and *Heterophoxus trichosus* are new to the area.)

CHRISTIE, H., N. M. JØRGENSEN & K.M. NORDERHAUG 2007. Bushy or smooth, high or low; importance of habitat architecture and vertical position for distribution of fauna on kelp. ---- *Journal of Sea Research* 58, 198-208. (A study from W. Norway. Many amphipod data, usually at family level)

CLARKE, A., R. MACNALLY, N. BOND & P. S. LAKE 2008. Macroinvertebrate diversity in headwater streams: a review. ---- *Freshwater Biology* 53, 1707-1727.

COCHARD, P.-O., F. VILISICS & E. SECHER 2010. Alien terrestrial crustaceans (Isopods and Amphipods). Chapter 7.1. ---- *Biorisk* 4, 81-96. (The amphipods are *Arcitalitrus dorrieni*, *Talitroides alluaudi* and *T. topitotum*.)

COCHRANE, S. K. J., S. C. DENISENKO, P. E. RENAUD, C. S. EMBLOW, W. G. AMBROSE, I. H. ELLINGSEN & J. SKARDHAMAR 2008. Benthic macrofauna and productivity regimes in the Barents Sea—Ecological implications in a changing Arctic. ---- *Journal of Sea Research* 61, 222-233.

COLEMAN, C. O. 2009. Bogidiellidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 279-284. (Deals with *Xystriogidiella juliani* n. sp. (Lizard island) and *X. capricornis*.)

COLEMAN, C. O. 2009. Ceinidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 328-332. (Deals with *Ceina gerlachae* n. sp. from One Tree Island, GBR)

COLEMAN, C. O. 2009. Eusiridae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 425-429. (Deals with *Tethygeneia* aff. *pacifica*)

COLEMAN, C. O. 2009. Iphimediidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 458-462. (Deals with *Iphimedia schminkei* n. sp. from Lizard island)

COLEMAN, C. O. 2009. Liljeborgiidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 556-560. (Deals with *Liljeborgia joergpeteri* n. sp. from Lizard island, GBR)

COLEMAN, C. O. 2009. Maxillipiidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 703-707. (Deals with *Maxillipius rectitelson* from Lizard island)

COLEMAN, C. O. 2009. Melphidippidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 736-740. (Deals with *Melphisana madagascarensis* from Lizard island)

- COLEMAN, C. O. 2009. Ochlesidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 741-745. (Deals with *Ochlesis alii* from Lizard island.)
- COLEMAN, C. O. 2009. Phliantidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 766-770. (Deals with *Pereinotus thomsoni* from Lizard island)
- COLEMAN, C. O. 2009. Drawing setae the digital way. ---- *Zoosystematics and Evolution* 85, 305-310.
- COLEMAN, C. O. & A.-N. LÖRZ 2010. A new species of *Camacho* (Crustacea, Amphipoda, Aoridae) from the Chatham Rise, New Zealand. ---- *Zoosystematics & Evolution* 86, 33-40. (*C. nodderi* n. sp.)
- COLEMAN, C. O. & J. K. LOWRY 2009. Cheirocratidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 333-338. (Deals with *Prosocratus carolinae* n. sp. from One Tree Island, GBR. The family name Cheirocratidae dates from Ren, 2006.)
- COLEMAN, C. O. & J. K. LOWRY 2009. *Iphimedia poorei*, a new species of Iphimediidae (Crustacea, Amphipoda) from the New South Wales Australian coast. ---- *Memoirs of Museum Victoria* 66, 61-69. (A very aberrant *Iphimedia* species from Bateman Bay, NSW.)
- COLEMAN, C. O. & A. RENZ 2009. Cheluridae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 339-343. (Deals with *Tropichelura insulae* from Lizard island, GBR)
- COLGAN, D. J., P. A. HUTCHINGS & E. BEACHAM 2008. Multi-gene analyses of the phylogenetic relationships among the Mollusca, Annelida and Arthropoda. ---- *Zoological Studies* 47, 338-351.
- COLOMBINI, I., M. A. MATEO, O. SERRANO, M. FALLACI, E. GANGARLI, L. SERRANO & L. CHELAZZI 2009. On the role of *Posidonia oceanica* beach wrack for macroinvertebrates of a Tyrrhenian sandy shore. ---- *Acta Oecologia* 35, 32-44. (*Talitrus saltator*)
- COOK, E. J., R. SHUCKSMITH, H. ORR, G. V. ASHTON & J. BERGE 2010. Fatty acid composition as a dietary indicator of the invasive caprellid, *Caprella mutica* (Crustacea: Amphipoda). ---- *Marine Biology, Berlin* 157, 19-27. (Clearly a very flexible diet)
- CORCORAN, R. M., J. R. LOVVORN & P. J. HEGLUND 2009. Long-term change in limnology and invertebrates in Alaskan boreal wetlands. ---- *Hydrobiologia* 620, 77-89. (Amphipod biomass was lower in 2001-2003 than in 1985-1989.)
- CORNET, S., C. BIARD & Y. MORET 2009. Variation in immune defence among populations of *Gammarus pulex* (Crustacea: Amphipoda). ---- *Oecologia* 159, 257-269.
- CORNET, S., N. FRANCESCHI, A. BAUER, T. RIGAUD & Y. MORET 2009. Immune depression induced by acanthocephalan parasites in their intermediate crustacean host: Consequences for the risk of super-infection and links with host behavioural manipulation. --- *International Journal of Parasitology* 39, 221-229. (Studies on *Gammarus pulex*)
- COSTA, F., T. KRAPP & S. RUFFO 2009. (*Atlas of Mediterranean amphipods*) ---- Mursia, Milano, 218 pp (This book, In Italian and English, combines the excellent colour pictures of Sicilian amphipods by Costa, supplemented by drawings by Traudl Krapp, with keys and descriptions written by Krapp and Ruffo. It must be one of the very first popular amphipod books ever published!)

- COTHRAN, R. D. 2008. The mechanic basis of a large male mating advantage in two freshwater amphipod species. ---- *Ethology* 114, 1145-1153. (*Hyaella* spp)
- COTHRAN, R. D., R. L. GRECO & R. A. RELYA 2009. No evidence that a common pesticide impairs female mate choice in a freshwater amphipod. *Environmental Toxicology* 25, 310-314. (The amphipods are *Hyaella* sp.)
- COWLES, A., J. E. HEWITT & R. B. TAYLOR 2009. Density, biomass and productivity of small mobile invertebrates in a wide range of coastal habitats. ---- *Marine Ecology Progress Series* 384, 175-185.
- CROSSLEY, S. M. G., A. L. GEORGE & C. J. KELLER 2008. A method for eradicating amphipod parasites (Hyperiididae) from host scyphomedusa *Chrysaora fuscescens* (Brown, 1835), in a closed recirculated system. ---- *Journal of Zoo and Wildlife Medicine* 40, 174-180. (Not seen. The amphipods are *Hyperia medusarum* and *Lestrigonus shoemakeri*, the method used involved diflubenzuron, and the problems occurred in a public aquarium.)
- CUI, Y.-D., X.-Q. LIU & H.-Z. WANG 2008. Macrozoobenthic community of Fuxian lake, the deepest lake of southwest China. ---- *Limnologia* 38, 116-125. (No amphipods mentioned, but see Sket & Fiser 2008)
- CULVER, D. C., J. R. HOLSINGER, M. C. CHRISTMAN & T. PIPAN 2009. Morphological differences among eyeless amphipods in the genus *Stygobromus* dwelling in different habitats. ---- *Journal of Crustacean Biology* 30, 68-74.
- CULVER, D. C., T. PIPAN & K. SCHNEIDER 2009. Vicariance, dispersal and scale in the aquatic subterranean fauna of karst regions. ---- *Freshwater Biology* 54, 918-929.
- DAHLE, S., N. A. ANISIMOVA, R. PALERUD, P. E. RENAUD, T. H. PEARSON & G. G. MATISHOV 2009. Macrobenthic fauna of the Franz Josef archipelago. ---- *Polar Biology* 32, 169-180.
- DANACHER, D., B. CELLOT, S. DOLÉDEC & D. REYNAUD 2009. Isolation and characterization of the first eight microsatellite loci in *Gammarus fossarum* (Crustacea, Amphipoda) and cross-amplification in *Gammarus pulex* and *Gammarus orinos*. ---- *Molecular Ecology Resources* 9, 1418-1421.
- DANELYA, M. E., R. M. KAMALTYNOV, T. KONTULA & R. VÄINÖLÄ 2009. Systematics of the Baikalian *Babr* (Crustacea: Amphipoda: Pallaseidae). ---- *Zootaxa* 2276, 49-68. (Deals with *Babr baikali* (with *B. inermis* as a junior synonym), and *B. nigromaculata*.)
- DATRY, T., M. SCARSBROOK, S. LARNED & G. FENWICK 2008. Lateral and longitudinal patterns within the stygoscape of an alluvial river corridor. ---- *Archiv für Hydrobiologie* 171, 335-347. (Not seen. A New Zealand study)
- DATTAGUPTA, S., I. SCHAPERCLOTH, A. MONTANARI, S. MARIANI, N. KITA, J. W. VALLEY & J. L. MACALADY 2009. A novel symbiosis between chemoautotrophic bacteria and a freshwater cave amphipod. ---- *The ISME Journal* 2009, 1-9. (The amphipod concerned is *Niphargus ictus*; the bacteria are a *Thiothrix* strain.)
- DAUVIN, J.-C., S. ALIZIER, C. VALLET & T. RUELLET 2010. Does the Port 2000 harbour construction have an effect on the Seine estuary suprabenthic community? ---- *Estuarine, Coastal and Shelf Science* 86, 42-50. (Moderate changes hitherto)
- DAUVIN, J.-C., G. BACHELET, A.-L. BARILLÉ, H. BLANCHET, X. de MONTAUDOUIN, N. LAVESQUE & T. RUELLET 2009. Development of benthic indicators and index approaches in the three main estuaries along the French Atlantic coast

- (Seine, Loire and Gironde) for the implementation of the European Water Framework Directive (WFD).. ---- *Marine Ecology* 30, 228-240.
- DAUVIN, J.-C., G. BELLAN & D. BELLAN-SANTINI 2010. Benthic indicators: From subjectivity to objectivity---Where is the line? ---- *Marine Pollution Bulletin* 60, 947-953.
- DAUVIN, J.-C. & T. RUELLET 2008. Macrozoobenthic biomass in the Bay of Seine (eastern English Channel). ---- *Journal of Sea Research* 59, 320-326.
- DAUVIN, J.-C. & T. RUELLET 2009. The estuarine quality paradox: Is it possible to define an ecological quality status for specific modified and naturally stressed estuarine ecosystems? ---- *Marine Pollution Bulletin* 59, 38-47.
- DEFEO, O., A. McLACHLAN, D. S. SCHOEMAN, T. A. SCLACHER, J. DUGAN, A. JONES, M. LASTRA & F. SCAPINI 2009. Threats to sandy beaches ecosystems: A review. - ---- *Estuarine, Coastal and Shelf Science* 81, 1-12.
- DEIDUN, A. & P. J. SCHEMBRI 2008. Assessing inter-beach differences in semi-terrestrial arthropod assemblages on Maltese pocket sandy beaches (Central Mediterranean). ---- *Marine Ecology* 29, Suppl. 1, 108-117. (No amphipods)
- DELGADO, L., G. GUERMO & C. RIBERA 2009. The Gammaridea (Amphipoda) fauna in a Mediterranean coastal lagoon: considerations on population structure and reproductive biology. ---- *Crustaceana* 82, 191-218. (A Spanish study. The dominant amphipods are *Erichthonius brasiliensis*, *Gammarus aequicauda* and *Monocorophium insidiosum*. Other spp listed on pp 197-198.)
- DEMAEREL, V., S. DEGRAER, M. VINCX & T. REMERIE 2008. *Research into the distribution of the genus Bathyporeia (Crustacea, Amphipoda) by means of molecular markers*. ----Pp 2-3 in J. Mees & J. Seys (eds). VLIZ young scientists' day, Brugge, Belgium, 29 february 2008. VLIZ Special Publications 40.
- DEVIN, S. & J.-N. BEISEL 2008. Geographic patterns in freshwater gammarid invasions: an analysis at the pan-European scale. ---- *Aquatic Science* 70, 100-106. (Not seen)
- DICK, J. T. A. 2008. Role of behaviour in biological invasions and species distributions; lessons from interactions between the invasive *Gammarus pulex* and the native *G. duebeni* (Crustacea: Amphipoda). ---- *Contributions to Zoology* 77, 91-98. (A very thought-provoking paper.)
- DIETRICH, S., S. DAMMEL, F. PLOESSI, F. BRACHER & C. LAFORSCH 2010. Effects of a pharmaceutical mixture at environmentally relevant concentrations on the amphipod *Gammarus fossarum*. ---- *Marine and Freshwater Research* 61, 196-203.
- DITRIKH A. N. & G. M. DZHABRAILOVA 2009. (Ecology of marine flea (*Talitrus saltator* Montagu, 1808) on the southeastern Baltic sea coast.) ---- *Zoologicheskyy Zhurnal* 88, 250-251. (In Russian)
- DOGAN, A., M. SEZGIN, T. KATAGAN & M. ÖNEN 2008. Seasonal trends of soft bottom crustaceans of Izmir Bay (Aegean Sea). ---- *Crustaceana* 81, 781-795.
- DOLE-OLIVIER, M.-J., F. CASTELLARINI, N. COINEAU, D. M. P. GALASSI, P. MARTIN, N. MORI, A. VALDECASA & J. GIBERT 2009. Towards an optimal sampling strategy to assess groundwater biodiversity: comparison across six European regions. ---- *Freshwater Biology* 54, 777-796. (The regions are Jura and Rousillon in France, Lessinia in Italy, Krim in Slovenia, Cantabria in Spain and Wallonia in Belgium. Amphipods listed on pp 791-794.)

- DOLE-OLIVIER, M.-J., F. MALARD, D. MARTIN, T. LEFÉBURE & J. GIBERT 2009. Relationships between environmental variables and groundwater biodiversity at the regional scale. ---- *Freshwater Biology* 54, 797-813.
- DOYLE, S. R. & F. R. MOMO 2009. Effects of body weight and temperature on the metabolic rate of *Hyaella curvispina* Shoemaker, 1942 (Amphipoda). ---- *Crustaceana* 82, 1423-1439.
- DRAZEN, J. C., C. F. PHLEGER, M. A. GUEST & P. D. NICHOLS 2008. Lipid, sterols and fatty acids of abyssal polychaetes, crustaceans, and a cnidarian from the northeast Pacific ocean: food web implications. ---- *Marine Ecology Progress Series* 372, 157-167. (i.a. two unidentified lysianassoids, collected in baited traps.)
- DROLET, D. & M. A. BARBEAU 2009. Differential emigration causes aggregation of the amphipod *Corophium volutator* (Pallas) in tide pools on mudflats of the Upper Bay of Fundy, Canada. ---- *Journal of Experimental Marine Biology and Ecology* 370, 41-47.
- DROLET, D. & M. A. BARBEAU 2009. Diel and semi-lunar cyclic swimming activity of the intertidal, benthic amphipod *Corophium volutator* in the Upper Bay of Fundy, Canada. ---- *Journal of Crustacean Biology* 29, 51-56.
- DROLET, D., M. A. BARNEAU, M. R. S. COFFIN & D. J. HAMILTON 2009. Effect of the snail *Ilyanassa obsoleta* (Say) on dynamics of the amphipod *Corophium volutator* (Pallas) on an intertidal mudflat. ---- *Journal of Experimental Marine Biology and Ecology* 368, 189-195.
- DUARTE, C., E. JARAMILLO & H. CONTRERAS 2008. (Stranded algal wracks on a sandy beach of south central Chile: feeding and habitat preferences of juveniles and adults of *Orchestoidea tuberculata* (Nicolet), (Amphipoda, Talitridae).) ---- *Revista Chilena de Historia Natural* 80, 69-81. (In Spanish. Juveniles have a different food preference than the adults, possibly this way minimizing the risk of cannibalism.)
- DUARTE, C., E. JARAMILLO, H. CONTRERAS & K. ACUÑA 2010. Cannibalism and food availability in the talitrid amphipod *Orchestoidea tuberculata*. ---- *Journal of Sea Research* 64, 417-421.
- DUNN, A. M. 2009. *Parasites and biological invasions*. ---- Chapter 7 in *Advances in Parasitology* 68, 161-184. (Not seen)
- DUNN, R. J. K., D. T. WELSH, M. A. JORDAN, P. R. TEASDALE & C. J. LEMCKERT 2009. Influence of natural amphipod (*Victoriopisa australiensis*) (Chilton, 1923) population densities on benthic metabolism, nutrient fluxes, denitrification and DNRA in sub-tropical estuarine sediment.. ---- *Hydrobiologia* 628, 95-109.
- DUTRA, B. K., F. A. FERNANDEZ, A. L. LAUFFER & G. T. OLIVEIRA 2009. Carbofuran-induced alterations in the energy metabolism and reproductive behaviors of *Hyaella castroi* (Crustacea, Amphipoda). ---- *Comparative Biochemistry and Physiology C* 149, 640-646.
- DUTRA, B. K., F. A. FERNANDEZ & G. T. OLIVEIRA 2008. Carbofuran-induced alterations in biochemical composition, and Na<sup>+</sup>/K<sup>+</sup>ATPase activity of *Hyaella pleoacuta* and *Hyaella curvispina* in bioassays. ---- *Comparative Biochemistry and Physiology C* 147, 179-188.
- DVORETSKY, A. G. & T. A. BRITAYEV 2009. Population biology of symbiotic amphipods *Ischyrocerus* spp. and their relationships with the host, the red king crab, in the Barents Sea. -- *Invertebrate Zoology* 6, 89-102. (*I. anguipes* and *I. commensalis*)

- DVORETSKY, A. G. & V. G. DVORETSKY 2008. Some aspects of the biology of the amphipods *Ischyrocerus anguipes* associated with the red king crab, *Paralithodes camtschaticus*, in the Barents Sea. ---- *Polar Biology* 32, 463-469.
- DVORETSKY, A. G. & V. G. DVORETSKY 2009. Fouling community of the red king crab, *Paralithodes camtschaticus* (Tilesius 1815), in a subarctic fjord of the Barents Sea. ---- *Polar Biology* 32, 1047-1054. (*Ischyrocerus commensalis*)
- DVORETSKY, A. G. & V. G. DVORETSKY 2009. Distribution of amphipods *Ischyrocerus* on the red king crab, *Paralithodes camtschaticus*: Possible interactions with the host in the Barents Sea. ---- *Estuarine, Coastal and Shelf Science* 82, 390-396.
- DVORETSKY, A. G. & V. G. DVORETSKY 2009. (Foulers and symbionts of the red king crab (*Paralithodes camtschaticus*) in Dolgaya Bay of the Barents Sea.) ---- *Zoologicheskyy Zhurnal* 88, 1320-1325. (In Russian. *Ischyrocerus anguipes* and *I. commensalis*)
- DVORETSKY, A. G. & V. G. DVORETSKY 2010. The amphipod *Ischyrocerus commensalis* on the eggs of the red king crab *Paralithodes camtschaticus*: egg predator or scavenger? ---- *Aquaculture* 298, 185-189. (In Russian Arctic waters *I. commensalis* is mainly a scavenger, feeding on dead eggs)
- DVORETSKY, V. G. & A. G. DVORETSKY 2010. Checklist of fauna found in zooplankton samples from the Barents Sea. ---- *Polar Biology* 33, 991-1005. (Ten amphipod spp listed on pp 999-1000).
- EBERHARD, S. M., S. A. HALSE, M. R. WILLIAMS, M. D. SCANLON, J. COCKING & H. J. BARRON 2009. Exploring the relationship between sampling efficiency and short-range endemism for groundwater fauna in the Pilbara region, Western Australia. ---- *Freshwater Biology* 54, 885-901.
- ECKMANN, R., M. MÖRTL, D. BAUMGARTNER, C. BERRON, P. FISCHER, D. SCHLEUTER & A. WEBER 2008. Consumption of amphipods by littoral fish after the replacement of native *Gammarus roeseli* by invasive *Dikerogammarus villosus* in Lake Constance. ---- *Aquatic Invasions* 3, 187-191. (Not much difference)
- EDGECOMBE, G. D. 2009. Palaeontological and molecular evidence linking arthropods, onychophorans, and other Ecdysozoa. ---- *Evolution: Education and Outreach* 2, 12 pp
- EDGECOMBE, G. D. 2010. Arthropod phylogeny: An overview from the perspectives of morphology, molecular data and the fossil record. ---- *Arthropod Structure and Development* 39, 74-87.
- EGILSDOTTIR, H., J. I. SPICER & S. D. RUNDLE 2009. The effect of CO<sub>2</sub> acidified water and reduced salinity on aspects of the embryonic development of the amphipod *Echinogammarus marinus* (Leach). ---- *Marine Pollution Bulletin* 58, 1187-1191.
- EISLER, R. 2010. *Chapter 7-Crustaceans*. ----Pp 399-516 in Compendium of trace metals and marine biota. (Not seen)
- ELLIOTT, K. H., K. J. WOO & A. J. GASTON 2009. Specialization in murre: the story of eight specialists. ---- *Waterbirds* 32, 491-506. (Of 8 individual murre (Common Guillemots) studies, two were amphipod specialists (species not identified).)
- ELLIS, S. & H. J. MacISAAC 2009. Salinity tolerance of Great Lakes invaders. ---- *Freshwater Biology* 54, 77-89. (i.a. *Echinogammarus ischnus*.)
- ERIKSSON WIKLUND, A.-K., S. VILHELMSSON, S. J. WIKLUND & B. EKLUND 2009. Contaminants and habitat choice in the Baltic Sea: Behavioural experiments with the native



species, *Monoporeia affinis*, and the invasive genus, *Marenzelleria*. ---- *Estuarine, Coastal, and Shelf Science* 81, 238-248.

FADEEV, V. I. 2009. *Benthos studies in feeding grounds of Western Gray Whales off the northeast coast of Sakhalin island (Russia), 2004-2008*. (International Whaling Commission, 61<sup>st</sup> Annual Meeting, Funchal, Madeira, Portugal 2009, 9 pp

FADIL, F. & M. DAKKI 2006. Deux espèces nouvelles du genre *Gammarus* (Crustacés, Amphipodes) du Maroc. ---- *Bulletin de l'Institut Scientifique du Maroc* 28, 13-24. (Not seen, and earlier overlooked. *Gammarus marmouchensis* n.sp. and *G. rifatlensis* n. sp.)

FADIL, F., K. FADIL & M. DAKKI 2009. A new species of *Chaetogammarus* Martynov, 1925 (Amphipoda) from Moroccan fresh waters, including notes on the Moroccan epigeal Gammaridae. ---- *Crustaceana* 82, 969-979. (*Ch. saisensis* n. sp. from a spring near Fez.. A key to the 10 known epigeal freshwater gammaridae in Morocco., including 7 *Gammarus* and 2 *Echinogammarus*.)

FADIL, F., K. FADIL & M. DAKKI 2009. Dynamique et cycle de reproduction de trois populations de *Gammarus* du Saiss, Maroc. ---- *Crustaceana* 82, 1225-1236. (*Gammarus gauthieri*, *G. maroccanus* and *G. rouxi*)

FANELLI, E., J. E. CARTES, F. BADALAMENI, P. RUMOLO & M. SPROVIERI 2009. Trophodynamics of suprabenthic fauna on coastal muddy bottoms of the southern Tyrrhenian Sea (western Mediterranean). ---- *Journal of Sea Research* 61, 174-187. (Amphipods listed on p. 185.

FANELLI, E., J. E. CARTES, P. RUMOLO & M. SPROVIERI 2009. Food-web structure and trophodynamics of mesopelagic bathyal macrofauna of the Algerian Basin based on stable isotopes of carbon and nitrogen. ---- *Deep-Sea Research part I: Oceanographic Research Papers* 56, 1504-1520.

FANINI, L., G. M. MARCHETTI, F. SCAPINI & O. DEFEO 2009. Effects of beach nourishment and groynes building on population and community descriptors of mobile arthropodofauna. ---- *Ecological Indicators* 9, 167-178.

FELTEN, V., S. DOLÉDEC & B. STATZNER 2008. Coexistence of an invasive and a native gammarid across an experimental flow gradient: flow-refuge use, -mortality, and leaf-litter decay. ---- *Fundamental and Applied Limnology* 172, 37-48. (*Gammarus pulex* and *Dikerogammarus villosus*.)

FELTEN, V., G. TIXIER, F. GUÉROLD, V. DE CRESPIN DE BILLY & O. DANGLES 2008. Quantification of diet variability in a stream amphipod; implications for ecosystem functioning. ---- *Archiv für Hydrobiologie* 170, 303-313. (Not seen. A study on *Gammarus fossarum*.)

FENWICK, G. & M. SCARSBROOK 2004. Lightless, not lifeless: New Zealand's subterranean biodiversity. ---- *Water & Atmosphere* 12, (3), 2 pp.

FENWICK, G. & R. WEBBER 2008. Identification of New Zealand's terrestrial amphipods. - --- *Tuhinga* 19, 29-56. (A workable and beautifully illustrated key to the 28 described spp of terrestrial talitrids in New Zealand, including a few species yet to be described.)

FERNANDEZ-LEBORANS, G. 2010. Epibiosis in Crustacea: an overview. ---- *Crustaceana* 83, 549-640.

FIALKOWSKI, W., P. CALOSI, S. DAHLKE, A. DIETRICH, P. G. MOORE, B. D. SMITH, M. SPEGYS & P. S. RAINBOW 2009. The sandhopper *Talitrus saltator* (Crustacea:

Amphipoda): trace metal bioavailabilities in European coastal waters. ---- *Marine Pollution Bulletin* 58, 39-44.

FINSTON, T. L., C. J. FRANCIS & M. S. JOHNSON 2009. Biogeography of the stygobitic isopod *Pygolabis* (Malacostraca; Tainisopidae) in the Pilbara, Western Australia: Evidence for multiple colonisations of the groundwater. ---- *Molecular Phylogenetics and Evolution* 52, 448-460.

FISER, C., B. CAMUR-ELIPEK & M. ÖZBEK 2009. The subterranean genus *Niphargus* (Crustacea, Amphipoda) in the Middle East: A faunistic overview with description of two new species. ---- *Zoologischer Anzeiger* 248, 137-150. (Deals with *N. valachicus*, *N. kirgizi* n. sp. (Pozanti, Adana vilayet, Turkey), and *N. sertaci* n. sp. (Izmir, Turkey))

FISER, C., C. O. COLEMAN, M. ZAGMAJSTER, B. ZWITTNIG, R. GERECKE & B. SKET 2010. Old museum samples and recent taxonomy: A taxonomic, biogeographic and conservation perspective of the *Niphargus tatrensis* complex (Crustacea: Amphipoda). ---- *Organisms, Diversity & Evolution*, on line (Deals with *N. tatrensis*, *N. aggtelekiensis* and *N. scopicauda* n. sp. (Slovenia).)

FISER, C., M. KONEC, Z. KOBE, M. OSANIC, P. GRUDEN & H. POTOČNIK 2010. Conservation problems with hypohelminthophilic *Niphargus* species (Amphipoda: Niphargidae). ---- *Aquatic Conservation of Marine and Freshwater Ecosystems* 20, 602-604. (Data on *N. sphagnicolus* and *N. slovenicus* in the Ljubljana area.)

FISER, C., Z. KOVACIČ, M. PUSTOVRH & P. TRONTELJ 2010. The role of predation in the diet of *Niphargus* (Amphipoda: Niphargidae). ---- *Speleobiology Notes* 2, ? (Not seen)

FISER, C., B. SKET & F. STOCH 2006. Distribution of four narrowly endemic *Niphargus* species (Crustacea: Amphipoda) in the western Dinaric region with description of a new species. ---- *Zoologischer Anzeiger* 245, 77-94. (Deals with *N. vinodolensis* n. sp. (near Rijeka, Croatia), *N. krameri*, *N. spinulifemur* and *N. timavii*.)

FISER, C., B. SKET, M. TURJAK & P. TRONTELJ 2009. Public online databases as a tool of collaborative taxonomy: a case study on subterranean amphipods. ---- *Zootaxa* 2095, 47-56.

FISER, C., P. TRONTELJ, R. LUSTRIK & B. SKET 2009. Towards a unified taxonomy of *Niphargus* (Crustacea: Amphipoda): a review of morphological variability. ---- *Zootaxa* 2061, 1-22. (An important and enlightening paper.)

FISER, C. & M. ZAGMAJSTER 2009. Cryptic species from cryptic space: the case of *Niphargus fongi* sp.n. (Amphipoda, Niphargidae). ---- *Crustaceana* 82, 593-614. (From Mala Gora, SE Slovenia.)

FLOT, J.-F., G. WÖRHEIDE & S. GATTAGUPTA 2010. Unsupected diversity of *Niphargus* amphipods in the chemoautotrophic cave ecosystem of Frasassi, central Italy. ---- *BMC Evolutionary Biology* 10, 13 pp (A molecular study shows 4 different taxa to be present. See also Karaman et al. 2010)

FLYNN, M. N. & M. T. VALÉRIO-BERARDO 2009. Depth-associated patterns in the development of Amphipoda (Crustacea) assemblages on artificial substrata in the São Sebastião Channel, Southeastern Brazil. ---- *Nauplius* 17, 127-134.

FORWARD, R. B., M. H. BOURLA, M. Z. DURNELL & J. C. COHEN 2009. Entrainment of the circadian rhythm of the supratidal amphipod *Talorchestia longicornis* by light and temperature: mechanisms of detection and hierarchical organization. ---- *Marine and Freshwater Behaviour and Physiology* 42, 233-247.

FORWARD, R. B., M. H. BOURLA, N. N. LESSIOS & J. H. COHEN 2009. Orientation to shorelines by the supratidal amphipod *Talorchestia longicornis*: Wavelength specific behavior during sun compass orientation. ---- *Journal of Experimental Marine Biology and Ecology* 376, 102-109.

FOSTER, J. M. 2008. *Review of the genus Polycheria Haswell, a symbiotic group of amphipods (Crustacea: Dexaminidae) with descriptions of new species from Florida, the Caribbean Sea, and the Indo-Pacific region.* ---- Dr Phil. Dissertation, Univ. of Southern Mississippi, 262 pp. (This magistral work reviews all *Polycheria* species and describes (but does not yet name) five new species.)

FOSTER, J. M., S. E. LeCROY, R. W. HEARD & R. VARGAS 2009. *Gammaridean Amphipods.* ---- Pp 265-274 in I. Wehrtmann & J. Cortés (eds). *Marine Biodiversity of Costa Rica, Central America, Monographiae Biologicae 86*, Springer Netherlands. (Not seen, unfortunately. Apparently, at least 20 spp are added to the 43 known previously from Costa Rica, but studies are ongoing and will add further species)

FRANCESCHI, N., J.-F. LEMAITRE, F. CÉZILLY & L. BOLLACHE 2010. Size-assortative pairing in *Gammarus pulex* (Crustacea: Amphipoda): a test of the prudent choice hypothesis. ---- *Animal Behaviour* 79, 911-916.

FRANKEN, R., J. J. P. GARDENIERS, & E. T. H. M. PEETERS 2007. Secondary production of *Gammarus pulex* Linnaeus in small temperate streams that differ in riparian canopy cover. ---- *Archiv für Hydrobiologie* 168, 211-219.

FRENCH, J. R. P., J. S. SCHAEFFER, E. C. S. KILEYA & A. FOURNEROUX 2009. Abundance and distribution of benthic macroinvertebrates in offshore soft sediments of western Lake Huron, 2001-2007. ---- *Journal of Great Lakes Research* 35, 120-127. (Great decline of *Diporeia*)

FREY, M. A., H. N. GARTNER, C. C. MURRAY & T. W. THERRIAULT 2009. First confirmed records of the non-native amphipod *Caprella mutica* (Schurin, 1935) along the coast of British Columbia, Canada, and the potential for secondary spread via hull fouling. ---- *Aquatic Invasions* 4, 495-499.

FULLER, W. J., A. C. BRODERICK, R. ENEVER, P. THORNE & B. J. GODLEY 2010. Motile homes: a comparison of the spatial distribution of epibiont communities on Mediterranean sea turtles. ---- *Journal of Natural History* 44, 1743-1753. (Deals with i.a. *Caprella fretensis*, *Hyale nilssoni* and *H. schmidt*, all new as sea turtle associates.)

FÜREDER, L. & M. PÖCKL 2007. *Ecological traits of aquatic NIS invading Austrian fresh waters.* ---- Pp 233-257 in F. Gherardi (ed.). *Biological invaders in inland waters. Profiles, distribution and threats.* Springer. (A thorough review on Non-indigenous species (NIS). *Dikerogammarus villosus* is treated on pp 244-247.)

GABEL, F., X.-F. GARCIA, M. BRAUNS, A. SUKHODOLOV, M. LESZINSKI & M. T. PUSCH 2008. Resistance to ship-induced waves of benthic invertebrates in various littoral habitats. ---- *Freshwater Biology* 53, 1567-1578. (An experimental study, involving i.a. *Gammarus roeseli* and *Dikerogammarus villosus*.)

GAMITO, S., P. CHAINHO, J. L. COSTA, J. P. MEDEIROS, M. J. COSTA & J.C. MARQUES 2010. Modelling the effects of extreme events on the dynamics of the amphipod *Corophium orientale*. ---- *Ecological Modelling* 221, 459-466.

- GALASSI, D. M. P., F. STOCH, B. FIASCA, T. di LORENZO & E. GATTONE 2009. Groundwater biodiversity patterns in the Lessinian massif of northern Italy. ---- *Freshwater Biology* 54, 830-847. (Twelve amphipod spp, all *Niphargus*, listed on p. 845.)
- GALIL, B. S. 2009. Taking stock. Inventory of alien species in the Mediterranean Sea. ---- *Biological Invasions* 11, 359-372. (The actual species concerned are apparently in a supplementary table, which I have not seen. Can somebody help me out?)
- GALKIN, S. V. & E. I. GOROSLAVSKAYA 2008. Bottom fauna associated with mussel beds and alvinellid communities in the hydrothermal field at 9°N of the East Pacific rise. ---- *Oceanology* 48, 509-516. (Not seen)
- GARCIA MADRIGAL, M. del S. 2009. Annotated checklist of the amphipods (Peracarida: Amphipoda) from the tropical eastern Pacific. ---- *Contributions to the Study of East Pacific Crustaceans* 4 (2007), 63-195. (An extremely useful survey of all that is known about the amphipod fauna of this little known area!).
- GARCIA-SCHROEDER, D. L. & P. B. ARAUJO 2009. Post-marsupial development of *Hyalella pleoacuta* (Crustacea: Amphipoda): stages 1-4. ---- *Zoologia* 26, 391-406. (Not seen)
- GASCA, R. 2009. Hyperiid amphipods (Crustacea: Peracarida) in Mexican waters of the Pacific Ocean. ---- *Pacific Science* 63, 83-95. (Lists 159 species from Mexican waters.)
- GASCA, R. 2009. *Hyperiid amphipods*. ---- Pp 275-282 in Marine Biodiversity of Costa Rica, Central America. Monographiae Biologicae 86, Springer Netherlands. (Not seen)
- GASCA, R. 2009. Diversity of hyperiid amphipods (Crustacea: Peracarida) in the western Caribbean Sea. News from the deep. ---- *Zoological Studies* 48, 63-70. (92 spp found, of which 32 had not been previously reported from the area.)
- GEBRUK, A. V., N. E. BUDAEVA & N. J. KING 2009. Bathyal benthic fauna of the Mid-Atlantic Ridge between the Azores and the Reykjanes Ridge. ---- *Journal of the Marine Biological Association UK* 90, 1-14. (No amphipods)
- GEFFARD, A., H. SARTELET, J. GARRIC, S. BIAGIANTI-RISBOURG, L. DELHAUT & O. GEFFARD 2010. Subcellular compartmentalization of cadmium, nickel and lead in *Gammarus fossarum*: Comparison of methods. ---- *Chemosphere* 78, 822-829.
- GERGS, R. & K.-O. ROTHHAUPT 2008. Feeding rates, assimilation efficiencies and growth of two amphipod species on biodeposited material from zebra mussels. ---- *Freshwater Biology* 53, 2494-2503. (*Gammarus roeseli* and *Dikerogammarus villosus*.)
- GERVASIO, V., D. J. BERG, B. K. LANG, N. L. ALLAN & S. I. GUTTMAN 2004. Genetic diversity in the *Gammarus pecos* species complex: Implications for conservation and regional biogeography in the Chihuahuan Desert. ---- *Limnology & Oceanography* 49, 520-531. (There is at least one undescribed species in this complex.)
- GHERARDI, F., S. BERTOLINO, M. BODON, S. CASELLATO, S. CIANFANELLI, M. FERRAGUTI, E. LOTTI, G. MURA, A. NOCITA, N. RICCARDI, G. ROSSETTI, E. ROTA, R. SCALERA, S. ZERUBIAN & E. TRICARICO 2008. Animal xenodiversity in Italian inland waters: distribution, modes of arrival, and pathways. ---- *Biological Invasions* 10, 435-454. (Two amphipods, *Gammarus roeseli* and *Dikerogammarus villosus*)
- GIBERT, J., D. C. CULVER, M.-J. DOLE-OLIVIER, F. MALARD, M. C. CHRISTMAN & L. DEHARVENG 2009. Assessing and conserving groundwater biodiversity: synthesis and perspectives. ---- *Freshwater Biology* 54, 930-941.

- GIDDINGS, J. M., I. BARBER & W. WARREN-HICKS 2009. Comparative aquatic toxicity of the pyrethroid insecticide lambda-cyhalothrin and its resolved isomer gamma-cyhalothrin. - --- *Ecotoxicology* 18, 239-249.
- GILDER, A. L., R. L. HANNIBAL & N. H. PATEL 2009. Comparative analysis of regulatory elements associated with *snail* in *Parhyale hawaiiensis* and *Drosophila melanogaster*. ---- *Developmental Biology* 331, 464.
- GILLETT, D. J. & L. C. SCHAFFNER 2009. Benthos of the York River. ---- *Journal of Coastal Research* 57, 80-98. (The York River is in Virginia, USA. Crustacea are listed on pp 95-96.)
- GINSBURGER-VOGEL, T. & I. DESPORTES 2008. Etude ultrastructurale de la sporulation de *Paramarteilia orchestiae* gen. n., sp. n., parasite de l'Amphipode *Orchestia gammarellus* (Pallas). ---- *Journal of Eukaryotic Microbiology* 26, 390-403. (Not seen)
- GJØSÆTER, H., B. BOGSTAD & S. TJELMELAND 2009. Ecosystem effects of the three capelin stock collapses in the Barents Sea. ---- *Marine Biology Research* 5, 40-53.
- GLAZIER, D. S. 2009. *Amphipoda*. ---- Pp 89-115 in Encyclopedia of inland waters. (Not seen).
- GLAZIER, D. S. 2009. *Springs*. ---- Pp 734-755 in Encyclopedia of inland waters. (Not seen)
- GOMES, V., M. J. A. C. R. PASSOS, N. M. P. LENE, T. C. A. SANTOS, D. Y. F. CAMPOS, F. M. HASUE & V. N. PHAN 2009. Photo-induced toxicity of anthracene in the Antarctic shallow water amphipod, *Gondogeneia antarctica*. ---- *Polar Biology* 32, 1009-1021.
- GONCALVES, S. C., P. M. ANASTACIO, M. A. PARDAL, P. C. CARDOSO, S. M. FERREIRA & J. C. MARQUES 2009. Sandy beach macrofaunal communities on the western coast of Portugal—Is there a steady structure under similar exposed conditions? ---- *Estuarine, Coastal and Shelf Science* 81, 555-568.
- GONZALEZ, A. R., J. M. GUERRA-GARCIA, M. J. MAESTRE, A. RUIZ-TABARES, F. ESPINOSA, I. CORDILLO, J. E. SANCHEZ-MOYANO & J. C. GARCIA-GOMEZ 2008. Community structure of caprellids (Crustacea: Amphipoda: Caprellidae) on seagrasses from southern Spain. ---- *Helgoland Marine Research* 62, 189-199. (Data on *Caprella acanthifera*, *Pariambus typicus*, *Phthisica marina* and *Pseudoprotella phasma*.)
- GONZALEZ, E. R., P. A. HAYE, M.-J. BALANDA & M. THIEL 2008. Systematic list of species of peracarids from Chile (Crustacea, Eumalacostraca). ---- *Gayana* 72, 157-177. (Amphipods on pp 163-169. A most useful compilation)
- GOROKHOVA, E., M. LÖF, H. P. HALLDORSSON, U. TJÄRNLUND, M. LINDESTROM, T. ELFWING & B. SUNDELIN 2010. Single and combined effects of hypoxia and contaminated sediments on the amphipod *Monoporeia affinis* in laboratory toxicity bioassays based on multiple biomarkers. ---- *Aquatic Toxicology* 99, 263-274.
- GOTTSTEIN, S., M. IVKOVIC, I. TERNJEJ, B. JALZIC & M. KEROVEC 2007. Environmental features and crustacean community of anchihaline hypogean waters on the Kornati islands, Croatia. ---- *Marine Ecology* 28, Suppl 1, 24-30. (*Niphargus hebereri* dominant.)
- GOUWS, C., C. A. MATTHEE & B. A. STEWART 2010. A multiple data set phylogeny for the endemic South African phreatoicidean isopod genus *Mesamphisopus*: Taxonomic and biogeographic implications. ---- *Molecular Phylogenetics and Evolution* 55, 541-551.

- GRABOWSKI, M., K. BACELA, A. KONOPACKA & K. JAZDZEWSKI 2009. Salinity-related distribution of alien amphipods in rivers provides refugia for native species. ---- *Biological Invasions* 11, 2107-2117.
- GRADINGER, R., B. BLUHM & K. IKEN 2010. Arctic sea ice ridges—safe havens for sea ice fauna during periods of extreme ice melt? ---- *Deep-Sea Research II* 57, 86-95. (These ice ridges have increased numbers of ice fauna.)
- GRIFFITHS, C. L., T. B. ROBINSON & A. MEAD 2009. *The status and distribution of marine alien species in South Africa*, ---- Pp 393-408 in G. Rilov & J. A. Crooks. Biological invasions in marine ecosystems. Ecological, management, and geographic perspectives. Springer, Berlin-Heidelberg. (Not seen)
- GRIGOROVICH, I. A., T. R. ANGRADI, E. B. EMERY & M. S. WOOTEN 2008. Invasion of the upper Mississippi River system by saltwater amphipods. ---- *Archiv für Hydrobiologie* 173, 67-77. ( *Apocorophium lacustre*, *Echinogammarus ischnus* and *Gammarus tigrinus*.)
- GRILO, T. F., P. G. CARDOSO, M. DOLBETH & M. A. PARDAL 2009. Long-term changes in amphipod population dynamics in a temperate estuary following ecosystem restoration. ---- *Hydrobiologia* 630, 91-104. (Mondego estuary, Portugal. Studies on *Ampithoe valida* and *Melita palmata*))
- GRIMES, S., J.-C. DAUVIN & T. RUELLET 2009. New records of marine amphipod fauna (Crustacea: Peracarida) on the Algerian coast. ---- *Marine Biodiversity Records* 2, 9 pp (Many new records; the total for Algerian waters is now 298 spp of amphipods.)
- GRINTSOV, V. A. 2009. A new amphipod species *Echinogammarus karadagiensis* sp. n. from Crimean coasts (Black Sea, Ukraine). ---- *Vestnik Zoologii* 43, 169-171. (Type locality is Batiliman, Crimea, Ukrainia, intertidally)
- GRINTSOV, V. A. 2009. (*Parhyale taurica* sp. nov. (Amphipoda, Hyalidae)—the new species from the Crimea coastal zone (Black Sea).) ---- *Biol. Mosk. O-Va Ispitatelej Prirodi* 114, 73-76 ( In Russian. I have been unable to find the exact name of the journal))
- GRINTSOV, V. A. & Yu. A. ZAGORODNYAYA 2008. The amphipod *Microprotopus maculatus* in the Black Sea: an alien or and old acquaintance? ---- *Marine Ecological Journal* 7,1 (The authors point out that *M. minutus* probably is a junior synonym of *M. maculatus*, and that the latter species is not a newcomer to the Black Sea, as recently reported by Shiganova (2007)).
- GROSSO, L. E. & M. PERALTA 2009. A new Paraleptamphopidae (Crustacea Amphipoda) in the burrow of *Virilastacus rucapihuelensis* (Parastacidae) and surrounding peat bogs. *Rudolphia macrodactylus* n. gen., n. sp. from southern South America. ---- *Zootaxa* 2243, 40-52. (This first paraleptamphopid outside New Zealand was found at Rucapihuel, prov. Osorno, in S. Chile. A cladistic analysis shows the Paraleptamphopidae to be monophyletic and the closest relation is the *Falklandella* group.)
- GRUSZKA, P. & A. WOZNICZKA 2008. *Dikerogammarus villosus* (Sowinski, 1894) in the River Odra estuary—another invader threatening Baltic sea coastal lagoons. ---- *Aquatic Invasions* 3, 395-403.
- GRZELAK, K. & P. KUKLINSKI 2010. Benthic assemblages associated with rocks in a brackish environment of the southern Baltic Sea. ---- *Journal of the Marine Biological Association UK* 90, 115-124.. (A Polish study: amphipods are *Corophium* (*C. lacustre* and *C. multisetosum*) and *Gammarus* (*G. salinus* and *G. zaddachi*) spp, *Leptocheirus pilosus*, as well as a few of the invasive caprellid *Caprella mutica*.)

GUERLET, E., K. LEDY & L. GIAMBÉRINI 2008. Is the freshwater gammarid, *Dikerogammarus villosus*, a suitable sentinel species for the implementation of histochemical biomarkers? ---- *Chemosphere* 72, 697-702. (Not really, but the species is nevertheless worth following up)

GUERRA-GARCIA, J. M., E. BAEZA-ROJANO, M. P. CABEZAS, J. J. DIAZ- PAVON, I. PACIOS & J. C. GARCIA-GOMEZ 2009. The amphipods *Caprella penantis* and *Hyale schmidtii* as biomonitors of trace metal contamination in intertidal ecosystems of Algeciras Bay, Southern Spain. ---- *Marine Pollution Bulletin* 58, 783-786.

GUERRA-GARCIA, J., P. CABEZAS, E. BAEZA-ROJANO, F. ESPINOSA & J. C. GARCIA-GOMEZ 2009. Is the north side of the Strait of Gibraltar more diverse than the south side? A case study using the intertidal peracarids (Crustacea: Malacostraca) associated to the seaweed *Corallina elongata*. ---- *Journal of the Marine Biological Association UK* 89, 387-397. (The apparent differences can be explained by differences in human pressure and substrate. A most interesting study!)

GUERRA-GARCIA, J. M., M. P. CABEZAS, E. BAEZA-ROJANO & J. C. GARCIA-GOMEZ 2010. Na, K, Ca and Mg of intertidal caprellids (Crustacea: Amphipoda). ---- *Marine Biology Research* 6, 321-326.

GUERRA-GARCIA, J. M. & J. C. GARCIA-GOMEZ 2008. (Hand corer versus van Veen grab in harbour sediments: Efficiency estimation in the study of macrobenthic communities.). ---- *Zoologia Baetica* 19, 57-69. (In Spanish. The hand corer was in some aspects superior to the grab.)

GUERRA-GARCIA, J. M. & J. C. GARCIA-GOMEZ 2009. Recolonization of macrofauna in unpolluted sands placed in a polluted yachting harbour: A field approach using experimental trays. ---- *Estuarine, Coastal and Shelf Science* 81, 49-58. (Amph. p. 53)

GUERRA-GARCIA, J. M. & D. IZQUIERDO 2010. Caprellids (Crustacea: Amphipoda) associated with the intertidal alga *Corallina elongata* along the Iberian Peninsula. ---- *Marine Biodiversity Records* 3, 7 pp.

GUERRA-GARCIA, J. M., T. KRAPP-SCHICKEL & H.G.MÜLLER 2006. Caprellids from the Caribbean coast of Colombia, with description of three new species and a key for species identification. ---- *Boletino de Investigaciones Marinas y Costeras* 35, 149-194. (Deals with *Caprella cf penantis*, *C. danilevskii*, *Deutella caribensis* n. sp. (Bahía Concha, Colombia), *D. incerta*, *D. mayeri*, *Hemiaeginina minuta*, *Paracaprella pusilla*, *Pseuaeginella colombiensis* n. sp. (Punta el Diamante, Colombia), *Tritella chibcha* n. sp. (Bahía de Santa Marta, Colombia), and *Aciconula* sp. NB This paper was in AN 31, but the new spp were there inadvertently omitted in the species lists, they are therefore added here )

GUERRA-GARCIA, J. M. & J. K. LOWRY 2009. Caprellidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 290-327. (Deals with *Aciconula australiensis*, *Caprella penantis*, *Hemiaegina minuta*, *Metaprotella sandalensis*, *Orthoprotella australis*, *O. pearce*, *O. sp.*, *Paracaprella sp.*, *Protella similis*, *Pseuaeginella cf biscayensis*, *Jigurru vailhoggett*, *Metaprototo novaehollandiae*, *Perotripus keablei*, *Pseudoprellicana johnsoni*, *Pseudoprototo fallax*, *Quadrisegmentum lowryi*, and *Q. triangulum*, all from Lizard island, GBR)

GUERRA-GARCIA, J. M., A. RUIZ-TABARES, E. BAEZA-ROJANO, M. P. CABEZAS, J. J. DIAZ-PAVON, I. PACIOS, M. MAESTRE, A. R. GONZALEZ, F. ESPINOSA & J. C. GARCIA-GOMEZ 2010. Trace metals in *Caprella* (Crustacea: Amphipoda). A new tool for monitoring pollution in coastal areas? ---- *Ecological Indicators* 10, 734-743.



- GUERRA-GARCIA, J. M., J. A. SANCHEZ & M. ROS 2009. Distributional and ecological patterns of caprellids (Crustacea: Amphipoda) associated with the seaweed *Stypocaulon scoparium* in the Iberian Peninsula. ---- *Marine Biodiversity Records* 2, 8 pp. (Ten caprellid species found)
- GUERRA-GARCIA, J. M. & J. M. TIerno DE FIGUEROA 2009. What do caprellids (Crustacea: Amphipoda) feed on? ---- *Marine Biology* 156, 1881-1890. ('Most caprellids are mainly detritivores, but a few Phtiscinae are obligate predators.' An important paper!)
- GULER, Y. & A. T. FORD 2010. Anti-depressants make amphipods see the light. ---- *Aquatic Toxicology* 99, 397-404. (Catchy title! *Echinogammarus marinus* exposed to fluoxetine show increased positive phototaxis, similar to animals parasitized by acanthocephalans.)
- GUTOW, L., L. GIMÉNEZ, K. BOOS & R. SABOROWSKI 2009. Rapid changes in the epifaunal community after detachment of buoyant benthic macroalgae. ---- *Journal of the Marine Biological Association UK* 89, 323-328. (An Icelandic study)
- HAHN, H. J. & A. FUCHS 2009. Distribution patterns of groundwater communities across aquifer types in south-western Germany. ---- *Freshwater Biology* 54, 848-860. (14 spp of amphipods listed on pp 853-854.)
- HAMPEL, H., M. ELLIOTT & A. CATRIJSSE 2009. Macrofaunal communities in the habitats of intertidal marshes along the salinity gradient of the Schelde estuary. ---- *Estuarine, Coastal and Shelf Science* 84, 45-53. (Amphipods found are *Corophium volutator*, *Gammarus zaddachi* and *Melita pellucida*)
- HANCOCK, P. J. & A. J. BOULTON 2008. Stygofauna biodiversity and endemism in four alluvial aquifers in eastern Australia. ---- *Invertebrate Systematics* 22, 117-126. (Not seen).
- HANCOCK, P. J. & A. J. BOULTON 2009. Sampling groundwater fauna: efficiency of rapid assessment methods tested in bores in eastern Australia. ---- *Freshwater Biology* 54, 902-917.
- HARVEY, M., P. S. GALBRAITH & A. DESCROIX 2009. Vertical distribution and diel migration of macrozooplankton in the St Lawrence marine system (Canada) in relation with the cold intermediate layer thermal properties. ---- *Progress in Oceanography* 80, 1-21. (i.a. *Themisto* spp)
- HAUTON, C., T. TYRELL & J. WILLIAMS 2009. The subtle effects of sea water acidification on the amphipod *Gammarus locusta*. ---- *Biogeosciences Discussions* 6, 919-946.
- HAVERMANS, C., Z. T. NAGY, G. SONET, C. DE BROYER & P. MARTIN 2010. Incongruence between molecular phylogeny and morphological classification: a case study of Antarctic lysianassoids. ---- *Molecular Phylogenetics and Evolution* 55, 202-209. (A most interesting and thought provoking paper, centering on the *Orchomene*-sl group in the Antarctic.)
- HAY, M. E. 2009. Marine chemical ecology: chemical signals and cues structure marine populations, communities, and ecosystems. ---- *Annual Review of Marine Science* 1, 193-212. (An excellent overview of this fascinating field of research)
- HELLOU, J., D. JOHNSTON, K. CHEESEMAN, A. GRONLUND, E. DESNOYERS, J. LEONARD & S. ROBERTSON 2009. Bioavailability and bioaccumulation of PAH in amphipods exposed to reference and harbor sediments. ---- *Polycyclic Aromatic Compounds* 29, 12-27. (A Canadian study on *Corophium volutator*)

- HELLOU, J., J. LEONARD, A. COOK, K. DOE, K. DUNPHY, P. JACKMAN, L. TREMBLAY & J. M. FLEMING 2009. Comparison of the partitioning of pesticides relative to the survival and behaviour of exposed amphipods. ---- *Ecotoxicology* 18, 27-33. (*Corophium volutator*)
- HESSELSCHWERDT, J., J. NECKER & K. M. WANTZEN 2008. Gammarids in Lake Constance: habitat segregation between the invasive *Dikerogammarus villosus* and the indigenous *Gammarus roeselii*. ---- *Fundamental and Applied Limnology* 173, 177-186.
- HÉTÉRIER, V., B. DAVID, C. DE RIDDER & T. RIGAUD 2008. Ectosymbiosis is a critical factor in the local benthic biodiversity of the Antarctic deep sea. ---- *Marine Ecology Progress Series* 364, 67-76. (Associates on cidarid sea-urchins)
- HEYNS, E. & W. FRONEMAN 2010. Spatial and temporal patterns in the hyperbenthic community structure in a warm temperate southern African permanently open estuary. ---- *Estuarine, Coastal and Shelf Science* 88, 2010, 105-115. (Amphipods listed on p. 107)
- HILL, N.A., C. K. KING, L. A. PERRETT & E. L. JOHNSTON 2009. Contaminated suspended sediments toxic to an Antarctic filter feeder: aqueous- and particulate-phase effects. ---- *Environmental Toxicology and Chemistry* 28, 409-417. (Not seen)
- HINTZEN, E. P., M. J. LYDY & J. B. BELDEN 2009. Occurrence and potential toxicity of pyrethroids and other insecticides in bed sediments of urban streams in central Texas. ---- *Environmental Pollution* 157, 110-116. (*Hyaella azteca*)
- HOLSINGER, J. R., J. SHAFER, D. W. FONG & D. C. CULVER 2008. *Gammarus cohabitus*, a new species of subterranean amphipod (Gammaridae) from groundwater habitats in central Pennsylvania. *Subterranean Biology* 6, 31-41.
- HORTON, T & M. THURSTON 2009. *Hirondellea sindhusagar* (Crustacea; Amphipoda: Lysianassoidea), a new deep-water scavenger species from the Indian Ocean, with a key to the genus *Hirondellea*. ---- *Zootaxa* 2096, 433-441.
- HOSONO, T. 2009. Effect of temperature on the duration of reproductive cycles of female *Caprella mutica* (Crustacea: Amphipoda) in the laboratory. ---- *Marine Biodiversity Records* 2, 6 pp
- HOU, Z., Z. LI & S. LI 2009. Identifying Chinese species of *Gammarus* using bar-coding. ---- *Current Zoology* 55 (2), 158-164. (A most interesting paper, studying the possibilities of barcoding in amphipod taxonomy.)
- HOU, Z., Y. PAN & S. LI 2010. Description of a new blind species of *Heterokamaka* (Crustacea: Amphipoda: Kamakidae) from Dianshan lake, China. ---- *Zootaxa* 2395, 57-67. (*Heterokamaka lutensis* n. sp. )
- HSU, C.-B., C.-P. CHEN & H.-L. HSIEH 2009. Effects of sediment compaction on macroinfauna in a protected wetland in Taiwan. ---- *Marine Ecology Progress Series* 375, 73-83. ('Polychaetes were more sensitive than amphipods and bivalves'. The very many amphipods were not further identified.)
- HUANG, Y. M., M. O. AMSLER, J. B. McCLINTOCK, C. D. AMSLER & B. J. BAKER, 2007. Patterns of gammaridean amphipod abundance and species composition associated with dominant subtidal macroalgae from the western Antarctic Peninsula. ---- *Polar Biology* 30, 1417-1430. (Amph. listed on pp 1421-1422)
- HUANG, Y. M., J. B. McCLINTOCK, C. D. AMSLER, K. J. PETERS & B. J. BAKER 2006. Feeding rates of common Antarctic gammarid amphipods on ecologically important sympatric macroalgae. ---- *Journal of Experimental Marine Biology and Ecology* 329, 55-65.

(Data on *Prostebbingia gracilis*, *Gondogeneia antarctica* and *Metalemptamphopus pectinatus*.)

HUCK, E., A. MARTIN & P. MILOSLAVICH 2007. (Proteic content in the embryonic stages of *Talorchestia margaritae* (Amphipoda: Talitridae) during its intramarsupial development). ---- *Revista de Biología Tropical* 55 (Suppl.), ??-??. (In Spanish, not seen)

HUGHES, L. E. 2009. Exoedicerotidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 430-433. (Deals with *Parhalimedes kyhursti* n. sp., Lizard island, GBR)

HUGHES, L. E. 2009. Megalurotidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 708-712. (Deals with *Gibberosus udarus* n. sp. from Lizard island, GBR)

HUGHES, L. E. 2009. Paracalliopiidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 759-765. (Deals with *Doowia dexteriae* and *Yhi yindi*.)

HUGHES, L. E. 2009. Platyischnopidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 828-835. (Deals with *Platyischnopus mam* and *Tomituka eumilli* n. sp. (Fantome island, GBR).)

HUGHES, L. E. 2009. Synopiidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 880-891. (Deals with *Synopia ultramarina*, *S. petitaserrata* n. sp. (Lizard island) and *Telsosynopia trifidilla*.)

HUGHES, L. E. 2009. *Parelasomus poorei* a new species of Maeridae (Crustacea: Amphipoda) from Southern Australia. ---- *Memoirs of Museum Victoria* 66, 77-80. (From W. of Point Ricardo, Bass Str., Victoria))

HUGHES, L. E. & J. K. LOWRY 2009. Ampithoidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 153-219. (Deals with *Ampithoe cookana*, *A. katae* (with *A. ningaloo* as a junior synonym), *A. kava*, *A. meganae* (with *A. rotunda* as a junior synonym), *A. wialua* (with *A. hiana* as a junior synonym), *Cymadusa alyxis* n. sp. (Lizard island), *Cymadusa cavimana* (with *C. jiigurru* as a junior synonym), *C. heronensis*, *C. hoeyae* n. sp. (Lizard island), *C. imbroglia*, *C. khbarnardi* n. sp. (Lizard island), *C. mariabyrneae* n. sp. (One Tree island, GBR), *C. smilodonta* n. sp. (Lizard island), *C. tattersalli*, *C. thagaay*, *C. wistari*, *Paragrubia edgari* Peart n. sp. (Cape Cleveland, Qld.), *Plumithoe quadrimana*, and *Sunamphitoe fantome* Peart n. sp. (Fantome island, GBR). The two spp described by Peart get as author name Peart, in Hughes & Lowry, 2009)

HUGHES, L. E. & J. K. LOWRY 2009. Oedicerotidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 746-758. (Deals with *Aborolobatea insidiosa* n. sp. (One Tree island, GBR), *Monoculodes tropicalis* n. sp. (Lizard island) and *Perioculodes talboti* n. sp. (One Tree island, GBR).)

HUMPHREYS, W. F. 2008. Rising from Down Under: developments in subterranean biodiversity in Australia from a groundwater perspective. ---- *Invertebrate Systematics* 22, 85-101. (Not seen)

- HUMPHREYS, W. F., C. H. S. WATTS, S. J. B. COPPER & R. LEIJS 2009. Groundwater estuaries of salt lakes: buried pools of endemic biodiversity on the western plateau, Australia. ---- *Hydrobiologia* 626, 79-95.
- HUZ, R. de la 2008. Effects of morphodynamic state on macrofauna community of exposed sandy beaches on Galician coast (NW Spain). ---- *Marine Ecology* 29, Suppl 1, 150-159.
- HYNE, R. V., F. SANCHEZ-BAYO, A. D. BRYAN, E. L. JOHNSTON & M. M. REINIER 2008. Fatty acid composition of the estuarine amphipod, *Melita plumulosa* (Zeidler): link between diet and fecundity. ---- *Environmental Toxicology and Chemistry* 28, 123-132.
- IANNILLI, V., A. MINELLI & S. RUFFO 2009. *Haploginglymus morenoi* (Crustacea, Amphipoda, Niphargidae), a new interstitial Iberian species with unusual maxilliped. ---- *Bollettino del Museo Civico di Storia Naturale di Verona* 33, 105-112. (Matarana, Aragon, Spain. Not seen)
- IKEN, K., C. D. AMSLER, M. O. AMSLER, J. B. McCLINTOCK & B. J. BAKER 2009. Field studies on deterrent properties of phlorotannins in Antarctic brown algae. ---- *Botanica Marina* 52, 547-558.
- IKEN, K., C. D. AMSLER, J. M. HUBBARD, J. B. McCLINTOCK & B. J. BAKER 2007. Allocation patterns of phlorotannins in Antarctic brown algae. ---- *Phycologia* 46, 386-395.
- IKEN, K., B. BLUHM & K. DUNTON 2010. Benthic food –web structure under differing water mass properties in the southern Chukchi Sea. ---- *Deep-Sea Research II* 57, 71-85. (Amphipods—many unidentified—on p. 78).
- IKKO, N. V. & O. S. LYUBINA 2010. Distribution of the genus *Gammarus* (Crustacea: Amphipoda) along the coast of Arctic fjords as an indicator of prevailing environmental conditions. ---- *Doklady Biological Sciences* 431, 149-151. (Data from Kola Bay and from Grønnefjorden on Spitsbergen.)
- INGERSOLL, C. G., N. E. KEMBLE, J. L. KUNZ, W. G. BRUMBAUGH, D. D. McDONALD & D. SMORONG 2009. Toxicity of sediment cores collected from the Ashtabula River in Northeastern Ohio, USA, to the amphipod *Hyaella azteca*. ---- *Archives of Environmental Contamination and Toxicology* 57, 315-329.
- INGOLFSSON, A. 2009. Predators on rocky shores in the northern Atlantic: Can the results of local experiments be generalized on a geographical scale? ---- *Estuarine, Coastal and Shelf Science* 83, 287-295.
- ITO, A., H. WADA & M. N. AOKI 2008. Phylogenetic analysis of caprellid and corophioid amphipods (Crustacea) based on the 18S rRNA gene, with special emphasis on the phylogenetic position of Phtisicidae. ---- *Biological Bulletin* 214, 176-183. (All Caprellidea form a monophyletic clade, but the close connection with the Dulichiidae is not confirmed.)
- JACOBSON, T., K. HOLMSTRÖM, G. YANG, A. T. FORD & B. SUNDELIN 2010. Perfluorooctane sulfonate accumulation and parasite infestation in a field population of the amphipod *Monoporeia affinis* after microcosm exposure. ---- *Aquatic Toxicology* 98, 99-106.
- JACOBucci, G. B., M. O. TANAKA & F. P. P. LEITE 2009. Temporal variation of amphipod assemblages associated with *Sargassum filipendula* (Phaeophyta) and its epiphytes in a subtropical shore. ---- *Aquatic Ecology* 43, 1031-1040. (Amphipods listed on p. 1034.)
- JAMIESON, A. J., T. FUJII, D. J. MAYER, M. SOLAN & I. G. PRIEDE 2010. Hadal trenches: the ecology of the deepest places on earth. ---- *Trends in Ecology and evolution* 25, 190-197.

- JAMIESON, A. J., T. FUJII, M. SOLAN, A. K. MATSUMOTO, P. M. BAGLEY & I. G. PRIEDE 2009. First findings of decapod crustacea in the hadal zone. ---- *Deep-Sea Research I* 56, 641-647. (Amphipods present, but not identified, at all localities in the various trenches (6000-9729m) in the Pacific.)
- JANSSEN, G., H. KLEEF, S. MULDER & P. TYDEMAN 2008. Pilot assessment of depth related distribution of macrofauna in surf zone along Dutch coast and its implications for coastal management. ---- *Marine Ecology* 29, Suppl. 1, 186-194. (Amph. listed on p. 189.)
- JARMAN, S. N., K. S. REDD & N. J. GALES 2006. Group-specific primers for amplifying DNA sequences that identify Amphipoda, Cephalopoda, Echinodermata, Gastropoda, Isopoda, Ostracoda and Thoracica. ---- *Molecular Ecology Notes* 6, 268-271.
- JASCHINSKI, S., N. ABERLE, S. GOHSE-REIMANN, H. BRENDENBERGER, K. H. WILTSHIRE & U. SOMMER 2009. Grazer diversity effects in an eelgrass-epiphyte-microphytobenthos system. ---- *Oecologia* 159, 607-615. (*Gammarus salinus* one of three main grazers)
- JAUME, D., B. SKET & G. A. BOXSHALL 2009. New subterranean Sebiidae (Crustacea, Amphipoda, Gammaridae) from Vietnam and SW Pacific. ---- *Zoosystema* 31, 249-277. (Deals with *Seborgia sanctensis* n. sp. (Espiritu Santo, Vanuatu), *S. vietnamica* n. sp. (Vinh Ha Long, Gulf of Tonkin, Vietnam, and *S. kanaka* n. sp. (Lifou, Loyalty islands). The genus *Relictoseborgia* is placed into synonymy with *Seborgia*, and the validity of *Caribseba* is also considered doubtful.)
- JAVIER, S. N. & C. O. COLEMAN 2010. *Talitrus curioi* (Crustacea, Amphipoda, Talitridae), a new species of landhopper from the rainforest of the Philippines. ---- *Zoosystematics and Evolution* 86, 41-48.
- JAZDZEWSKA, A. 2009. Antarctic necrophagous lysianassoids from a stranded fur seal carcass. ---- *Polish Polar Research* 30, 29-36. (Six species found, with *Abyssorchomene plebs* and *Waldeckia obesa* greatly dominant)
- JAZDZEWSKA, A. & K. JAZDZEWSKI 2008. *Pontogammarus robustoides* (G. O. Sars, 1894) (Crustacea, Amphipoda), a new Ponto-Caspian invader in Great Masurian Lakes (NE Poland). ---- *Fragmenta Faunistica* 51, 1-7.
- JAZDZEWSKI, K. & J. KUPRYJANOWICZ 2010. One more fossil niphargid (Malacostraca: Amphipoda) from Baltic amber. ---- *Journal of Crustacean Biology* 30, 413-416. (*Niphargus cf. groehni*)
- JENNER, R. A., C. N. DHUBHGHAILL, M. P. FERLA & M. A. WILLS 2009. Eumalacostracan phylogeny and total evidence: limitations of the usual suspects. ---- *BMC Evolutionary Biology* 9, 21- 40. (Despite its, to me, enigmatic title, a most interesting and thought-provoking paper)
- JEONG, S. J., O. H. YU & H.-L. SUH 2009. Reproductive patterns and secondary production of *Gammaropsis japonicus* (Crustacea, Amphipoda) on the seagrass *Zostera marina* of Korea. ---- *Hydrobiologia* 623, 63-76.
- JEPHSON, T., P. NYSTRÖM, P.-O. MOKSNES & S. P. BADEN 2008. Trophic interactions in *Zostera marina* beds along the Swedish coast. ---- *Marine Ecology Progress Series* 369, 63-76. (Amphipods in Table 3, p. 69. {NB. The amphipods are here listed sub Crustacea, while the isopods are called Amphipoda.}. Grazers here seem to be top-down controlled)
- JOHNSON, D. S., J. W. FLEEGER & L. A. DEEGAN 2009. Large-scale manipulations reveal that top-down and bottom-up controls interact to alter habitat utilization by saltmarsh

- fauna. ---- *Marine Ecology Progress Series* 377, 33-41. (*Uhlorchestia spartinophila* dominant)
- JOSTEN, N., K. C. DETLOFF & C. D. ZANDER 2009. Analysis of a parasite supra community from the Flensburg fjord. ---- *Parasitological Research* 104, 449-461. (i.a. *Gammarus* species)
- JUST, J. 2009. Ischyroceridae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 463-486. (Deals with *Coxischyrocerus* n. gen., with type sp. *C. rhombocoxus* n. sp. (Lizard island, GBR) and further species *Ischyrocerus inexpectatus*, *Tropischyrocerus* n. gen., with type sp *T. pugilus* n. sp. (Lizard island) and further species *Jassa socia*, *Ambicholestes magellani*, *Cerapus nudus* n. sp. (Lizard island), *C. volucola*, *Erichthonius parabrasiliensis* n. sp. (Lizard island), *E. pugnax*, *E. tropicalis* n. sp. (Lizard island) and *E. sp.*)
- JUST, J. 2009. Pleustidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 836-840. (Deals with *Tepidopleustes acromatius* n. sp. from the Lizard island area, GBR.)
- KAIM-MALKA, R. A. 2010. *Haploops longiseta*, a new species from the Atlantic Ocean (Crustacea, Gammaridea, Ampeliscidae) [Contribution to the knowledge of the *Haploops* genus. 6.] ---- *Zootaxa* 2356, 57-68. (Bay of Biscay, 1460m, in baited trap! An illustrated key to all *Haploops* species is included.)
- KAINZ, M. J., O. E. JOHANSSON & M. T. ARTS 2010. Diet effects on lipid composition, somatic growth potential, and survival of the benthic amphipod *Diporeia* spp. . ---- *Journal of Great Lakes Research* 36, 351-356.
- KALINKINA, N. M. & N. A. BEREZINA 2010. First record of *Pontogammarus robustoides* Sars, 1894 (Crustacea: Amphipoda) in the Gulf of Riga (Baltic Sea). ---- *Aquatic Invasions* 5, Suppl. 1, S5-S7.
- KALDONSKI, N., M.-J. PERROT-MINNOT, R. DODET, G. MARTINAUD & F. CÉZILLY 2009. Carotenoid-based colour of acanthocephalan cystacanths plays no role in host manipulation. ---- *Proceedings of the Royal Society B* 276, 169-176.
- KANG, M., J. J. H. CIBOROWSKI & L. B. JOHNSON 2007. The influence of anthropogenic disturbance and environmental suitability on the distribution of the nonindigenous amphipod, *Echinogammarus ischnus*, at Laurentian Great Lakes coastal margins. ---- *Journal of Great Lakes Research* 33, 198-2007
- KARAMAN, G. S. 2007. The amphipods (Crustacea, Amphipoda) from the special nature reserve Zasaviza, Serbia (Contribution to the knowledge of the Amphipoda (sic!) 247). ---- *Naucno-Strucni Skup "Zasavica 2007"*, 77-83.
- KARAMAN, G. S. 2002. (New data on Amphipoda fauna from eastern Serbia and other parts of Balkan peninsula (Contribution to the knowledge of the Amphipoda 242).) ---- *Ekoloska Istina* , 21-24. (In Serbian)
- KARAMAN, G. S., B. BOROWSKY & S. DATTA GUPTA 2010. Two new species of the genus *Niphargus* Schiödte, 1849 (Amphipoda, fam. Niphargidae) from the Frasassi cave system in Central Italy. ---- *Zootaxa* 2439, 35-52. (*N. montanarius* n.sp. and *N. frasassianus* n. sp.).
- KARATAYEV, A. Y., L. E. BURLAKOVA, D. K. PADILLA, S. E. MASTITSKY & S. OLENIN 2009. Invaders are not a random selection of species. ---- *Biological Invasions* 11,

2009-2019. (Mollusks and crustaceans are overrepresented, insects underrepresented; and all invaders are able to withstand at least moderate amounts of organic pollution.)

KARATAYEV, A. Y., S. E. MASTITSKY, L. E. BURLAKOVA & S. OLENIN 2008. Past, current, and future of the central European corridor for aquatic invasions in Belarus. ---- *Biological Invasions* 10, 215-232. (Deals i.a. with the amphipods *Chaetogammarus ischnus*, *Chelicorophium curvispinum*, *Dikerogammarus haemobaphes*, *D. villosus* and *Pontogammarus robustoides*.)

KARPINSKY, M. G. 2010. Review: the Caspian Sea benthos: unique fauna and community formed under strong grazing pressure. ---- *Marine Pollution Bulletin* 61, 156-161.

KEDRA, M., M. WJODARSKA-KOWALCZUK & J. M. WESLAWSKI 2009. Decadal change in macrobenthic soft-bottom community structure in a high Arctic fjord (Kongsfjorden, Svalbard). ---- *Polar Biology* 33, 1-11. (No amphipods)

KEENEY, D. B., K. BRYAN-WALKER, N. KHAN, T. M. KING & R. POULIN 2009. The influence of clonal diversity and intensity-dependence on trematode infections in an amphipod. ---- *Parasitology* 136, 339-348. (*Maritrema novazealandensis* in *Paracalliope novizealandiae*)

KEIL, S., C. DE BROYER & G.-P. ZAUKE 2008. Significance and interspecific variability of accumulated trace metal concentrations in antarctic benthic crustaceans. ---- *International Review of Hydrobiology* 93, 106-126.

KENNEDY, A. J., J. A. STEVENS, G. R. LOTUTO, J. D. FARRAR, M. R. REISS, R. K. KROPP, J. DOI & T. S. BRIDGES 2009. A comparison of acute and chronic toxicity methods for marine sediments. ---- *Marine Environmental Research* 68, 118-127. (Not seen)

KESTRUP, Å. & A. RICCIARDI 2009. Replacement in the St Lawrence river? ---- *Journal of Great Lakes Research* 35, 392-398. (*Echinogammarus ischnus* has replaced *Gammarus fasciatus*.)

KESTRUP, Å. & A. RICCIARDI 2009. Environmental heterogeneity limits the local dominance of an invasive freshwater crustacean. ---- *Biological Invasions* 11, 2095-2105. (A study on *Gammarus fasciatus* and *Echinogammarus ischnus* in the Upper St Lawrence river.)

KESTRUP, Å. & A. RICCIARDI 2010. Influence of conductivity on life history traits of exotic and native amphipods in the St Lawrence River. ---- *Fundamental and Applied Limnology* 176, 249-262. (*Echinogammarus ischnus* and *Gammarus fasciatus*.)

KETMAIER, V. & E. DE MATTHAEIS 2010. Allozymes and mtDNA reveal two divergent lineages in *Orchestia cavimana* (Amphipoda: Talitridae). ---- *Journal of Crustacean Biology* 30, 307-311. (Populations from Cyprus (type locality) and Turkey are quite different from those from Italy and N. Europe. Data from Greece are still missing)

KETMAIER, V., E. DE MATTHAEIS, L. FANINI, C. ROSSANO & F. SCAPINI 2010. Variation of genetic and behavioural traits in the sandhopper *Talitrus saltator* (Crustacea Amphipoda) along a dynamic sand beach. ---- *Ethology Ecology & Evolution* 22, 17-35.

KHAN, F. R., N. R. BURY & C. HOGSTRAND 2010. Cadmium bound to metal granules and exoskeleton from *Gammarus pulex* causes increased gut lipid peroxidation in zebrafish following single dietary exposure. ---- *Aquatic Toxicology* 96, 124-129.

KIKO, R., I. WERNER & A. WITTMANN 2009. Osmotic and ionic regulation in response to salinity variations and cold resistance in the Arctic under-ice amphipod *Apherusa glacialis*. --- *Polar Biology* 32, 393-398.



- KILGALLEN, N. M. 2009. Podoceridae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 841-860. (Deals with *Podocerus brasiliensis*, *P. casuarinensis* n. sp. (Lizard island, GBR), *P. chelonophilus* (with *Platophium cheloniae* and probably *Podocerus umigame* as junior synonyms), *P. crenulatus*, (*P. laevis*), *P. t. tategus* and *P. uncinatus* n. sp. (Lizard island).)
- KILGALLEN, N. M. 2009. Urohaustoriidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 919-926. (Deals with *Tottungus solivagus* n. sp. (Orpheus island, GBR) and *Urohaustorius drummondiae* n. sp. (Lizard island).)
- KILGALLEN, N. M. 2009. New species of lysianassoid Amphipoda (Crustacea) associated with seamounts, marine canyons and cold seeps of New Zealand. ---- *Zootaxa* 2298, 1-30. (Deals with *Ensayara kermadecensis* n. sp. (Kermadec Volcanic Arc), *E. ursus* n. sp. (Hikurangi Margin, 1102m), *Cheirimedon cansada*, *Hippomedon iugum* n. sp. (Kaikoura canyon, 1028m), *H. hurleyi* n. sp. (Kaikoura canyon, 1029m), *Tryphosella moana* n. sp. (Kermadec Arc), and *Galathella solivagus* n. sp. (Hikurangi Margin, 1124m).)
- KILGALLEN, N. M. 2010. A new Antarctic species of *Aristias* Boeck (Crustacea, Amphipoda, Aristiidae), with remarks on the genus in Antarctica. ---- *Zootaxa* 2426, 43-53. (*A. excavatus* n. sp. from the Ross Sea, found in the sponge *Myxodoryx hamitschi*. With a review of Antarctic *Aristias* species; probably several species have been confused sub nomine *A. antarcticus*.)
- KIM, Y.-H., E. A. HENDRYCKS & K.-S. LEE 2010. A new species and new record of the Amphilochidae (Crustacea: Amphipoda) from Korea. ---- *Zootaxa* 2477, 21-36. (Deals with *Hourstonius geojeensis* n. sp. (Geoje Island, S.coast Korea), with a key to N.Pacific *Hourstonius* species, and *Paramphilochus parachelatus*.)
- KIM, Y.-H. & K.-S. LEE 2009. Four species of the genus *Atylus* from Korea (Crustacea: Amphipoda: Dexaminidae). ---- *Korean Journal of Systematic Zoology* 25, 145-158. (Deals with *Atylus collingi*, *A. ekmani*, *A. mutsukawaensis* and *A. (Kamehatylus) japonicus*, the latter transferred from the typical subgenus.)
- KING, R. A. 2009. Ampeliscidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 132-142. (Deals with *Ampelisca dimboola*, *A. dingaal* n. sp. (Lizard island, GBR) and *A. jiigurru* n. sp. (Lizard island).)
- KING, R. A. 2009. Redescription of the freshwater amphipod *Austrochiltonia australis* (Sayce) (Crustacea: Amphipoda, Chiltoniidae). ---- *Memoirs of Museum Victoria* 66, 85-93.
- KING, R. A. 2009. Two new genera and species of chiltoniid amphipods (Crustacea: Amphipoda: Palitroidea) from freshwater mound springs in South Australia. ---- *Zootaxa* 2293, 35-52. (Deals with *Arabunnachiltonia murphyi* n. gen., n. sp. and *Wangiannachiltonia guzikae* n. gen., n. sp., both from springs in the Great Artesian basin in S. Australia.)
- KINZLER, W., A. KLEY, G. MAYER, D. WALOSZEK & G. MAIER 2009. Mutual predation between and cannibalism within several freshwater gammarids: *Dikerogammarus villosus* versus one native and three invasives. ---- *Aquatic Ecology* 43, 457-464. (The native species is *Gammarus pulex*, the three invasives *Dikerogammarus bispinosus*, *D. haemobaphes* and *Echinogammarus berilloni*.)
- KIZIEWICZ, B. & T. F. NALEPA 2008. Some fungi and water molds in waters of Lake Michigan, with emphasis on those associated with the benthic amphipod *Diporeia* spp. ---- *Journal of Great Lakes Research* 34, 774-780.

- KLEEF, H. van, G. van der VELDE, R.S.E.W. LEUVEN & H. ESSELINK 2008. Pumpkinseed sunfish (*Lepomis gibbosus*) invasions facilitated by introductions and nature management strongly reduce macroinvertebrate abundance in isolated water bodies. ---- *Biological Invasions* 10, 1481-1490.
- KLEY, A., W. KINZLER, Y. SCHANK, G. MAYER, D. WALOSZEK & G. MAIER 2009. Influence of substrate preference and complexity on co-existence of two non-native gammarideans (Crustacea: Amphipoda). ---- *Aquatic Ecology* 43, 1047-1059. (*Dikerogammarus villosus* and *Gammarus roeselii*).
- KLEY, A. & G. MAIER 2006. Reproductive characteristics of invasive gammarids in the Rhine-Main-Danube catchment, South Germany. ---- *Limnologica* 36, 79-90.
- KLIMPEL, S., M. W. BUSCH, T. SUTTON & H. W. PALM 2010. Meso- and bathy-pelagic fish parasites at the Mid-Atlantic Ridge (MAR): Low host specificity and restricted parasite diversity. ---- *Deep-Sea Research I* 57, 596-603.
- KOBAK, J., T. KAKAREKO, M. POZNANSKA & J. ZBIKOWSKI 2009. Preferences of the Ponto-Caspian amphipod *Dikerogammarus haemobaphes* for living zebra mussels. ---- *Journal of Zoology* 279, 229-235. (No amphipods)
- KOBAK, J. & J. ZYTKOWICZ 2007. Preferences of invasive Ponto-Caspian and native European gammarids for zebra mussel (*Dreissena polymorpha*, Bivalvia) shell habitat. ---- *Hydrobiologia* 589, 43-54. (*Dikerogammarus haemobaphes* shows a strong attraction to zebra mussels, while *Pontogammarus robustoides* does not. *Gammarus fossarum* is somewhat attracted to dead mussel shells.)
- KOLBASOV, G. A. & A. S. SAVCHENKO 2009. *Microdajus tchemusovi* sp. n. (Tantulocarida, Microdajidae)—A new crustacean parasite of from the White Sea. ---- *Experimental Parasitology* 125, 13-22. (A parasite of the tanaidacean *Typhlotanais* sp.)
- KONOPACKA, A., M. GRABOWSKI, K. BACELA-SPYCHALSKA & T. REWICZ 2009. *Orchestia cavimana* Heller, 1865 (Amphipoda: Talitridae) enters freshwater inland habitats in the Vistula River, Poland. ---- *Aquatic Invasions* 4, 689-691.
- KOPRIVNIKAR, J. & R. POULIN 2009. Interspecific and intraspecific variation in cercariae release. ---- *Journal of Parasitology* 95, 14-19.
- KORNOBIS, E., S. PÁLSSON, B. KRISTJANSSON & J. SVAVARSSON 2010. Molecular evidence of the survival of subterranean amphipods (Arthropoda) during Ice Age underneath glaciers in Iceland. ---- *Molecular Ecology* 19, 2516-2530. (*Crangonyx islandicus* must have lived on Iceland for millions of years; the species shows large genetic variability, and more than one species may be involved.)
- KORPINEN, S. & M. WESTERBOM 2010. Microhabitat segregation of the amphipod genus *Gammarus* (Crustacea: Amphipoda) in the Northern Baltic Sea. ---- *Marine Biology, Berlin* 157, 361-370..
- KOTTA, J., H. ORAV-KOTTA & K. HERKÜL 2010. Separate and combined effects of habitat-specific fish predation on the survival of invasive and native gammarids. ---- *Journal of Sea Research* 64, 369-372. (A comparison of predation by *Gasterosteus aculeatus* on *Gammarus tigrinus* and *G. salinus*.)
- KOTZE, D. J. & M. L. LAWES 2008. Environmental indicator potential of the dominant litter decomposer, *Talitriator africana* (Crustacea, Amphipoda) in Afrotropical forests. ---- *Austral Ecology* 33, 737-746.

- KRAPP, R. H., T. BASSINET, J. BERGE, D. M. PAMPANIN & L. CAMUS 2009. Antioxidant responses in the polar marine sea-ice amphipod *Gammarus wilkitzkii* to natural and experimentally increased UV levels. ---- *Aquatic Toxicology* 94, 1-7.
- KRAPP, R. H., J. BERGE, H. FLORES, B. GULLIKSEN & I. WERNER 2008. Sympagic occurrence of Eusirid and Lysianassoid amphipods under Antarctic pack ice. ---- *Deep-Sea Research II* 55, 1015-1023. (Important new data on ice-amphipods in ice over deep water)
- KRAPP-SCHICKEL, T. 2009. On the Austral-Antarctic stenothoids *Proboloides*, *Metopoides*, *Torometopa* and *Scaphodactylus* (Crustacea, Amphipoda). Part 1: genus *Metopoides*. ---- *Zoosystematics and Evolution* 85, 93-115. (This important revision starts out with a cladistic analysis of the whole group, then gives a key to all *Metopoides* species, and taxonomic remarks on *M. bellansantini* (transferred from *Proboloides*), *M. clavatus*, *M. ellipticus* (illustrated here), *M. curvipes*, *M. heterostylis* (illustrated), *M. cf heterostylis* (also illustrated), *M. lanceolatus* (ill.), *M. magellanicus* (ill.), *M. pollex* n. sp. (Bass Strait, Victoria), and *M. sarsii*.)
- KRAPP-SCHICKEL, T. 2009. Maeridae, the *Ceradocus* group. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 598-642. (Deals with *Austromaera brevicaudata*, *Ceradocus crenatipalmata*, *C. hawaiiensis*, *C. oxyodus*, *C. cf rubromaculatus*, *C. woorree*, *C. yandala*, *Glossomaera* n. gen., with type species *Maera octodens* and further sp. *Maera lindsae*, *G. octodens*, *Jerbarnia stocki*, *Linguimaera pirloti*, *Maeropsis cobia* n. sp. (Lizard island, GBR), *M. griffini*, *Quadrimaera pacifica* (with *Maera katulani* as junior synonym), *Q. quadrimana*, *Q. cf reishi*, *Q. serrata*, *Saurodocus hobbit* and *S. minimarena*.)
- KRAPP-SCHICKEL, T. 2009. Stenothoidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 872-879. (Deals with *Stenothoe miersii* and *Wallametopa cabon*, both from Lizard island)
- KRAPP-SCHICKEL, T. 2009. New and poorly described stenothoids (Crustacea, Amphipoda) from the Pacific Ocean. ---- *Memoirs of Museum Victoria* 66, 95-116. (Deals with *Stenothoe garpoorea* n. sp. (Kei Islands, Indonesia), *S. verrucosa* n. sp. (Kei Islands, Indonesia), *S. cf miersii*, *Metopa eupraxiae* n. sp. (= *Stenothoides carinatus* Gurjanova, non *M. carinata* Hansen; Tsugaru Strait, Japan), *M. exigua* n. sp. (off Korea), *M. torbeni* n. sp. (Gulf of Thailand), *M. koreana*, *M. cf bulychevae*, and *M. cf clypeata*.)
- KRAPP-SCHICKEL, T. & W. VADER 2009. A new *Parametopella* species (Crustacea: Amphipoda: Stenothoidae) from *Antholoba achates* (Anthozoa: Actiniaria) from Coquimbo, Chile (with remarks on *Parametopa alaskensis* (Holmes)). ---- *Journal of the Marine Biological Association UK* 89, 1281-1287. ( *Parametopella antholobae* n.sp. from Bahia Tongoy, S. of Coquimbo, Chile. A key to *Parametopella* is provided, as is a survey of other amphipod-sea anemone associations. The taxon *Parametopa alaskensis* remains in *Parametopa*.)
- KRAPP-SCHICKEL, T. & W. VADER 2009. On some Maerid genera (Crustacea, Amphipoda, Maeridae) collected by the Hourglass Cruises (Florida). Part I: Genera *Anamaera*, *Ceradocus*, *Clessidra* gen. nov. , *Jerbarnia*, *Maera*, *Meximaera*, with a key to world *Ceradocus*. ---- *Journal of Natural History* 43, 2057-2086. (Deals with *Anamaera hixoni*, *Ceradocus sheardi*, *C. shoemakeri*, *C. cf shoemakeri*, *Clessidra* n. gen. (Maeridae), with its type *C. tinkensis*, transferred from *Maera*, *Jerbarnia americana*, *Maera lucinae*, and *Meximaera diffidentia*, with *Maera caroliniana* as a junior synonym. A key to world *Ceradocus* (adult males) is provided.)

- KRAVTSOVA, L.S., T. G. POTEKINA, I. V. MEKHANIKOVA, L.A. IZHBOLDINA, T. A. AKINSHINA & K. V. VARYKHANOVA 2006. (Distribution of benthic communities of invertebrates in the southern basin of Lake Baikal.) ----(*Invertebrate Zoology*) 3, 65-76. (In Russian.)
- KREBES, L., M. BLANK, K. JÜRSS, M. L. ZETTLER & R. BASTROP 2010. Glacial-driven vicariance in the amphipod *Gammarus duebeni*. ---- *Molecular Phylogenetics and Evolution* 54, 372-385.
- LABAY, V. S. 2009. Response of macrozoobenthos of lagoon Lake Izmenchivoye (Sakhalin Island) to the discontinuance of water exchange with the sea. ---- *Russian Journal of Marine Biology* 35, 279-287.
- LABAY, V. S. 2010. A new species and subspecies of Ochlesidae Stebbing, 1910 (Amphipoda: Gammaridea) from the Okhotsk Sea. ---- *Zootaxa* 2354, 35-44. (Deals with *Antarctodius noncarinatus* n. sp. (Okhotsk Sea, 54°82'N, 144°43'E) and *Odius cassigerus ochoticus* n. subsp. (same locality). Keys to *Odius* and *Antarctodius* are provided.)
- LACAZE, E., O. GEFFARD, S. BONY & A. DEVAUX 2010. Genotoxicity assessment in the amphipod *Gammarus fossarum* by use of the alkaline Comet assay. ---- *Mutation Research/Genetic Toxicology and Environmental Mutagenesis* 700, 32-38.
- LADEWIG, V., D. JUNGSMANN, P. PETZSCH, M. PITSCH, I. STÄGLICH & R. NAGEL 2007. Does intersexuality affect precopula and fecundity in *Gammarus fossarum*? ---- *Archiv für Hydrobiologie* 168, 201-210. (Not really)
- LAGRUE, C. & R. POULIN 2008. Intra- and interspecific competition among helminth parasites: Effects on *Coitocaecum parvum* life history strategy, size and fecundity. ---- *International Journal for Parasitology* 38, 1435-1444. (The host is *Paracalliope fluviatilis*.)
- LAGRUE, C., R. POULIN & D. B. KEENEY 2009. Effects of clonality in multiple infections on the life-history strategy of the trematode *Coitocaecum parvum* in its amphipod intermediate host. ---- *Evolution* 63, 1417-1426. (The amphipod host is *Paracalliope fluviatilis*.)
- LANGE, H. J. de, E. T. H. M. PEETERS & M. LÜRLING 2009. Changes in ventilation and locomotion of *Gammarus pulex* (Crustacea, Amphipoda) in response to low concentrations of pharmaceuticals. ---- *Human and Ecological Risk Assessment* 15, 111-120.
- LASKOWSKI, Z., W. JEZEWSKI & K. ZDZITOWIECKI 2010. New data on the occurrence of Acanthocephala in Antarctic Amphipoda. ---- *Acta Parasitologica* 55, 161-166. (*Corynosoma pseudohamami* and *Metacanthocephalus johnstoni* were found in *Cheirimedon femoratus*.)
- LASTRA, M., T. A. SCHLACHER & C. OTABARRIA 2010. Niche segregation in sandy beach animals: an analysis with surface-active peracarid crustaceans on the Atlantic coast of Spain. ---- *Marine Biology, Berlin* 157, 613-625. (Not seen, unfortunately)
- LAVESQUE, N., H. BLANCHET & X. de MONTAUDOUIN 2009. Development of a multimetric approach to assess perturbation of benthic macrofauna in *Zostera noltii* beds. ---- *Journal of Experimental Marine Biology and Ecology* 368, 101-112. (A study from SW France)
- LeCROY, S. E. 2009. Colomastigidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 348-372. (Deals with *Colomastix dentipalma* n. sp. (Lizard island, GBR), *C. japonica*, *C. lunililo*, *C. plumosa*, *C. processa* n. sp. (Lizard island), and *C. thomasi* n. sp. (Lizard island).)

- LeCROY, S. E., R. GASCA, I. WINFIELD, M. ORTIZ & E. ESCOBAR-BRIONES 2009. *Amphipoda (Crustacea) of the Gulf of Mexico*. ----Pp 941-971 in: D. L. Felder & D. K. Camp (eds). *Gulf of Mexico Origin, waters, and biota*. Volume 1, Biodiversity. Texas A & M University Press, College Station, 1384 pp. (Unfortunately, I have only heard about this book, not seen it.)
- LEDGER, M. E., R. M. L. HARRIS, P. D. ARMITAGE & A. M. MILNER 2009. Realism of model ecosystems. An evaluation of physicochemistry and macroinvertebrate assemblages in artificial streams. ---- *Hydrobiologia* 617, 91-99.
- LEDUC, D. & P. K. PROBERT 2009. The effect of bacterivorous nematodes on detritus incorporation by macrofaunal detritivores: a study using stable isotope and fatty acid analysis. ---- *Journal of Experimental Marine Biology and Ecology*, on line (The amphipod used was *Paramoera chevreuxi*)
- LEE, K.-S. S.-S. HONG 2010. A new species of the genus *Perotripus* (Crustacea: Amphipoda: Caprellidae) from Korea. ---- *Animal Cells and Systems* 14, 53-58. (*Perotripus koreanus* n. sp. from Dumaraemi Island.)
- LEGEZYNSKA, J. 2008. Food resource partitioning among Arctic sublittoral amphipods in summer. ---- *Polar Biology* 31, 663-670.
- LEFÈVRE, T., S. A. ADAMO, D. G. BIRON, D. MISSÉ, D. HUGHES & F. THOMAS 2009. Invasion of the body snatchers: The diversity and evolution of manipulative strategies in host-parasite interactions. ---- *Advances in Parasitology* 68, 45-83. (Not seen, unfortunately)
- LEFÈVRE, T., C. LEVARBENCHON, M. GAUTHIER-CLERC, D. MISSÉ, R. POULIN & F. THOMAS 2008. The ecological significance of manipulative parasites. ---- *Trends in Ecology and Evolution* 24, 41-48. (A review)
- LEMAITRE, J.-F., T. RIGAUD, S. CORNET & L. BOLLACHE 2009. Sperm depletion, male mating behaviour and reproductive 'time-out' in *Gammarus pulex* (Crustacea, Amphipoda). ---- *Animal Behaviour* 77, 49-54
- LEUVEN, R. S. E. W., G. van der VELDE, I. BACIJAS, J. SNIJDERS, C. van der ZWART, H. J. R. LENDERS & A. bij de VAATE 2009. The river Rhine: a global highway for dispersal of aquatic invasive species. ---- *Biological Invasions* 11, 1989-2008. (Amphipods listed on pp 1997-1998.)
- LEVIN, L. A., C. R. WHITCRAFT, G. F. MENDOZA, J. P. GONZALEZ & G. COWIE 2009. Oxygen and organic matter thresholds for benthic faunal activity on the Pakistan margin oxygen minimum zone (700-1100m). ---- *Deep-Sea Research II* 56, 449-471. (i.a. ampeliscid amphipods)
- LIGTHART, M. 2010. (An increase of the Dutch Caprellidae: *Caprella acanthifera* (Leach, 1814): now autochthonously on our coast (Crustacea, Amphipoda, Caprellidae). ---- *Het Zeepaard* 70, 82-89. (In Dutch. Found on Neeltje Jans, an artificial island in the Oosterschelde, SW Netherlands.)
- LIM, J. H. C., B. A. R. AZMAN & B. H. R. OTHMAN 2010. Melitoid amphipods of the genera *Ceradocus* Costa, 1853 and *Victoriopisa* Karaman and Barnard, 1979 (Crustacea: Amphipoda: Maeridae) from the South China Sea, Malaysia. ---- *Zootaxa* 2348, 23-39. (*Ceradocus mizani* n. sp. (Rarangganu, Malaysia)) and *Victoriopisa tinggiensis* n.sp. (P. Tinggi, Johor, Malaysia); both genera are new to Malaysian waters. A key to *Victoriopisa* spp is provided)

- LIUZZI, M. G. & J. LOPEZ GAPPA 2008. Macrofaunal assemblages associated with coralline turf. Species turnover and changes in structure at different spatial scales. ---- *Marine Ecology Progress Series* 363, 147-156. (An Argentine study.)
- LOPEZ, S., Y. DIAZ, K. NORRIS & A. CABRERA 2010. (Lipids in the amphipod *Talorchestia margaritae* (Amphipoda: Talitridae) and its relationship with the ecology of the species.) ---- *Revista Biología Tropical* 58, 841-855. (In Spanish, not seen)
- LOR, A. F. & J. L. OLIVER 2009. Isozyme differentiation among sibling species and among populations of the *Echinogammarus berilloni*-group (Crustacea, Amphipoda). ---- *Journal of Zoological Systematics and Evolutionary Research* 27, 282-296. (Not seen, unfortunately)
- LÖRZ, A.-N. 2010. Deep-sea *Rhachotropis* (Crustacea: Amphipoda: Eusiridae) from New Zealand and the Ross Sea with a key to the Pacific, Indian ocean and Antarctic species. ---- *Zootaxa* 2482, 22-48. (Deals with *Rh. chathamensis* n. sp. (Chatham Rise, NZ), *Rh. delicata* n. sp. (Chatham Rise, NZ), *Rh. rossi* NZ (Scott Isl. Ross Sea, 3210m), *Rh. abyssalis* n. sp. (Admiralty Seamount, Ross Sea, 3380m), and *Rh. antarctica*.)
- LÖRZ, A.-N. 2009. Synopsis of Amphipoda from two recent Ross Sea voyages with description of a new species of *Epimeria* (Epimeriidae, Amphipoda, Crustacea). ---- *Zootaxa* 2167, 59-68. (*Epimeria larsi* n.sp. from 71°51'S, 71°53'E, 1990m)
- LÖRZ, A. N., N. M. KILGALLEN & M. THIEL 2010. Algal-dwelling Eopliantidae (Amphipoda): description of a new species and key to the world species, with notes on their biogeography. ---- *Journal of the Marine Biological Association UK* 90, 1055-1063. (A very nice survey of this family.. The new species is *Bircenna macayai* n. sp. (Wellington peninsula, New Zealand); this species lives in the brown alga *Carpophyllum maschalocarpum*. *Bircenna dronga* is transferred to *Wandelia*. The genus *Lignophliantis* may have to be removed to its own family.)
- LÖRZ, A.-N., E. W. MAAS, K. LINZE & C. O. COLEMAN 2009. Do circum-Antarctic species exist in percarid Amphipoda? A case study in the genus *Epimeria* Costa, 1851 (Crustacea, Peracarida, Epimeriidae). ---- *ZooKeys* 18, 91-128. (The genus *Epimeriella* is synonymized with *Epimeria*. *E. robusta* is redescribed on the basis of Ross Sea material, and its Weddell Sea close relative is described as a new species, *E. robustoides* Lörz & Coleman, in Lörz et al. 2009. Also the taxon *E. georgiana* auct. apparently is a species complex. There are as yet no *Epimeria* species with a circum-antarctic distribution.)
- LOSETO, L. L., G. A. STERN, T. L. CONNELLY, D. DEIBEL, B. GEMMILL, A. PROKOPOWICZ, L. FORTIER & S. H. FERGUSON 2009. Summer diet of beluga whales inferred by fatty acids analysis of the eastern Beaufort Sea food web. ---- *Journal of Experimental Marine Biology and Ecology* 374, 12-18. (Mostly fish-eating)
- LOURIDO, A., J. MOREIRA & J. S. TRONCOSO 2008. Assemblages of peracarid crustaceans in subtidal sediments from the Ria de Aldan (Galicia, NW Spain). ---- *Helgoland Marine Research* 62, 289-301. (Amph. listed on pp 294-295.)
- LOWRY, J. 2007. *The Amphipoda of New Caledonia*. ---- Pp 281-287 in C. E. Payri & B. Richer de Forbes (eds). Compendium of marine species from New Caledonia. IRD, Documents Scientifiques et Techniques 117., Nouméa, N. Caledonia. (A preliminary listing of 199 species.)
- LOWRY, J. K. & L. E. HUGHES 2009. Iciliidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 453-457. (Deals with *Icilius caledoniana* from Lizard Island.)



LOWRY, J. K. & L. E. HUGHES 2009. Maeridae, the *Elasmopus* group. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 643-702. (Deals with *Elasmopus alalo*, *E. crenulatus*, *E. hooheno*, *E. pecteniscrus*, *E. slatyeri* n. sp. (Lizard island, earlier Australian records of this taxon were published as *E. pocillimanus*), *E. spinicarpus*, *E. varanocephalus* n. sp. (Lizard island), *Mallacoota balara*, *M. capricornia* n. sp. (Lizard island), *M. chandaniae*, *M. nananui*, *M. schellenbergi*, *M. scopulosa* n. sp. (One Tree island, GBR), *Parelasomopus cymatilis* n. sp. (Lizard island), and *P. suensis* (here selected as the type species of the genus).)

LOWRY, J. K. & A. A. MYERS 2009. Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier Reef. ---- *Zootaxa* 2260, 1- 930. (This book, the result of a workshop in 2005, brings the knowledge of the amphipod fauna of this region a quantum-leap forward. The chapters have been included in this AN singly, under the name of the chapter authors.)

LOWRY, J. K. & A.A. MYERS 2009. Foreword. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 17-108. (This foreword also contains a short survey of the different habitats, colour pictures of selected amphipods , a checklist of the Amphipoda of Tropical Australia (pp. 39-44) and a station list.)

LOWRY, J. K. & R. PEART 2010. The genus *Microrchestia* (Amphipoda: Talitridae) in eastern Australia. ---- *Zootaxa* 2349, 21-38. (The genus *Microrchestia* is discussed and redefined, with *M. bousfieldi* n. sp. (South West Rocks, NSW) and *M. watsonae* n. sp. (Lizard Island, Qld) as additional species. A new genus, *Cochinorchestia*, is erected for *Parorchestia notabilis* from SE India)

LOWRY, J. K. & R. T. SPRINGTHORPE 2009. Melitidae, the *Melita* group. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 718-735. (Deals with *Dulichella pacifica*, *Melita myersi*, *M. sampsonae* n. sp. (Lizard island, GBR), and *Tegano atkinsae* n. sp. (Lizard island). The genera *Quadrus*, *Sriha* and *Caledopisa* are synonymized with *Tegano*.)

LOWRY, J. K. & R. SPRINGTHORPE 2009. *Talorchestia brucei* sp. nov. (Amphipoda, Talitridae), the first talitrid from the Northern Territory, Australia. ---- *Crustaceana* 82, 897-912. (The paper also contains a survey of Australian coastal talitrids. *T. brucei* was collected from Casuarina Beach, Darwin)

LOWRY, J. K. & R. T. SPRINGTHORPE 2009. The genus *Floresorchestia* (Amphipoda: Talitridae) on Cocos (Keeling) and Christmas islands. ---- *Memoirs of Museum Victoria* 66, 117-127. (With data on the micromorphology of this genus and the description of *F. poorei* n. sp. (Cocos Island). On Christmas Island no adult specimens of the genus were collected, only immatures.)

LOWRY, J. K. & H. E. STODDART 2009. Amaryllididae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 128-131. (Deals with *Bamarooka tropicalis* from Lizard island)

LOWRY, J. K. & H. E. STODDART 2009. Lysianassidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 561-597. (Deals with *Acidostoma fusca*, *Pseudambasia acuticaudata*, *Rizo mizeui*, *Shoemakerella barnardi* n. sp. (Lizard island, first Pacific record of this genus), *Waldeckia enoei*, *Paralysianopsis padoz*, *Tryphosella bet* n. sp. (Bet Reef, Torres Strait), *T. cameloides* n. sp. (Lizard island), *T. charlotteae* n. sp. (One Tree island, GBR), *T. flynnana* n. sp. (Flynn Reef, GBR) and *T. seasana* n. sp. (Fitzroy Reef, GBR).)



LOWRY, J. K. & H. E. STODDART 2009. Uristidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 908-918. (Deals with *Ichnopus capricornis*, *I. tenuicornis* and *Nagada uwedoeae*, all from Lizard island, GBR.)

LOWRY, J. K. & H. E. STODDART 2009. Wandinidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 927-930. (Deals with *Wandin griffini* from Lizard island, GBR)

LOWRY, J. K. & H. E. STODDART 2009. The deep-sea scavenging genus *Hirondellea* (Crustacea: Amphipoda: Lysianassoidea: Hirondelleidae fam. nov.) in Australian waters. ---- *Zootaxa* 2329, 37-55. (Deals with the newly erected family Hirondelleidae, consisting only of the genus *Hirondellea* (a key to all species is provided, and the spp *H. diamantina* n. sp. (S. of Pt Hicks, Victoria, 1840m), *H. endeavour* n. sp. (same type locality), *H. franklin* n. sp. (also same type locality, NB the figure captions give *H. franklini*), *H. kapala* n. sp. (SE of Broken Bay, NSW) and *H. naturaliste* (E. of Cape Naturaliste, Tasmania, 2400-2500m). The species *Anonyx wolfendeni* Tattersall is transferred to *Hirondellea*.)

LOWRY, J. K. & H. E. STODDART 2010. Sophrosynidae, a new family in the Lysianassoidea (Crustacea: Amphipoda) with a revision of the genus *Sophrosyne*. ---- *Zootaxa* 2370, 1-35. (Deals with the monotypic new family Sophrosynidae, and the species *Sophrosyne abyssi* n. sp. (E. of Cape Naturaliste, Tasmania, 2400m), *S. antarctica*, *S. californica* n. sp. (Tanner Basin, S. California, 1300m), *S. cantractia* n. sp. ( MacRobertson Shelf, Antarctic), *S. hispana*, *S. integricauda* n. sp. (off King Island, Bass Strait, Australia), *S. inverarae* n. sp. (Loch Fyne, Scotland), *S. ledoyeri* n. sp. (Ile des Embiez, NW Mediterranean Sea), *S. moorei* n. sp. (Lynne of Lorne, Scotland), *S. murrayi*, *S. peartae* n. sp. (Point Hicks, Victoria, Australia), *S. robertsoni*, *S. rodondo* n. sp. (Rodondo Island, Bass Strait, Australia), and *S. ruffoi* n. sp. (Gulf of Naples, Mediterranean). A key to world *Sophrosyne* is provided.)

LOWRY, J. K. & H. E. STODDART 2010. Kergueleniidae fam. nov. (Crustacea: Amphipoda: Lysianassoidea) in Australian waters. ---- *Zootaxa* 2564, 1-30. (Deals with the following Australian representatives of the newly erected family Kergueleniidae (with the genera *Clepidocrella* and *Kerguelenia*): *Clepidocrella abeona* n. sp. (off Cape Naturaliste, Tasmania, 2400m), *C. cataracui* n. sp. (same type locality), *C. colliboi* n. sp. (off Freycinet Peninsula, W.Austr.), *C. ira* n. sp. (S. of P. Hicks, Vict., 1000m), *Kerguelenia euroka* n. sp. (Long Reef Point, NSW), *K. kanowna* n. sp. (S of P. Hicks, Vict.), *K. kawatiri* n. sp. (off Cape naturaliste, Tasm., 2400m), *K. leura* n. sp. (off Freycinet Peninsula, Tasm.), and *K. matilda* n. sp. (off Cape Naturaliste, Tasm., 2400m). The taxa *Kerguelenia borealis japonica* and *K. b. ochotica*, both Gurjanova, 1962, are raised to specific rank. Keys to all species are provided.)

LOWRY, J. K. & H. E. STODDART 2010. The family Izinkalidae fam. nov. (Crustacea. Amphipoda: Lysianassoidea) in Australian waters. ---- *Zootaxa* 2532, 64-68. (The new species *Izinkala griffithsi* n. sp. from off Newcastle, NSW, Australia, is the second species in the new family Izinkalidae.)

LUNDSTEN, L., J. P. BARRY, G. M. CAILLIET, D. A. CLAGUE, A. P. DeVOGELAERE & J. B. GELLER 2009. Benthic invertebrate communities on three seamounts off southern and central California, USA. ---- *Marine Ecology Progress Series* 374, 23-32.

LUNDSTEN, L., C. K. PAULL, K. L. SCHLINING, M. McGANN & W. USSLER 2010. Biological characterization of a whale-fall near Vancouver Island, British Columbia, Canada. ---- *Deep-Sea Research I* 57, 918-922. (At 1266m depth. Amphipods not identified)

- MAAS, A., C. HAUG, J. T. HAUG, J. OLESEN, X. ZHANG & D. WALOSZEK 2009. Early crustacean evolution and the appearance of epipodites and gills. ---- *Arthropod Systematics and Phylogeny* 67, 255-273.
- MAAZOUZI, C., G. MASSON, M. S. IZQUIERDO & J.-C. PIHAN 2007. Fatty acid composition of the amphipod *Dikerogammarus villosus*: feeding strategies and trophic links. - --- *Comparative Biochemistry and Physiology A* 147, 868-875.
- MACDONALD, K. S., L. YAMPOLSKY & F. E. DUFFY 2005. Molecular and morphological evolution of the amphipod radiation of Lake Baikal. ---- *Molecular Phylogenetics and Evolution* 35, 323-343. (Earlier overlooked..)
- MACKEN, A., M. GILTRAP, B. FOLEY, E. MCGOVERN, B. MCHUGH & M. DAVOREN 2009. An integrated approach to the toxicity assessment of Irish marine sediments. Application of porewater Toxicity Identification Evaluation (TIE) to Irish marine sediments. - --- *Environment International* 35, 98-106 (i.a. *Corophium volutator*)
- MADIN, J., V. C. CHONG & B. BASRI 2009. Development and short-term dynamics of macrofouling assemblages on fish-cage nettings in a tropical estuary. ---- *Estuarine, Coastal and Shelf Science* 83, 19-29. (A Malaysian study. Amphipods, listed on p. 24, were absolutely dominant among the motile fouling fauna)
- MALARD, F., C. BOUTIN, A. I. CAMACHO, D. FERREIRA, G. MICHEL, B. SKET & F. STOCH 2009. Diversity patterns of stygobiotic crustaceans across multiple spatial scales in Europe. ---- *Freshwater Biology* 54, 756-776.
- MARION, A., M. HARVEY, D. CHABOT & J.-C. BRETHES 2008. Feeding ecology and predation impact of the recently established amphipod, *Themisto libellula*, in the St. Lawrence marine system, Canada. ---- *Marine Ecology Progress Series* 373, 53-70. (*Themisto libellula* feeds mainly on copepods and may exert a significant control on meso- and macro-zooplankton communities in the area.)
- MARSDEN, J. E. & M. HAUSER 2009. Exotic species in Lake Champlain. ---- *Journal of Great Lakes Research* 35, 250-265. (Not seen. Amphipods??)
- MARTIN, P., C. DE BROYER, F. FIERIS, G. MICHEL, R. SABLON & K. WOUTERS 2009. Biodiversity of Belgian groundwater fauna in relation to environmental conditions. ---- *Freshwater Biology* 54, 814-829. (Thirteen amphipod spp listed on p. 821)
- MARTINEZ, J. & I. ADARRAGA 2008. First record of invasive caprellid *Caprella scaura* Templeton, 1836 sensu lato (Crustacea: Amphipoda: Caprellidae) from the Iberian Peninsula. ---- *Aquatic Invasions* 3, 165-171. (In Roses bay, Girona)
- MARTINS, I., A. T. FORD & T. F. FERNANDES 2009. Intersexuality incidence, sex ratio fluctuations and intersex reproductive output as factors affecting the temporal variation of intersexed populations of the marine amphipod *Echinogammarus marinus*. ---- *Marine Environmental Research* 68, 163-169
- MASTITSKY, S. E. & O. A. MAKAREVICH 2007. Distribution and abundance of Ponto-Caspian amphipods in the Belarussian section of the Dnieper River. ---- *Aquatic Invasions* 2, 39-44. (Concerns *Chaetogammarus ischnus*, *Chelicorophium curvispinum*, *Dikerogammarus haemobaphes*, *D. villosus*, and *Pontogammarus robustoides*.)
- MASTROTOTARO, F., C. D'ONGHIA, G. CORRIERO, A. MATARRESE, P. MAIORANO, P. PANETTA, M. GHERARDI, C. LONGO, A. ROSSO, F. SCIUTO, R. SANFILIPPO, C. GRAVILI, F. BOERO, M. TAVIANI & A. TURSI 2010. Biodiversity of

- the white coral bank off Cape Santa Maria di Leuca (Mediterranean Sea). An update. ---- *Deep-Sea Research II* 57, 412-430. (Amphipoda apparently not identified)
- MATAVELLI, C., M. UEHARA-PRADO, F. P. P. LEITE & A. V. L. FREITAS 2009. Some aspects of the population ecology of the exotic amphipod, *Talitroides topitotum*, in an Atlantic forest reserve in Brazil. ---- *Crustaceana* 82, 241-251.
- MAYER, G., G. MAIER, A. MAAS & D. WALOSZEK 2009. Mouthpart morphology of *Gammarus roeselii* compared to a successful invader, *Dikerogammarus villosus* (Amphipoda). ---- *Journal of Crustacean Biology* 29, 161-174.
- McCLINTOCK, J. B., M. G. AMSLER, G. KOPLOVITZ, C. D. AMSLER & B. J. BAKER 2009. Observations on an association between the dexaminiid amphipod *Polycheria antarctica* f. *acanthopoda* and its ascidian host *Distaplia cylindrica*. ---- *Journal of Crustacean Biology* 29, 605-608.
- McCURDY, D. G., D. C. PAINTER, M. T. KOPEC, D. LANCASTER, K. A. COOK & M. R. FORBES 2008. Reproductive behaviour of intersexes of an intertidal amphipod *Corophium volutator*. ---- *Invertebrate Biology* 127, 417-425.
- McDONALD, P. S. & B. L. BINGHAM 2010. Comparing macroalgal food and habitat choice in sympatric, tube-building amphipods, *Ampithoe lacertosa* and *Peramphithoe humeralis*. ---- *Marine Biology* 157, 1513-1524.
- MÉDOC, V. & J.-N. BEISEL 2009. Field evidence for non-host predator avoidance in a manipulated amphipod. ---- *Naturwissenschaften* 96, 513-523. (*Polymorphus minutus* in *Gammarus roeseli*)
- MÉDOC, V., T. RIGAUD, L. BOLLACHE & J.-N. BEISEL 2009. A manipulative parasite increasing an antipredator response decreases its vulnerability to a non-host predator. ---- *Animal Behaviour* 77, 1235-1241. (*Polymorphus minutus* in *Gammarus roeseli*)
- MEKHANIKOVA, I. V. 2009. (Morphology of *Gammarus dabanicus* Tachteew et Mekhanikova, 2000 (Crustacea, Amphipoda, Gammaridea) from mountain streams of the Khamar-Daban Ridge (Zabaikalye).). ---- *Zoologiya Bespozvonocnykh* 6, 21-31. (In Russian)
- MEKHANIKOVA, I. V. 2010. Morphology of mandible and lateral appendages in six endemic amphipods (Amphipoda, Gammaridae) from Lake Baikal in relation to feeding. ---- *Crustaceana* 83, 865-887. (Deals with *Brandtia latissima lata*, *B. (Spinacanthus) parasitica*, *Acanthogammarus grewingkii*, *Eulimnogammarus (Eurybiogammarus) violaceus*, *Ommatogammarus albinus*, and *Pachischesis bazikalovae*. The paper is illustrated with beautiful SEM-pictures. A very nice paper.)
- MEKHANIKOVA, I. V. & V. V. TAKTHEEV 2008. (Cuticular nonsensory microstructures of amphipods from Lake Baikal (Crustacea: Amphipoda), their taxonomic and adaptive significance.) ---- *Zoologiya Bespozvonocnykh* 5, 17-37. (In Russian. Data on 59 species in 6 families. 'Cuticular microstructures are shown to be adaptive, and have limited value as taxonomic characters.'))
- MELNIKOV, I. A. 2009. *Recent sea ice ecosystem in the Arctic Ocean; a review*. ---- In J. C. J. Nihoul & A. G. Kostianov (eds). Influence of climate change on the changing arctic and sub-arctic conditions. Springer Science. (Not seen, unfortunately)
- MENCHACA, I., M. J. BELZUNCE, J. FRANCO, J. M. GARMENDIA, N. MONTERO & M. REVILLA 2010. Sensitivity comparison of laboratory-cultured and field-collected

- amphipoid *Corophium multisetosum* in toxicity tests. ---- *Bulletin of Environmental Contamination and Toxicology* 84, 390-394.
- MENDEZ, M. M., E. SCHWINDT & A. BORTOLUS 2010. Relationships between macroinfaunal invertebrates and physicochemical factors in two sandy beaches of Patagonia. - --- *Journal of the Marine Biological Association UK* 90, 429-435. (Amphipods listed on p. 431)
- MENDONCA, V. M., D. G. RAFFAELLI, P. R. BOYLE & C. EMES 2009. Trophodynamics in a shallow lagoon off Northwestern Europe (Culbin Sands, Moray Firth): Spatial and temporal variability of epibenthic communities, their diets, and consumption efficiency. ---- *Zoological Studies* 48, 196-214.
- MESHER, C., A. FOGGO & J. I. SPICER 2009. Understanding physiological tolerance through thermal limits of three amphipod species. ---- *Comparative Biochemistry and Physiology A* 153, Suppl. 1, S 170.
- MESSICK, G. A. 2009. Haplosporidian parasite in *Diporeia* spp amphipods from the Great Lakes region, USA. ---- *Diseases of Aquatic Organisms* 83, 153-157
- MESSOULI, M., A. EL ALAMI EL FILALI, N. COINEAU & C. BOUTIN 2008. *Metacrangonyx antennatus*, a new species of the family Metacrangonyctidae (Crustacea, Amphipoda) from ground waters in south-western Morocco. ---- *Subterranean Biology* 6, 43-50. (A well on the beach near Tarfaya)
- MEZEK, T., T. SIMCIC, M. T. ARTS & A. BRANCELJ 2010. Effect of fasting on hypogean (*Niphargus stygius*) and epigean (*Gammarus fossarum*) amphipods: a laboratory study. ---- *Aquatic Ecology* 44, 397-408. (Not seen.)
- MEZZETTI, M. C., S. GAMBINERI & F. SCAPINI 2010. The eyes of two talitrid amphipods: differences in structure may reflect different behaviours. ---- *Marine and Freshwater Behaviour and Physiology* 43, 127-133. (*Talorchestia spinifera* and *Talitrus saltator*.)
- MICHEL, L., G. LEPOINT, P. DAUBY & N. STURARO 2010. Sampling methods for amphipods of *Posidonia oceanica* meadows: a comparative study. ---- *Crustaceana* 83, 39-47.
- MILLS, V. S. & K. BERKENBUSCH 2009. Seagrass (*Zostera muelleri*) patch size and spatial location influence infaunal macroinvertebrate assemblages. ---- *Estuarine, Coastal and Shelf Science* 81, 123-129. (A New Zealand study)
- MINCHIN, D., S. GOLLASCH, A. N. COHEN, C. L. HEWITT & S. OLENIN 2009. *Characterizing vectors of marine invasion*. ---- Pp 109-116 in G. Rilov & J. A. Crooks (eds). *Biological invasions in marine ecosystems. Ecological, management, and geographic perspectives*. Springer, Berlin-Heidelberg. (Not seen)
- MOKSNES, P. O., M. GULLSTRÖM, K. TRYMAN & S. BADEN 2008. Trophic cascades in a temperate seagrass community. ---- *Oikos* 117, 763-777. (Not seen)
- MONTELLI, L. 2010. The recent geographical expansion of *Caprella californica* (Caprellidea: Caprellidae) around the coastline of Australia. ---- *Biological Invasions* 12, 725-728. (Found in Victoria, W. Australia, and Queensland)
- MOORE, M. V., S. E. HAMPTON, L. R. IZMEST'EVA, E. A. SILOW, E. V. PESHKOVA & B. K. PAVLOV 2009. Climate change and the world's "sacred sea"—Lake Baikal, Siberia. ---- *BioScience* 59, 405-417. (Not seen)

- MOREIRA, J., L. GESTOSO & J. S. TRONCOSO 2008. Diversity and temporal variation of peracarid fauna (Crustacea: Peracarida) in the shallow subtidal of a sandy beach: Playa América (Galicia, NW Spain). ---- *Marine Ecology* 29, Suppl. 1, 12-18. (Amph. listed on p. 15)
- MOREIRA, J., A. LOURIDO & J. S. TRONCOSO 2008. Diversity and distribution of peracarid crustaceans in shallow subtidal soft bottoms at the Ensenada de Baiona (Galicia, N. W. Spain.)---- *Crustaceana* 81, 1069-1089. (Most common amphipods listed on p. 1076.)
- MORINO, H 2009. (Geographical distribution and habitats of a spring-dwelling amphipod, *Jesogammarus fluviatilis* Morino (Amphipoda).) ---- *Japanese Journal of Limnology* 69, 223-236. (In Japanese, not seen)
- MUKAI, H. & M. TAKEDA 2009(?). A giant amphipod Crustacea from the Miocene Morozaki Group in the Chita Peninsula, central Japan. ---- *Bulletin of the National Science Museum, Series C, Geology & Paleontology* 13, 35-39. (Not seen. Apparently the fossil is closely related to *Megaceradocus gigas*.)
- MUNRO, N. T., K.-J. KOVAC, D. NEIJALKE & R. B. CUNNINGHAM 2009. The effect of a single burn event on the aquatic invertebrates in artesian springs. ---- *Austral Ecology* 34, 837-847. (An Australian study. Amphipods increased in numbers after deliberate burns of the *Phragmites* vegetation.)
- MURPHY, N. P., M. ADAMS & A. D. AUSTIN 2009. Independent colonization and extensive cryptic speciation of freshwater amphipods in the isolated groundwater springs of Australia's Great Artesian Basin. ---- *Molecular Ecology* 18, 109-122. (There is much cryptic speciation among central Australian chiltoniids.)
- MYERS, A. A. 2009. Aoridae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 220-278. (Deals with *Aoroides palfreyensis* n. sp. (Lizard island, GBR), *A. parvus* n. sp. (Lizard island), *Autonoe seurati* (transferred from *Xenocheira*), *Bemlos aequimanus*, *B. australis*, *B. bidens*, *B. clypeatus*, *B. ehippium*, *B. gladius* n. sp. (Lizard island), *B. mollis*, *B. triangulum*, *B. tridentatus*, *B. tui*, *B. waipio*, *Globosolembos excavatus*, *G. longispinosus*, *G. ovatus*, *G. springthorpei* n. sp. (Lizard island), *G. varanus* n. sp. (Lizard island), *Grandidierella bonnieroides*, and *G. rhizophorae* n. sp. (Lizard island).)
- MYERS, A. A. 2009. Chevaliidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 344-347. (Deals with *Chevalia tenuis* n. sp. (Lizard island area, GBR).)
- MYERS, A. A. 2009. Corophiidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 373-379. (Deals with *Paracorophium nana* n. sp. (Lizard island), and *Pumiliophotis queenslandicus* n. gen., n. sp. (Lizard island).)
- MYERS, A. A. 2009. Kamakidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 487-493. (Deals with *Gammaropsella saepta* n. sp. (Lizard island, GBR) and *Kamaka silvana* n. sp. (Lizard island).)
- MYERS, A. A. 2009. Photidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 771-799. (Deals with *Gammaropsis hephaestus* n. sp. (Lizard island, GBR), *Graciliphotis ruthae* n. gen, n. sp., *Latigammaropsis* n. gen., type species *Gammaropsis atlantica*, 15 further species, most transferred from *Gammaropsis*, *L. athenae* n.sp. (Lizard island), *L. dionysus* n.

sp.(Lizard island), *L. hermes* n. sp. (Lizard island), *L. hestia* n. sp. (Lizard island), *Photis aina*, *P. davei* n. sp.(Lizard island), *P. pirloti*, and *Virgammaropsis artemis* n. gen., n. sp. (Lizard island) .)

MYERS, A. A. 2009. Unciolidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 904-907. (Deals with *Wombalano yerang* from Lizard island, GBR.)

MYERS, A. A., J. A. DE-LA-OSSA-CARRETERO & J.-C. DAUVIN 2010. A new species of *Medicorophium*, *M. longisetosum* n.sp. from the western Mediterranean, coast of Spain. --- *Zootaxa* 2450, 53-60 (With a key to all Corophiini of the Mediterranean coast of Spain.)

MYERS, A. A. & S. A. LeCROY 2009. Dexaminidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 393-424. (Deals with *Dexaminoculus grobbeni*, *Guernea ipilya*, *G. yammuniye*, *Paradexamine aquiserrata* n. sp. (Lizard island, GBR), *P. exilis* n. sp. (Lizard island), *P. levitelson* n. sp. (Lizard island), *P. massa* n. sp. (Lizard island), *P. micronesicus*, *P. quadratus* n. sp. (Lizard island), *P. saxeta* n. sp. (Lizard island), and *Polycheria goanna* n. sp. (Lizard island)

MYERS, A. A. & J. K. LOWRY 2009. The biogeography of Indo-West Pacific tropical amphipods with particular reference to Australia. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 109-137.

NAGABUKO, A., K. SEKINÉ, Y. TANAKA, R. B. KURANISHI, S. KANADA & K. TOJO 2010. Rapid expansion of the distributional range and the population genetic structure of the freshwater amphipod *Crangonyx floridanus* in Japan. ---- *Limnology*, in press (Not seen)

NALEPA, T., D. L. FANSLOW & G. A. LANG 2009. Transformation of the offshore benthic community in Lake Michigan: recent shift from the native amphipod *Diporeia* spp to the invasive mussel *Dreissena rostriformis bugensis*. ---- *Freshwater Biology* 54, 466-479.

NALEPA, T. F., S. A. POTHOVEN & D. L. FANSLOW 2009. Recent changes in benthic macroinvertebrate populations in Lake Huron and impact on the diet of lake whitefish (*Coregonus clupeaformis*). ---- *Aquatic Ecosystem Health & Management* 12, 2-10.

NOORDHUIS, R., J. van SCHIE & N. JAARSMA 2009. Colonization patterns and impacts of the invasive amphipods *Chelicorophium curvispinum* and *Dikerogammarus villosus* in the IJsselmeer area, the Netherlands. ---- *Biological Invasions* 11, 2067-2084.

NORDERHAUG, K. M., H. CHRISTIE & S. FREDRIKSEN 2007. Is habitat size an important factor for faunal abundances on kelp (*Laminaria hyperborea*)? ---- *Journal of Sea Research* 58, 120-124.

NORROCKY, M. J. & E. R. HAZELTON 2010. A simple device to capture amphipods (Malacostraca, Amphipoda). ---- *Crustaceana* 83, 381-382. (for work in caves)

NOYON, M., S. GASPARIOL & P. MAYZAUD 2009. Feeding of *Themisto libellula* (Amphipoda Crustacea) on natural copepods assemblages in an Arctic fjord (Kongsfjorden, Svalbard). ---- *Polar Biology* 32, 1559-1570.

NYGÅRD, H., M. VIHTAKARI & J. BERGE 2009. Life history of *Onisimus caricus* (Amphipoda: Lysianassoidea) in a high Arctic fjord. ---- *Aquatic Biology* 5, 63-74. (This species has a 5-year life cycle, and at least the females are semelparous.)

O'CONNOR, M. I. 2009. Warming strengthens an herbivore-plant interaction. ---- *Ecology* 90, 388-398. (*Sargassum filipendula* and the grazing amphipod *Ampithoe longimana*)



- OHJI, M. 2009. *Biological effects of tributyltin on the Caprellidea (Crustacea: Amphipoda)*. - --- Pp 161-193 in T. Arai, H. Harino, M. Ohji & W. J. Langston (eds). *Ecotoxicology of fouling biocides*. Springer Japan. (Not seen)
- OHTSUKA, S., K. KOIKE, D. LINDSAY, J. NISHIKAWA, H. MIYAKE, M. KAWAHARA, N. MUJIONO, J. HIROMI & H. KOMATSU 2009. Symbionts of marine medusae and ctenophores. ---- *Plankton and Benthos Research* 4, 1-13. (Not seen, unfortunately. Can somebody help me out?)
- OLABARRIA, C., M. INCERA, J. GARRIDO, I. F. RODIL & F. ROSSI 2009. Intraspecific diet shift in *Talitrus saltator* inhabiting sandy beaches. ---- *Estuarine, Coastal and Shelf Science* 84, 282-288.
- OLIVA, M. E., A. MAFFET & J. LAUDIEN 2010. Association between *Chrysaora plocamia* (Cnidaria Scyphozoa) and *Hyperia curticéphala* (Peracarida: Amphipoda) in Mejillones Bay, Northern Chile. ---- *Revista de Biología Marina y Oceanografía* 45, 127-130.
- OPALINSKI, K. W., K. MACIEJEWSKA, B. URBAN-MALINGA & J. M. WESLAWSKI 2010. The oxygen fluxes of sandy littoral areas: Quantifying primary and secondary producers in the Baltic Sea. ---- *Marine Pollution Bulletin* 61, 211-214. (I.a. 4 *Gammarus* spp and *Bathyporeia pilosa*)
- ORAV-KOTTA, H., J. KOTTA, K. HERKÜL, I. KOTTA & T. PAALME 2009. Seasonal variability in the grazing potential of the invasive amphipod *Gammarus tigrinus* and the native amphipod *Gammarus salinus* (Amphipoda: Crustacea) in the northern Baltic Sea. ---- *Biological Invasions* 11, 597-608.
- ORENDT, C., C. SCHMIDT, C. van LIEFFERINGE, G. WOLFRAM & E. de DECKERE 2009. Include or exclude? A review on the role and suitability of aquatic invertebrate neozoa as indicators in biological assessment with special respect to fresh and brackish European waters. ---- *Biological Invasions* 12, 265-283. (The authors suggest inclusion is better)
- ORTIZ, M., J. M. GUERRA-GARCIA & R. LALANA 2009. *Cubodeutella cavernicola*, a new genus and species of Caprellidae (Crustacea: Amphipoda) from Cuba. ---- *Zootaxa* 2130, 60-68. (Found in a submarine cave at Maria La Gorda, Pinar del Rio province.)
- ORTIZ, M. & R. LALANA 2009. A new terrestrial amphipod (Crustacea, Amphipoda, Talitridae) from the Dominican Republic. ---- *Solenodon* 6, 25-32. (*Caribitroides genaroi* n. sp. from mountain forest in the Dominican Republic. A synoptic key compares all described *Caribitroides* species)
- ORTIZ, M., R. LALANA & C. VARELA 2008. (First report of the family Melphidippidae and of the genus *Hornellia* (Amphipoda: Gammaroidea) in Cuban waters, with the description of a new species.) ----- *Solenodon* 7, 7-13. (In Spanish. Deals with *H. habanensis* n. sp. (Playa Baracoa, La Habana, Cuba). The new species is compared with *H. tequestae* and *H. atlantica*.)
- ORTIZ, M. & J. D. THOMAS 2007. *Cerapus ortei* (Corophioidea: Corophiidae), a new amphipod crustacean from the Caribbean coast of Costa Rica. ---- *Avicennia* 19, 17-24.
- OTHMAN, B. H. R. & B. A. R. AZMAN 2007. A new species of Talitridae (Amphipoda: Gammaroidea) from Tioman Island, Malaysia. ---- *Zootaxa* 1454, 59-68. (*Talorchestia morinoi* n. sp., with a key to male *Talorchestia* s. str.)
- OTTAVIANO O. & F. SCAPINI 2010. Can fluctuating asymmetry in *Talitrus saltator* (Montagu, 1808) (Crustacea: Amphipoda) populations be used as a bioindicator of stress in sandy beach ecosystems? ---- *Oceanologia* 52, 259-280.



- OVCHARENKO, M., D. CODREANU-BALCESCU, M. GRABOWSKI, A. KONOPACKA, I. WITA & U. CZAPLINSKA 2009. Gregarines (Apicomplexa) and microsporidians (Microsporidia) of native and invasive gammarids (Amphipoda, Gammaroidea), occurring in Poland. ---- *Wiadomosci Parazytologiczne* 55, 237-247.
- ÖZBEK, M. & S. BALIK 2009. A new freshwater amphipod, *Gammarus topkarai* sp. nov., from Turkey (Amphipoda: Gammaridae), with a key for Turkish freshwater *Gammarus* species. ---- *Zootaxa* 2073, 45-56. (From Tarsus vilayet, S. Turkey)
- ÖZBEK, M., S. BALIK & E. T. TOPKARA 2009. Contribution to the knowledge on the distribution of Malacostraca (Crustacea) species of Central and South Anatolia, with some ecological notes. ---- *Turkish Journal of Zoology* 33, 47-55. (Seven spp of amphipods, one *Echinogammarus* and 6 *Gammarus* spp.)
- ÖZBEK, M. & B. CAMUR-ELIPEK 2010. *Gammarus kesanensis* sp. nov. , a new blind amphipod species from Turkey (Amphipoda, Gammaridae), with a key to eyeless *Gammarus* species of Europe. ---- *Zootaxa* 2399, 51-60. (The new species was found near Edirne, Turkish Thrace, Turkey. A key to eyeless *Gammarus* in Europe is provided.)
- ÖZBEK, M., M. R. USTAOGU & S. BALIK 2004. A new species of corophiid for the Turkish fauna: *Chelicorophium maeoticum* (Sowinsky, 1898) (Amphipoda). ---- *Crustaceana* 77, 1013-1018. (Poyrazlar Lake, Sakarya vilayet)
- ÖZHAN-KIZIL, J. HAVEMANN & M. GERBERDING 2009. Germ cells in the crustacean *Parhyale hawaiiensis* depend on Vasa protein for their maintenance but not for their formation. ---- *Developmental Biology* 327, 230-239.
- PACKALEN, A., S. KORPINEN & K. K. LEHTONEN 2008. The invasive amphipod species *Gammarus tigrinus* (Sexton 1939) can rapidly change littoral communities in the Gulf of Finland (Baltic Sea). ---- *Aquatic Invasions* 3, 405-412.
- PAILLERET, M., T. HAGA, P. PETIT, C. PRIVÉ-GILL, N. SAEDLOU, F. GAILL & M. ZBINDEN 2007. Sunken wood from the Vanuatu islands; identification of wood substrates and preliminary description of associated fauna. ---- *Marine Ecology* 28, 233-241 (No amphipods)
- PANKOVA, E. S. & N. A. BEREZINA 2007. Predation rates and size selectivity of the invasive amphipod *Gmelinoides fasciatus* preying upon the native isopod *Asellus aquaticus*. -- *Acta Zoologica Lituanica* 17, 144-150.
- PARCHEM, R. J., F. POULIN, A. B. STUART, C. T. AMEMIYA & N. H. PATEL 2010. BAC library for the amphipod crustacean, *Parhyale hawaiiensis*. ---- *Genomics* 95, 261-267. (BACs are Bacterial Artificial Chromosomes, an important tool for studying genome biology)
- PARKER, J. D. , J. P. MONTOYA & M. E. HAY 2008. A specialist detritivore links *Spartina alterniflora* to salt marsh food webs. ---- *Marine Ecology Progress Series* 364, 87-95. (The specialist is *Gammarus palustris*)
- PASTORINHO, M. R., T. C. TELFER & A. M. V. M. SOARES 2009. Amphipod intersex, metals and latitude: A perspective. ---- *Marine Pollution Bulletin* 58, 812-817 (Studies on *Echinogammarus marinus* from Iceland and Scotland)
- PASTORINHO, M. R., T. C. TELLER & A. M. V. M. SOARES 2009. Amphipod susceptibility to metals: Cautionary tales. ---- *Chemosphere* 75, 1423-1428. (Studies on *Echinogammarus marinus*)
- PAVESI, L., L. CHELAZZI, V. IANNILLI, B. LUCCHESI, A. RENZI & E. DE MATTHAEIS 2009. Abundance, temporal distribution and zonation patterns of talitrids on

two Apulian sandy beaches (Southern Italy). ---- *Vie et Milieu* 59, 7-20. (*Talitrus saltator* and *Macarorchestia remyi*.)

PAVESI, L. & E. DE MATTHAEIS 2009. Life history of the talitrid amphipod *Macarorchestia remyi* (Schellenberg, 1950) on a Tyrrhenian sandy beach, Italy. ---- *Hydrobiologia* 635, 171-180.

PECK, L. S., M. S. CLARK, S. A. MORLEY, A. MASSEY & H. ROSSETTI 2009. Animal temperature limits and ecological relevance: effects of size, activity and rates of change. ---- *Functional Ecology* 23, 248-256. (Studies on Antarctic invertebrates, i.a. *Cheirimedon femoratus*, *Paraceradocus gibber* and *Waldeckia obesa*.)

PEETERS, E. T. H. M., H. J. de LANGE & M. LÜRLING 2009. Variation in the behaviour of the amphipod *Gammarus pulex*. ---- *Human and Ecological Risk Assessment* 15, 41-52.

PENNUTO, C. & D. KEPPLER 2008. Short-term predator avoidance behaviour by invasive and native amphipods in the Great Lakes. ---- *Aquatic Ecology* 42, 629-641. (A comparison between the native *Gammarus fasciatus* and the invasive *Echinogammarus ischnus*.)

PERALTA, M. AND L. GROSSO 2009. (*Crustacea Syncarida, Amphipoda and Decapoda*.) - ---Pp 469-495 in E. Dominguez & H. Fernandez (eds). Macroinvertebrados bentonicos sudamericanos. Sistematica y Biologia. Fundacion Miguel Lillo, Tucuman, Argentina. (In Spanish, not seen)

PERDIGUERO-ALONSO, D., F. E. MONTERO, J. A. RAGA & A. KOSTADINOVA 2008. Composition and structure of the parasite fauna of cod, *Gadus morhua* L. (Teleostei: Gadidae), in the North East Atlantic. ---- *Parasites & Vectors* 1, 1-23. (Only 1 amphipod sp. found; which one??)

PÉREZ-DOMINGO, S., C. CASTELLANOS & J. JUNOY 2008. The sandy beach macrofauna of Gulf of Gabès (Tunisia). ---- *Marine Ecology* 29, Suppl. 1, 51-59.

PÉREZ-LANDA, V., M. J. BELZUNCE & J. FRANCO 2010. The effect of seasonality and body size on the sensitivity of marine amphipods to toxicants. ---- *Bulletin of Environmental Contamination and Toxicology* 81, 548-552. (Studies on *Corophium multisetosum* and *C. urdaibaiense*, and season and size DO matter)

PETERS, K. J., C. D. AMSLER, J. B. McCLINTOCK, R. W. M. v. SOEST & B. J. BAKER 2009. Palatability and chemical defenses of sponges from the western Antarctic Peninsula. --- - *Marine Ecology Progress Series* 385, 77-85. (The discussion treats the relations between sponges and amphipods in the area.)

PETRESCU, I. 2009. New mentions of amphipods (Crustacea: Amphipoda) from Romanian waters of the Danube. ---- *Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa"* 52, 73-86.

PFALLER, J. B., K. A. BJORNDALE, K. J. REICH, K. L. WILLIAMS & M. G. FRICK 2006. Distribution patterns of epibionts on the carapace of loggerhead turtles, *Caretta caretta*. ---- *Marine Biodiversity Records* 1, 4 pp. (Data from Georgia, USA. Deals with i.a. 4 spp of *Caprella* and *Podocerus chelonophilus*.)

PFEIFFER, C. J. 2009. *Whale Lice*. Pp 1220-1223 in Encyclopedia of marine mammals (second edition). Elsevier. (Not seen)

PILGRIM, E. M., J. V. SCHAROLD, J. A. DARLING & J. R. KELLY 2009. Genetic structure of the benthic amphipod *Diporeia* (Amphipoda: Pontoporeiidae) and its relationship to abundance in Lake Superior. ---- *Canadian Journal of Fisheries and Aquatic Sciences* 66, 1318-1327. (*Diporeia* in Lake Superior, which has been exempt from the large decreases in

the other Great Lakes, is genetically clearly different from the populations in the other Great Lakes.)

PISCART, C., B. BERGEROT, P. LAFAILLE & P. MARMONIER 2010. Are amphipod invaders a threat to regional biodiversity? ---- *Biological Invasions* 12, 853-863. (A study from the Loire area in France. Refugia for the ousted native species prevents a loss of biodiversity here)

PISCART, C., C. MAAZOUZI & P. MARMONIER 2008. Range expansion of the North American alien amphipod *Gammarus tigrinus* Sexton, 1939 (Crustacea: Gammaridae) in Brittany, France. ---- *Aquatic Invasions* 3, 449-453.

PLATVOET, D., J. T. A. DICK, C. MacNEIL, M. C. van RIEL & G. v. d. VELDE 2009. Invader-invader interactions in relation to environmental heterogeneity leads to zonation of two invasive amphipods, *Dikerogammarus villosus* (Sowinsky) and *Gammarus tigrinus* Sexton: amphipod pilot species project (AMPIS) report 6. ---- *Biological Invasions* 11, 2085-2093.

PLATVOET, D., G. v. d. VELDE, J. T. A. DICK & S. LI 2009. Flexible omnivory in *Dikerogammarus villosus* (Sowinsky, 1894) (Amphipoda)—amphipod pilot species project (AMPIS) report 5. ---- *Crustaceana* 82, 703-720.

POINAR, G., D. DUARTE & M. J. SANTOS 2010. *Halomonhystera parasitica* n. sp. (Nematoda: Monhysteridae), a parasite of *Talorchestia brito* (Crustacea: Talitridae) in Portugal. ---- *Systematic Parasitology* 75, 53-58.

PONTI, M., A. PASTERIS, R. GUERRA & M. ABBIATI 2009. Impacts of maintenance channel dredging in a northern Adriatic coastal lagoon. II: Effects on macrobenthic assemblages in channels and ponds. ---- *Estuarine, Coastal and Shelf Science* 85, 143-150. (i.a. *Corophium insidiosum* and *Gammarus aequicauda*)

POORE, A. G. B., A. H. CAMPBELL & P. D. STEINBERG 2009. Natural densities of mesograzers fail to limit growth of macroalgae or their epiphytes in a temperate algal bed. ---- *Journal of Ecology* 97, 164-175. ('Strong impacts are not likely with the naturally occurring amphipod densities in the temperate algal bed studies')

POPESCU-MARINESCU, V. & M. NASTASESCU 2005. Amphipods (Gammaridae and Corophiidae) from Iron Gates I and II dam lakes-Danube (Romania), concerning especially 2002 situation. ---- *Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa"* 48, 501-521.

PRATO, E. & F. BIANCOLINO 2009. Factors influencing the sensitivity of *Gammarus aequicauda* population from Mar Piccolo in Taranto (Southern Italy). ---- *Ecotoxicology and Environmental Safety* 72, 770-774.

PRESCOTT, R. & R. CUDNEY-BUENO 2008. Mobile 'reefs' in the northeastern Gulf of California: aggregations of black murex snails *Hexaplex nigritus* as habitat for invertebrates. - --- *Marine Ecology Progress Series* 367, 185-192 (Species lists in appendix which is not accessible to me)

PUENTE, A., J. A. JUANES, G. CALDERON, B. ECHAVARRI-ERASUN, A. GARCIA & G. GARCIA-CASTRILLO 2009. Medium-term assessment of the effects of the Prestige oil spill on estuarine benthic communities in Cantabria (northern Spain, Bay of Biscay). ---- *Marine Pollution Bulletin* 58, 487-495. (No very clear effects noted)..

PURCELL, J. E., R. R. HOPCROFT, K. N. KOSOBOKOVA & T. E. WHITLEDGE 2010. Distribution, abundance, and predation effects of epipelagic ctenophores and jellyfish in the

western Arctic Ocean. ---- *Deep-Sea Research II* 57, 127-139. (*Mertensia ovum* feeds i.a. on *Parathemisto*.)

RADULOVICI, A., B. SAINTE-MARIE & F. DUFRESNE 2009. DNA barcoding of marine crustaceans from the Estuary Gulf of St Lawrence: a regional-scale approach. ---- *Molecular Ecology Resources* 9, Suppl. 1, 181-187. (A pioneer paper on barcoding of i.a. amphipod species.)

RAINBOW, P. S. 2009. Marine biological collections in the 21<sup>st</sup> century. ---- *Zoologica Scripta* 38 (Suppl.), 33-40.

RAMOS-GOMEZ, J., M. L. MARTIN-DIAZ & T. A. DelVALLS 2009. Acute toxicity measured in the amphipod *Ampelisca brevicornis* after exposure to contaminated sediments from Spanish littoral. ---- *Ecotoxicology*, in press.

RAMPIN, M. 2008. (*Caryological and cytotaxonomic evolution of amphipods*.) ---- PhD Thesis, Univ. of Venezia. (In Italian, not seen)

RASTRICK, S. S. & N. M. WHITELEY 2009. Energy consumption and expenditure in gammarid amphipods across a natural thermal gradient. ---- *Comparative Biochemistry and Physiology* 153, Suppl. 1, S170-171.

RAUQUE, C. A. & L. SEMENAS 2009. Effects of two acanthocephalan species on the reproduction of *Hyaella patagonica* (Amphipoda, Hyaellidae) in an Andean Patagonian lake (Argentina). ---- *Journal of Invertebrate Pathology* 100, 35-39.

RÉ, A., R. FREITAS, L. SAMPAIO, A. M. RODRIGUES & V. QUINTINO 2009. Estuarine sediment acute toxicity testing with the European amphipod *Corophium multisetosum* Stock, 1952. ---- *Chemosphere* 76, 1323-1333.

REGIER, J. C., J. W. SHULTZ, A. ZWICK, A. HUSSEY, B. BALL, R. WETZER, J. W. MARTIN & C. W. CUNNINGHAM 2010. Arthropod relationships revealed by phylogenomic analysis of nuclear protein-coding sequences. ---- *Nature*, in press. (doi: 10.1038 /nature 08742). (An important paper)

RENAUD, P. E., M. WLODARSKA-KOWALCZUK, H. TRANNUM, B. HOLTE, J. M. WESLAWSKI, S. COCHRANE, S. DAHLE & B. GULLIKSEN 2007. Multidecadal stability of benthic community structure in a high-Arctic glacial fjord (van Mijenfjord, Spitsbergen). -- *Polar Biology* 30, 295-305.

RICHTER, S., O. S. MØLLER & C. S. WIRKNER 2009. Advances in crustacean phylogenetics. ---- *Arthropod Systematics & Phylogeny* 67, 275-286. (An overview)

RICO-RICO, A., A. TEMARA & J. L. M. HERMANS 2009. Equilibrium partitioning theory to predict the sediment toxicity of the anionic surfactant C12-2-LAS to *Corophium volutator*. ---- *Environmental Pollution* 157, 575-581.

RIEDLECKER, E. I., G. V. ASHTON & G. M. RUIZ 2009. Geometric morphometric analysis discriminates native and non-native species of Caprellidae in western North America. ---- *Journal of the Marine Biological Association UK* 89, 535-542. (Deals with the non-native *C. mutica* vs *C. alaskana* and *C. kennerlyi*.)

RIEL, M. C. van, G. van der VELDE, S. RAJAGOPAL, S. MARGUILLIER, F. DEHAIRS & A. bij de VAATE 2006. Trophic relationships in the Rhine food web during invasion and after establishment of the Ponto-Caspian invader *Dikerogammarus villosus*. ---- *Hydrobiologia* 565, 39-58.

- RIEL, M. C. van, G. van der VELDE & A. bij de VAATE 2006. To conquer and persist: colonization and population of the Ponto-Caspian amphipods *Dikerogammarus villosus* and *Chelicorophium curvispinum* on bare stone substrate of the River Rhine. ---- *Archiv für Hydrobiologie* 166, 23-39.
- RIEL, M. C. van, G. van der VELDE & A. bij de VAATE 2009. Interference competition between alien invasive gammaridean species. ---- *Biological Invasions* 11, 2119-2132. (Data on *Dikerogammarus villosus*, *Echinogammarus ischnus* and *Gammarus tigrinus*.)
- RIERA, P., C. ESCAVARAGE & C. LEROUX 2009. Trophic ecology of the rocky shore community associated with the *Ascophyllum nodosum* zone (Roscoff, France): A d13 vs d15 investigation. ---- *Estuarine, Coastal and Shelf Science* 81, 143-148.
- RIOS, P. de los, S. J. ADAMOVICZ & J. D. S. WITT 2010. Aquatic fauna in the driest desert on earth: first report on the crustacean fauna of the Loa River (Atacama desert, Antofagasta region, Chile). ---- *Crustaceana* 83, 257-266. (Amphipods *Hyaella fossamanchini* and *H. kochi*)
- ROBINSON, L. A., S. P. R. GREENSTREET, H. REISS, R. CALLAWAY, J. CRAEYMEERSCH, I. DE BOOIS, S. DEGRAER, S. EHRLICH, H. M. FRASER, A. GOFFIN, I. KRÖNCKE, L. LINDAL JORGENSEN, M. R. ROBERTSON & J. LANCASTER 2010. Length-weight relationships of 216 North Sea benthic invertebrates and fish. ---- *Journal of the Marine Biological Association UK* 90, 95-104. (Amphipods are *Epimeria cornigera*, *Hippomedon denticulatus* and *Iphimedia obesa*)
- ROBISON, B. H., R. E. SHERLOCK & K. R. REISENBICHLER 20120. The bathypelagic community of Monterey Canyon. ---- *Deep-Sea Research II* 57, 1551-1556.
- ROCK, J., J. IRONSIDE, T. POTTER, N. M. WHITELY & D. H. LUNT 2007. Phylogeography and environmental diversification of a highly adaptable marine amphipod *Gammarus duebeni*. ---- *Heredity* 99, 102-111.
- ROCK, J., J. L. MAGNAY, S. BEECH, A. J. AL HAJ, G. GOLDSPIK, D. H. LUNT & N. M. WHITELEY 2009. Linking functional molecular variation with environmental gradients: myosin gene diversity in a crustacean broadly distributed across variable thermal environments. ---- *Gene*, on line (not seen; 7 spp of amphipods)
- ROSSANO, C., S. GAMBINERI, L. FANINI, V. DURIER, C. RIVAUULT & F. SCAPINI 2009. Behavioural adaptations in talitrids from two Atlantic beaches. ---- *Estuarine, Coastal and Shelf Science* 85, 573-584.. (A study from Bretagne on *Talitrus saltator* populations)
- RULE, M. J. & S. D. A. SMITH 2007. Depth-associated patterns in the development of benthic assemblages on artificial substrata deployed on shallow, subtropical reefs. ---- *Journal of Experimental Marine Biology and Ecology* 345, 38-51. (An Australian study.)
- SANTAGATA, S., K. BACELA, D. F. REID, K. A. McLEAN, J. S. COHEN, J. R. CORON, C. W. BROWN, T. H. JOHNGEN & G. M. RUIZ 2008. Concentrated sodium chloride brine solutions as an additional treatment for preventing the introduction of nonindigenous species in the ballast tanks of ships declaring no ballast on board. ---- *Environmental Toxicology and Chemistry* 28, 346-353. (Not seen)
- SAN VICENTE, C., T. MUNILLA, J. CORBERA, J.-C. SORBE & A. RAMOS 2009. Suprabenthic fauna from the Bellingshausen Sea and western Antarctic Peninsula: spatial distribution and community structure. ---- *Scientia Marina* 73, 357-368. (Amphipod families (26) listed on p.362.)

- SANZ-LAZARO, C. & A. MARIN 2009. A manipulative field experiment to evaluate an integrative methodology for assessing sediment pollution in estuarine ecosystems. ---- *Science of the Total Environment* 407, 3510-3517. (Tests with *Corophium multisetosum* and *Microdeutopus gryllotalpa* in a Portuguese estuary.)
- SCAPINI, F. & J. DUGAN 2008. Sun and landscape orientation in adult and juvenile sandhoppers *Orchestoidea tuberculata* (Amphipoda, Talitridae) from two beaches in south central Chile. ---- *Marine Ecology* 29, Suppl. 1, 19-27.
- SCHAROLD, J. V., E. M. PILGRIM, J. A. DARLING & J. R. KELLY 2008. Genetic diversity of the amphipod *Diporeia* spp in Lake Superior. ---- *Abstracts 93d ESA Annual Meeting*.
- SCHOEMAN, D. S., R. NEL & A. GOULART SOARES 2008. Measuring species richness on sandy beach transects: extrapolative estimators and their implications for sampling effort. - --- *Marine Ecology* 29, Suppl. 1, 134-149.
- SCHÜCKEL, U., S. EHRLICH & I. KRÖNCKE 2010. Temporal variability of three different macrofauna communities in the northern North Sea. ---- *Estuarine, Coastal and Shelf Science* 89, 1-11.
- SEI, M., B. K. LANG & D. J. BERG 2009. Genetic and community similarities are correlated in endemic-rich springs of the northern Chihuahuan Desert. ---- *Global Ecology and Biogeography* 18, 192-201.
- SEIDEL, R. A., B. K. LANG & D. J. BERG 2009. Phylogeographic analysis reveals multiple cryptic species of amphipods (Crustacea; Amphipoda) in Chihuahuan Desert springs. ---- *Biological Conservation* 142, 2303-2313. (Besides *Gammarus pecos*, *G. desperatus* and *G. hyalelloides* there are at least six populations, which represent undescribed species.)
- SEIDEL, R. A., B. K. LANG & D. J. BERG 2010. Salinity tolerance as a potential driver of ecological speciation in amphipods (*Gammarus* spp) from the northern Chihuahuan Desert. -- -- *Journal of the North American Benthological Society* 29, 1161-1169. (Not seen)
- SEJR, M. K., M. WLODARSKA-KOWALCZUK, J. LEGEZYNSKA & M. E. BLICHER 2010. Macrobenthic species composition and diversity in the Godthaabsfjord system, SW Greenland. ---- *Polar Biology* 33, 421-432. (Not seen)
- SEMENCHENKO, V. P., V. K. RIZEVSKY, S. E. MASTITSKY, V. V. VEZHNOVETS, M. V. PLUTA, V. I. RAZLUTSKY & T. LAENKO 2009. Checklist of aquatic alien species established in large river basins of Belarus. ---- *Aquatic Invasions* 4, 337-347. (Eight amphipod spp in Annex 1)
- SEMENCHENKO, V. & V. VEZHNOVETZ 2008. Two new invasive Ponto-Caspian amphipods reached the Pripyat River, Belarus. ---- *Aquatic Invasions* 3, 445-447. (*Obesogammarus obesus* and *O. crassus*.)
- SENNA, A. R. 2009. The giant deep-sea amphipods (Lysianassoidea: Eurythenidae) from Brazilian waters. ---- *Nauplius* 17, 81-96. (Deals with *Eurythenes gryllus* and *E. obesus*)
- SENNA, A. R. 2010. A new genus and five new species of Phoxocephalidae (Crustacea: Amphipoda) from the south-east Brazilian deep sea. ---- *Journal of Natural History* 44, 2075-2118. (Deals with *Bathybirus margaritae* n. gen, n. sp. (Campos basin, 1050m), *Coxophoxus alonso* n. sp. (Campos basin, 1050m), *Leptophoxoides marina* n. sp. (Campos Basin), *Pseudharpinia berardo* n. sp. (Campos basin), and *P. ovata* n. sp. (Campos basin, 1100m). A key to all Brazilian Phoxocephalidae is provided.)

- SENNA, A. R. & C. S. SEREJO 2007. A new deep-sea species of *Stephonyx* (Lysianassoidea: Uristidae) from off the central coast of Brazil. ---- *Nauplius* 15, 7-14. (*S. uncinatus* n. sp. from 14°28'S, 38°51'W. A key to all *Stephonyx* species is provided. NB. See also Diffenthal & Horton 2007 in AN 33 for another new *Stephonyx*))
- SENNA, A. R. & J. F. SOUZA-FILHO 2010. A new species of *Lysianassa* Milne Edwards, 1830 (Crustacea: Amphipoda: Lysianassidae) from the southwestern Atlantic, with an updated key to Brazilian lysianassoid species. ---- *Cahiers de Biologie Marine* 51, 129-145. (*Lysianassa temimino* n.sp. (Vitoria City, Espirito Santo St., Brazil).)
- SEREJO, C. S. 2009. Talitridae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 892-903. (Deals with *Chelorchestia limicola*, transferred from *Talorchestia*, *Talorchestia spinipalma* and the revived *T. terraereginae* Haswell, 1880.)
- SEREJO, C. S. & D. J. SITROP 2009. Hyalidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 440-452. (Deals with *Hyachelia lowryi* n. sp. (Mon Repos, Qld), an associate of loggerhead and green turtles, *Lelehua myersi* n. sp. (Lizard island, GBR) and *Parhyale hawaiiensis*.)
- SHATILINA, Zh. M., T. P. POBEZHIMOVA, O. I. GRABEL'NYKH, D. S. BEDULINA, M. V. PROTOPOPOVA, V. V. PAVLICHENKO & M. A. TIMOFEEV 2010. Heat shock proteins in the mechanisms of stress adaptation in Baikal amphipods and Palearctic *Gammarus lacustris* Sars. I. HSP70 family. ---- *Contemporary Problems of Ecology* 3, 41-49. (The Baikal species studies are *Gmelinoides fasciatus*, *Eulimnogammarus cyaneus*, *E. vittatus* and *Ommatogammarus flavus*.)
- SHUCKSMITH, R., E. J. COOK, D. J. HUGHES & M. T. BURROWS 2009. Competition between the non-native amphipod *Caprella mutica* and two native species of caprellids *Pseudoprotella phasma* and *Caprella linearis*. ---- *Journal of the Marine Biological Association UK* 89, 1125-11232. (In experiments *C. mutica* is dominant and replaces the other two species)
- SIDOROV, D. A. 2009 (New species of stygobiont amphipod (Crustacea: Amphipoda: Pseudocrangonyctidae) from Primorye, with description of female of *Pseudocrangonyx levanidovi* Birstein from the Khor River springs.) ---- (*Amurian Zoological Journal*) 1, 92-105. (In Russian. Deals with *Pseudocrangonyx febras* n. sp. from underground waters of the Arsenyevka River (Primorye, Russia) and *P. levanidovi*.)
- SIDOROV, D. A. 2010. A new subgenus of eusirid amphipod (Crustacea: Amphipoda: Eusiridae) from subterranean waters and springs of the Eastern Sikhote-Alin Mountain Ridge, with comments on the morphology of sternal humps, genital papillae and pleopods. ---- *Zootaxa* 2518, 1-31. (*Paramoera* (*Ganigamoera* n. subgen.) *myslenkovi* n. sp. (Kievka River basin) and *P. (G.) tiunavi* n. sp. (Solontsovaya River basin, both NE of Vladivostok. On pp 28-30 all 7 Far-Eastern spp of *Paramoera* are compared).
- SIDOROV, D. A., J. R. HOLSINGER & V. V. TAKHTEEV 2010. Two new species of the subterranean amphipod genus *Stygobromus* (Amphipoda: Crangonyctidae) from Siberia, with new data on *Stygobromus pusillus* (Martynov) and remarks on morphology and biogeographic relationships. ---- *Zootaxa* 2478, 41-58. (Deals with *S. pusillus*, *S. mikhaili* n. sp. (Chuya River, Altay Rep.), and *S. anastasiae* n. sp. (Irkutsk).)
- SIMON, R., G. JUBEAUX, A. CHAUMONT, J. LEMOINE, O. GEFFARD & A. SALVADOR 2010. Mass spectrometry assay as an alternative to the enzyme-linked



immunosorbent assay for biomarker quantitation in ecotoxicology: Application to vitellenin in Crustacea (*Gammarus fossarum*). ---- *Journal of Chromatography A* 1217, 5109-5115.

SITTROP, D. J. P. & C. S. SEREJO 2009. Three new species of the genus *Lepechinella* (Amphipoda: Gammaridea: Lepechinellidae) collected from Campos basin slope, RJ, Brazil. - --- *Scientia Marina* 73, 473-485. (Deals with *L. campensis* n. sp. (22°10'S, 39°52'W, 1050m), *L. hirsuta* n. sp. (21°52'S, 39°51'W, 1050m) and *L. laurensi* n. sp. (21°57'S, 34°0'W, 1950m). A key to S. Atlantic species is provided.)

SKET, B. & C. FISER 2009. A new case of intralacustrine radiation in Amphipoda. A new genus and three new species of Anisogammaridae (Crustacea, Amphipoda) from the ancient lake Fuxian Hu in Yunnan, China. ---- *Journal of Zoological Systematics and Evolution Research* 47, 115-123. (Deals with *Fuxigammarus* n. gen. (Anisogammaridae) with the species *F. antespinosus* n.sp. (type), *F. barbatus* n.sp. and *F. cornutus* n. sp., and *Eurypodogammarus helobius*. A cladistic analysis of the Anisogammaridae is provided. NB I have not seen the online version).

SLOTHOUBER GALBREATH, J. G. M., J. E. SMITH, J. J. BECNEL, R. K. BUTLIN & A. M. DUNN 2010. Reduction in post-invasion genetic diversity in *Crangonyx pseudogracilis* (Amphipoda: Crustacea): a genetic bottleneck or the work of hitchhiking vertically transmitted microparasites? ---- *Biological Invasions* 12, 191-209.

SORNOM, P., V. FELTEN, V. MÉDOC, S. SRODA, P. ROUSSELLE & J.-N. BEISEL 2010. Effect of gender on physiological and behavioural responses of *Gammarus roeseli* (Crustacea Amphipoda) to salinity and temperature. ---- *Environmental Pollution* 158, 1288-1295. (Gender does make a difference in many respects)

SOLTWEDEL, T., N. JAEKISCH, N. RITTER, C. HASEMANN, M. BERGMANN & M. KLAGES 2009. Bathymetric patterns of megafaunal assemblages from the arctic deep-sea observatory HAUSGARTEN. ---- *Deep Sea Research Part 1: Oceanographic Research Papers* 56, 1856-1872 (Not seen)

SOTKA, E. E. & H. GIDDENS 2009. Seawater temperature alters feeding discrimination by cold-temperate but not subtropical individuals of an ectothermic herbivore. ---- *Biological Bulletin* 216, 75-84. (A study on *Ampithoe longimana*)

SOTKA, E. E., A. McCARTY, E. A. MONROE, N. OAKMAN & F. M. VAN DOLAH 2009. Benthic herbivores are not deterred by brevetoxins produced by the Red Tide dinoflagellate *Karenia brevis*. ---- *Journal of Chemical Ecology* 35, 851-859. (Studies on *Ampithoe brevimana*)

SOUZA-FILHO, J. F. & A. R. SENNA 2009. Two new species of the genus *Elasmopus* Costa, 1853 (Amphipoda: Gammaridea: Maeridae) from off the Northeast Brazilian coast. ---- *Zootaxa* 2301, 55-68. (Deals with *Elasmopus karamani* n. sp. (3°28'S, 35°03'W) and *E. lejeunei* n. sp. (Rio Grande do Norte State).)

SOUZA-FILHO, J- F- & C. S. SEREJO 2010. Two new species of the family Photidae (Amphipoda: Corophiidea: Photidae) from Brazilian waters, with description of *Rocasphotis* gen. nov. . ---- *Journal of Natural History* 44, 559-577. (Deals with *Photis sarae* n. sp. (Guanabara Bay, Rio de Janeiro) and *Rocasphotis aiso* n. gen, n. sp. from Atol das Rocas, Brazil. A key to all photid genera is provided.))

SOUZA-FILHO, J. F., A. M. T. SOUZA & M. T. VALERIO-BÉRARDO 2009. Description of four new species of the genus *Ampelisca* (Amphipoda, Ampeliscidae) from the northeastern and southeastern coasts of Brazil and designation of a neotype for *Ampelisca soleata* Oliveira, 1954. ---- *Journal of Natural History* 43, 2391-2423. (Deals with *Ampelisca*

*angraensis* n. sp. (Angra dos Reis, Rio de Janeiro), *A. burkei*, *A. cristianae* n. sp. (Fernando de Noronha Islands), *A. pseudobicarinata* n. sp. (Salvador, Bahia), *A. rocasensis* n. sp. (Atol das Rocas, Rio Grande do Norte), and *A. soleata* (with neotype). A revised key to Brazilian Ampeliscidae is provided)

SPACCESI, F. & A. R. CAPITULO 2009. Benthic invertebrate assemblage in Samborombon River (Argentina, S. America), a brackish plain river. ---- *Aquatic Ecology* 43, 1011-1022. (Amphipods are *Corophium rioplatense* and *Hyalella curvispina*.)

SPEYBROEK, J., D. BONTE, W. COURTENS, T. GHESKIERE, P. GROOTAERT, J.-P. MALEFAIT, S. PROVOOST, K. SABBE, E. W. M. STIENEN, V. VAN LANCKER, W. VAN LANDUYT, M. VINCX & S. DEGRAER 2008. The Belgian sandy beach ecosystem: a review. ---- *Marine Ecology* 29, Suppl. 1, 171-185.

SPIVAK, A. C., E. A. CANUEL, J. E. DUFFY, J. G. DOUGLASS & J. P. RICHARDSON 2009. Epifaunal community composition and nutrient addition alter sediment organic matter composition in a natural eelgrass *Zostera marina* bed: a field experiment. ---- *Marine Ecology Progress Series* 376, 55-67.

SPRINGTHORPE, R. T. & J. K. LOWRY 2009. Hadziidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 434-439. (Deals with *Dulzura taylorae* n.sp. (Lizard island, GBR). The genus *Protohadzia* is synonymized with *Dulzura*.)

SPRUZEN, F. L., A. M. M. RICHARDSON & E. J. WOEHLE 2008. Spatial variation of intertidal macroinvertebrates and environmental variables in Robbins Passage wetlands, NW Tasmania. ---- *Hydrobiologia* 598, 325-342.

SPRUZEN, F. L., A. M. M. RICHARDSON & E. J. WOEHLE 2008. Influence of environmental and prey variables on low tide shorebird habitat use within the Robbins Passage wetlands, Northwest Tasmania. ---- *Estuarine, Coastal and Shelf Science* 78, 122-134.

STATZNER, B., N. BONADA & S. DOLEDEC 2008. Biological attributes discriminating invasive from native European stream invertebrates. ---- *Biological Invasions* 10, 517-530.

STEINARSDOTTIR, M. B., A. INGOLFSSON & E. OLAFSSON 2009. Trophic relationships on a fucoid shore in south-western Iceland as revealed by stable isotope analysis, laboratory experiments, field observations and gut analyses. ---- *Journal of Sea Research* 61, 208-215.

STELZER, R. & B. I. JOACHIM 2010. Effects of elevated nitrate concentration on mortality, growth, and egestion rates of *Gammarus pseudolimnaeus* amphipods. ---- *Archives of Environmental Contamination and Toxicology* 58, 694-699.

STERLIGOVA, O. P. & N. V. IL'MAST 2009.. Species-colonizers in the water systems of Karelia. ---- *Journal of Ichthyology* 49, 331-338. (Not seen)

STOCH, F., M. ARTHEAU, A. BRANCELJ, D. M. P. GALASSI & F. MALARD 2009. Biodiversity indicators in European ground waters: towards a predictive model of stygobiotic species richness. ---- *Freshwater Biology* 54, 745-755.

STODDART, H. E. & J. K. LOWRY 2010. The family Opisidae (Crustacea: Amphipoda: Lysianassoidea) in Austrasian waters. ---- *Zootaxa* 2479, 22-38. (Deals with *Normanion hipposideros* n. sp. (Horseshoe Reef, Papua NG), *N. whoi* n. sp. (Point Hicks, Victoria, Australia), *Podoprionella bulla*. n. sp. (off Eden, NSW, Australia), *Podoprionoides akantha*

n.sp. (Point Hicks, Vict., Australia) and *P. moonamoona* n. sp. (Jervis bay, NSW, Australia). Keys to species in all genera are provided.)

STODDART, H. E. & J. K. LOWRY 2010. The family Aristiidae (Crustacea: Amphipoda: Lysianassoidea) in Australian waters. ---- *Zootaxa* 2549, 31-53. (Deals with *Aristias eden* n. sp. (off Eden, NSW), *A. gomoni* n. sp. (off Point Hicks, Vict.), *A. nowra* n. sp. (off Nowra, NSW, 1011m), *A. otway* n. sp. (off Cape Otway, Vict.), *A. poorei* n. sp. (off Point Hicks, Vict) *Memana sarda* n. gen., n. sp. (Three Hummock Island, Tas), and *Pratinas ludmilla* n. gen., n. sp. (Darwin, NT).)

STRANSKY, B. 2008. Description of the Rauschert sled and its sampling efficiency. ---- *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 105, 23-30.

STRANSKY, B. & J. SVAVARSSON 2010. Diversity and species composition of peracarids (Crustacea: Malacostraca) on the South Greenland shelf: spatial and temporal variation. ---- *Polar Biology* 33, 125-139. (The very rich amphipod fauna is listed on pp 132-135)

STRONG, J. A., C. A. MAGGS & M. P. JOHNSON 2009. The extent of grazing release from epiphytism for *Sargassum muticum* (Phaeophyceae) within the invaded range. ---- *Journal of the Marine Biological Association UK* 89, 303-314. (*S. muticum* in Strangford Lough, N. Ireland, is as heavily grazed upon by i.a. amphipods as the native brown algae.)

SUN, M.-Y, L. M. CLOUGH, M. L. CARROLL, J. DAI, W. G. AMBROSE & G. R. LOPEZ 2009. Different responses of two common Arctic macrobenthic species (*Macoma balthica* and *Monoporeia affinis*) to phytoplankton and ice algae: will climate change impacts be species specific? ---- *Journal of Experimental Marine Biology and Ecology* 376, 110-121. (Clear differences between the two species.)

SUNDELIN, B., R. ROSA & A.-K. ERIKSSON WIKLUND 2008. Reproduction disorders in the benthic amphipod *Monoporeia affinis*: an effect of low food resources. ---- *Aquatic Biology* 2, 179-190.

SUROWIEC, J. & A. DOBRZYCKA-KRAHEL 2008. New data on the non-indigenous gammarids in the Vistula Delta and the Vistula Lagoon. ---- *Oceanologia* 50, 443-447.

TAKESHITA, F. & Y. HENMI 2010. The effects of body size, ownership and sex-ratio on the precopulatory mate guarding of *Caprella penantis* (Crustacea: Amphipoda). ---- *Journal of the Marine Biological Association UK* 90, 275-279.

TANDBERG, A. H. S. 2009. A redescription of *Metopa* species (Amphipoda Stenothoidae) based on the type material. 2. The United States National Museum of Natural History (NMNH). ---- *Zootaxa* 2309, 43-68.

TANDBERG, A. H. S. 2010. A redescription of *Metopa* species (Amphipoda, Stenothoidae) based on the type material. 3. Natural History Museum, Oslo (NHM). ---- *Zootaxa* 2465, 1-94. (Contains redescrptions of *M. aequicornis*, *M. affinis*, *M. alderii*, *M. boeckii*, *M. borealis*, *M. invalida*, *M. leptocarpa*, *M. longicornis*, *M. palmata*, *M. propinqua*, *M. pusilla*, *M. robusta*, *M. sinuata* and *M. tenuimana*.)

TANDBERG, A.H.S., W. VADER & J. BERGE 2010. Studies on the association of *Metopa glacialis* (Amphipoda, Crustacea) and *Musculus discors* (Mollusca, Mytilidae). ---- *Polar Biology*, in press (the amphipods spend their entire life-cycle within the mussels, but do not damage the host)

TANDBERG, A. H. S., C. SCHANDER & F. PLEIJEL 2010. First record of the association between the amphipod *Metopa alderii* and the bivalve *Musculus*. ---- *Marine Biodiversity*

Records 3. (*M. alderii* from *Musculus discors* and *M. niger* in northern Spitsbergen, Svalbard.)

TANDBERG, A. H. S. & W. VADER 2009. A redescription of *Metopa* species (Amphipoda, Stenothoidae) based on the type material. 1. Zoological Museum. Copenhagen (ZMUC). ---- *Zootaxa* 2093, 1-36. (Deals with *Metopa clypeata* (the type species), *M. glacialis*, *M. groenlandica* and *M. abyssalis*.)

TAYLOR, J. 2009. Phoxocephalidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 800-827. (Deals with *Birubius banksi* n. sp. (Lizard island, GBR), *B. batei*, *B. casuarina* n. sp. (Lizard island), *B. kingae* n. sp. (Lizard island), *B. oti* n. sp. (One Tree island, GBR), *B. parvus* n. sp. (Lizard island), *Limnoporeia cooki* n. sp. (Lizard island), *L. woorake*, and *Metaphoxus varanus* n. sp. (Lizard island).)

THIELTGES, D. W., B. L. FREDENSBURG & R. POULIN 2009. Geographical variation in metacercarial infection levels in marine invertebrate hosts: parasite species character versus local factors. ---- *Marine Biology* 156, 983-990.

THOMA, B. P. & R. W. HEARD 2009. A new species of the genus *Gammarus* (Crustacea: Amphipoda: Gammaridae) from the low salinity habitats in the northern Gulf of Mexico. ---- *Zootaxa* 2015, 42-54. (*G. lecroyae* n. sp., from Jackson Co, Mississippi, USA)

TIKHONOVA, E. N., R. M. KAMALTYNOV & A. A. LISSOVSKY 2009. The sexual dimorphism of *Pallasea cancellus* (Pallas, 1772) amphipod from Lake Baikal and the Angara River. ---- *Inland Water Biology* 2, 127-134.

TIMMS, B. V. 2009. A study of the salt lakes and salt springs of Eyre peninsula, South Australia. ---- *Hydrobiologia* 626, 41-51.

TIMOFEYEV, M. A., M. PROTOPOPOVA, V. PAVLICHENKO & C. E. W. STEINBERG 2009. Can acclimation of amphipods change their antioxidative response? ---- *Aquatic Ecology* 43, 1041-1045. (Studies on *Eulimnogammarus cyaneus*.)

TIMOFEYEV, M.A., Z. M. SHATILINA, M. V. PROTOPOPOVA, D. S. BEDULINA, V. V. PAVLICHENKO, A. V. KOLESNICHENKO & C. E. W. STEINBERG 2009. Thermal stress defense in freshwater amphipods from contrasting habitats with emphasis on small heat shock proteins (sHSPs). ---- *Journal of Thermal Biology* 34, 281-285.

TOJO, K., Y. TANAKA, R. B. KURANISHI & S. KANADA 2010, 522-527. Reproductive biology and adaptability of the invasive alien freshwater amphipod *Crangonyx floridanus* (Crustacea: Amphipoda, Crangonyctidae). ---- *Zoological Science* 27, 522-527. (A Japanese study)

TOMIKAWA, K. 2009. A new species of the genus *Cyphocaris* (Crustacea: Amphipoda: Cyphocarididae) from Japan. ---- *Bulletin of the National Museum of Nature and Science, Ser A, Suppl.* 3, 37-46. (*C. ohtsukai* n. sp. from off Ryukyu Islands. A key to all *Cyphocaris* is provided.)

TOMIKAWA, K., K. KAKUI & H. YAMASAKI 2010. A new species of *Psammogammarus* (Amphipoda: Melitidae) from Kuchinoerabu Island, Japan, with a note on its feeding habits. -- *Zoological Science* 27, 615-626. (*P. mawatarii* n. sp.. It seems, at least facultatively, to be carnivorous.)

TOMIKAWA, K., H. MORINO & S. OHTSUKA 2008. Redescription of a subterranean amphipod, *Pseudocrangonyx shikokunis* (Crustacea: Amphipoda: Pseudocrangonyctidae) from Japan. ---- *Species Diversity* 13, 275-286.

- TOMIKAWA, K. & T. SONODA 2008. Four species of gammaroidean amphipods (Crustacea, Amphipoda, Gammaridea) from coasts of the Shiretoko Peninsula, Hokkaido. ---- *Bulletin of the Biogeographic Society of Japan* 63, 103-109. (In Japanese. New data on *Carineogammarus makarovi*, *Locustogammarus locustoides*, *Spasskogammarus spasskii* and *Mesogammarus melitoides*.)
- TRICARICO, E., G. MAZZA, G. ORIOLI, C. ROSSANO, F. SCAPINI & F. GHERARDI 2010. The killer shrimp, *Dikerogammarus villosus* (Sowinsky, 1894), is spreading in Italy. --- *- Aquatic Invasions* 5, 211-214. (First record from Tuscany)
- TRONTELJ, P., C. J. DOUADY, C. FISER, F. GIBERT, S. GORICK, T. LEFÉBURE, B. SKET & V. ZAKSEK 2009. A molecular test for cryptic diversity in ground water: how large are the ranges of macro-stygobionts? ---- *Freshwater Biology* 54, 727-744. (Many cryptic lineages)
- TYLER-WALTERS, H., S. I. ROGERS, C. E. MARSHALL & K. HISCOCK 2009. A method to assess the sensitivity of sedimentary communities to fishing activities. ---- *Aquatic Conservation: Marine and Freshwater Ecosystems* 19, 285-300.
- UCHMAN, A. & P. PERVESLER 2006. Surface Lebensspuren produced by amphipods and isopods (crustaceans) from the Isonzo Delta tidal flat, Italy. ---- *Palaios* 21, 384-390. (Not seen)
- D'UDEKEM d'ACQZ, C. 2009. New records of *Liljeborgia* from Antarctic and sub-Antarctic seas, with the description of two new species (Crustacea: Amphipoda: Liljeborgiidae). ---- *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Biologie* 79, 243-304. (Deals with *Liljeborgia anepsia* n.sp. (Port Stanley, Falkland islands), *L. barhami*, *L. bathysciarum* n. sp. (Elephant Island), *L. chevreuxi*, *L. cryptothrix*, *L. georgiensis*, *L. kerguelensis*, *L. longicornis*, *L. nesiotica*, *L. polydeuces* and *L. sp* 3.)
- d'UDEKEM d'ACQZ, C. & W. VADER 2009. On *Liljeborgia fissicornis* (M. Sars) and three related new species from Scandinavia, with a hypothesis on the origin of the group fissicornis. *Journal of Natural History* 43, 2087-2140. (Deals with *L. fissicornis*, *L. caliginis* n. sp. (N. of Svalbard, 1010m), *L. charybdis* n. sp. (near Bear island, 1600m) and *L. ossiani* (= *L. fissicornis* s. G.O.Sars) (Tromsø). The group *fissicornis* probably derives from ancestors living on the shelf of the Southern Ocean.)
- UGOLINI, A., F. UNGHERESE, L. MERCATELLI, D. SAER & L. LEPRI 2009. Seawater Ca<sup>2+</sup> concentration influences solar orientation in *Talitrus saltator* (Crustacea, Amphipoda). - --- *Journal of Experimental Biology* 212, 797-801. (Not seen)
- UNGHHERESE, G., A. MENGONI, S. SOMIGLI, D. BARONI, S. FOCARDI & A. UGOLINI 2010. Relationship between heavy metals pollution and genetic diversity in Mediterranean populations of the sandhopper *Talitrus saltator*. ---- *Environmental Pollution* 158, 1638-1643.
- UNGHHERESE, G. & A. UGOLINI 2009. Sandhopper solar orientation as a behavioural biomarker of trace metals contamination. ---- *Environmental Pollution* 157, 1360-1364.
- URYOPOVA, E. F. & N. V. SHADRIN 2009. Crustaceans in the splash and upper sublittoral zones of the Opukskii Nature Reserve (Crimea, Black Sea). ---- *Moscow University Biological Sciences Bulletin* 64, 44-48. (Amph. listed on p. 46.)
- VAATE, A. bij de, R. BREUKEL & G. van der VELDE 2006. Long-term developments in ecological rehabilitation of the main distributaries in the Rhine delta: fish and macroinvertebrates. ---- *Hydrobiologia* 565, 229-242

- VALENCIA, B. & A. GIRALDO 2009. A new species of the genus *Chelorchestia* (Amphipoda, Talitridae) from Palma Island, Malaga bay, Pacific coast of Colombia. ---- *Crustaceana* 82, 1-10. (*Ch. colombiensis* n. sp.. With a key to all species in the genus.)
- VALERIO-BÉRARDO, M. T. & A. M. THIAGO DE SOUZA 2009. Description of two new species of the Corophiidae (Amphipoda, Crustacea) and register of *Laticorophium baconi* (Shoemaker, 1934) from Brazilian waters---- *Zootaxa* 2215, 55-68. (The two new species are *Apocorophium curumim* n. sp. (Sepetiba Port) and *Monocorophium josei* n. sp. (24°31'S, 46°49'W). Also *M. acherusicum* and *Laticorophium baconi* were found.)
- VAN COLEN, C., F. MONTSERRAT, M. VINCX, P. M. J. HERMAN, T. YSEBAERT & S. DEGRAER 2008. Macrobenthic recovery from hypoxia in an estuarine tidal mudflat. ---- *Marine Ecology Progress Series* 372. (A study from the SW Netherlands)
- VAN COLEN, C., F. SNOEK, K. STRUYF, M. VINCX & S. DEGRAER 2009. Macrobenthic community structure and distribution in the Zwin nature reserve (Belgium and The Netherlands). ---- *Journal of the Marine Biological Association UK* 89, 431-438. (i.a. *Orchestia gammarellus*.)
- VANDENDRIESCHE, S. 2008. *Floating seaweed as ephemeral neustonic habitat*. ---- Pp 13-16 in J. Mees & J. Seys (eds). VLIZ young scientists' day, Brugge, Belgium, 29 february 2008. VLIZ Special Publications 40.
- VASSILENKO, S.V. 2009. *Suborder Caprellidea (Order Amphipoda, infraorder Caprellida)*. ---- Pp 99-120 in S. V. Vassilenko & V. V. Petryashov (eds). Illustrated keys to free-living invertebrates of Eurasian Arctic seas and adjacent deep waters. Alaska Sea Grant College Program, University of Alaska, Fairbanks. (A most useful addition to the identification literature on arctic crustaceans.)
- VAZQUES-LUIS, M., J. M. GUERRA-GARCIA, P. SANCHEZ-JEREZ & J. T. BAYLE-SEMPERE 2009. Caprellid assemblages (Crustacea: Amphipoda) in shallow waters invaded by *Caulerpa racemosa* var. *cylindracea* from southeastern Spain. ---- *Helgoland Marine Research* 63, 107-117.
- VAZQUEZ-LUIS, M., P. SANCHEZ-JEREZ & J. T. BAYLE-SEMPERE 2009. Comparison between amphipod assemblages associated with *Caulerpa racemosa* var. *cylindracea* and those of other Mediterranean habitats on soft substrate. ---- *Estuarine, Coastal and Shelf Science* 84, 161-170. (More amphipods in the *Caulerpa* stands, but different amphipods preferred different substrates.)
- VELDE, G. v. d., R. S. E. W. LEUVEN, R. J. LEEWIS & A. bij de VAATE 2009. Aquatic invaders: from succes factors to ecological risk assessment: introduction. ---- *Biological Invasions* 11, 1987-1988
- VELDE, G. v. d., R. S. E. W. LEUVEN, D. PLATVOET, K. BACELA, A. J. HUIJBREGTS, H. W. M. HENDRIKS & D. KRUIJT 2009. Environmental and morphological factors influencing predatory behaviour by invasive non-indigenous gammaridean species. ---- *Biological Invasions* 11, 2043-2054. (A study of *Dikerogammarus villosus*.)
- VELOSO, V. G., I. A. SALLORENZO, B. C. A. FERREIRA & G. NEVES DE SOUZA 2010. Atlantorchestoidea brasiliensis (Crustacea: Amphipoda) as an indicator of disturbance caused by urbanization of a beach ecosystem. ---- *Brazilian Journal of oceanography* 58, 13-21.

- VENARSKY, M. P., F. E. ANDERSON & F. M. WILHELM 2009. Population genetic study of the U.S. federally listed Illinois cave amphipod, *Gammarus acherondytes*. ---- *Conservation Genetics* 10, 915-921.
- VERBERK, W. E. P., H. SIEPEL & H. ESSELINK 2008. Life-history strategies in freshwater macroinvertebrates. ---- *Freshwater Biology* 53, 1722-1738. (A review paper)
- VERMONDEN, K., R. S. E. W. LEUVEN, G. van der VELDE, M. M. van KATWIJK, J. G. M. ROELOFS & A. J. HENDRIKS 2009. Urban drainage systems: An undervalued habitat for aquatic macroinvertebrates. ---- *Biological Conservation* 142, 1105-1115.
- VIGANO, L., C. ROSCIOLLI, C. ERRATICO, L. GUZZELLI & A. FARKAS 2009. Polybrominated diphenylethers (PBDEs) in gammarids, caddisflies, and bed sediments of the lowland river Po. ---- *Bulletin of Environmental Contamination and Toxicology* 82, 200-205.
- VILLACORTA, C., D. JAUME, P. OROMI & C. JUAN 2008. Under the volcano: phylogeography and evolution of the cave-dwelling *Palmorchestia hypogaea* (Amphipoda, Crustacea, Talitridae) (Canary Islands). ---- *BMC Biology* 6.
- VINOGRADOV, M. E. & T. N. SEMENOVA 2009. *Suborder Hyperiidea (Class Crustacea, order Amphipoda)*. ---- Pp 85-97 in S. V. Vassilenko & V. V. Petryashov (eds). Illustrated keys to free-living invertebrates of Eurasian Arctic seas and adjacent deep waters. Alaska Sea Grant College Program, University of Alaska, Fairbanks. (A most useful addition to the identification literature on arctic crustaceans.)
- VOULTSIADOU, E. 2010. Therapeutic properties and uses of marine invertebrates in the ancient Greek world and early Byzantium. ---- *Journal of Ethnopharmacology* 130, 237-247. (Talitridae were used for hip pain relief, anti flea treatment, and relief for drunkenness. Anybody tried this out recently?)
- WALSH, M. E., M. H. BOUIRLA, C. M. SABELLA & R. B. FORWARD 2010. Hierarchy of sun, beach slope, and landmarks as cues for Y-axis orientation of the supratidal amphipod *Talorchestia longicornis* (Say). ---- *Marine and Freshwater Behaviour and Physiology* 43, 203-210. (Not seen)
- WANG, C., R.-R. WANG, Q.-L. YAN, H.-X. CHEN & J.-C. YAN 2009. Effects of temperature on survival, growth and development of amphipod (*C. acherusicum*). ---- *Marine Environmental Science* 28, 138-141. (Not seen)
- WANG, Y., Z. HOU & S. LI 2009. Description of *Gammarus preciosus*, a new species of freshwater amphipod from Henan, China (Amphipoda, gammaridae). ---- *Crustaceana* 82, 99-109.
- WEISSBERGER, E. J., L. L. COIRO & E. W. DAVEY 2009. Effects of hypoxia on animal burrow construction and consequent effects in sediment redox profiles. ---- *Journal of Experimental Marine Biology and Ecology* 371, 60-67. (i.a. *Leptocheirus plumulosus*)
- WERNER, S. & K.-O. ROTHHAUPT 2008. Effects of the invasive Asian clam *Corbicula fluminea* on benthic macroinvertebrate taxa in laboratory experiments. ---- *Archiv für Hydrobiologie* 173, 145-152. (*Gammarus roeselii* and *Dikerogammarus villosus*.)
- WESTON, D. P., J. YOUR, A. D. HARWOOD & M. J. LYDY 2009. Whole sediment toxicity identification evaluation tools for pyrethroid insecticides: III. Temperature manipulation. ---- *Environmental Toxicology and Chemistry* 28, 173-180. (*Hyalella azteca*)
- WESTRAM, A. M., J. JOKELA & I. KELLER 2010. Isolation and characterization of ten polymorphic microsatellite markers for three cryptic *Gammarus fossarum* (Amphipoda)



species. ---- *Conservation of Genetic Resources*, in press. (These are the types A, B and C of Muller 2000, still not taxonomically named.)

WHITE, K. N. & J. D. THOMAS 2009. Leucothoidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 494-555. (Deals with *Anamixis bazimut*, *Leucothoe adelphe* n. sp. (Lizard island, GBR), *L. bova* n. sp. (Orpheus island, GBR, from sponge *Haliclona*), *L. epidemus* n. sp. (Lizard island, from tunicates and a sponge), *L. eumilli* n. sp. (Fantome island, GBR, from sponge), *L. hipposideros* n. sp. (Lizard island), *L. laevipalma* n. sp. (Lizard island), *L. makrommata* n. sp. (Lizard island, from tunicate), *L. odontiskos* n. sp. (Lizard island), *L. pollexa* n. sp. (Lizard island), *L. rudicula* n. sp. (Lizard island), *L. serrata* n. sp. (Lizard island), *L. sparsa* n. sp. (Lizard island), *L. thula* n. sp. (Lizard island), *L. undulata* n. sp. (Orpheus island, GBR, from sponge), *Leucothoella gracilis* and *Paranamixis jiigurru* n. sp. (Lizard island).)

WHITELEY, N. M. 2009. Understanding the energetic costs of protein synthesis in crustaceans. ---- *Comparative Biochemistry and Physiology A* 153, 148-149. (Abstract only)

WHITELEY, N. M., J. ROCK, J. L. MAGNAY, A. EL HAJ, D. LUNT & G. GOLDSPIK 2009. Natural variations in myosin heavy chain genotype in gammarid amphipods. ---- *Comparative Biochemistry and Physiology A* 153, Suppl. 1, S 72

WILHELM, F. M. & M. P. VENARSKY 2009. Variation in gnathopod morphology of cave amphipods and its use in determination of sex. ---- *Journal of Crustacean Biology* 29, 26-33.

WILLS, M. A., R. A. JENNER & C. NI DHUBHGHAILL 2009. Eumalacostracan evolution: Conflict between three sources of data. ---- *Arthropod Systematics & Phylogeny* 67, 71-90. (A most interesting paper)

WILSON, G. D. F. 2009. The phylogenetic position of the Isopoda in the Peracarida (Crustacea: Malacostraca). ---- *Arthropod Systematics & Phylogeny* 67, 159-198. (The author rejects the Edriophthalmata, and considers the Tanaidacea to be the closest relatives of the isopods.)

WINFIELD, I. & F. ALVAREZ 2009. Two new species of amphipods (Peracarida, Amphipoda, Leucothoidae) from the Veracruz coral reef system, S.W. Gulf of Mexico. ---- *Crustaceana* 82, 11-25. (*Leucothoe ortizi* n. sp. and *L. hendrickxi* n. sp.)

WINFIELD, I. & M. ORTIZ 2009. *Lysianopsis adela*, new species of amphipod (Gammaridea: Lysianassidae) from the Veracruz Coral Reef System, SW Gulf of Mexico. ---- *Zootaxa* 2205, 53-61.

WINFIELD, I., M. ORTIZ & S. CHAZARO-OLVERA 2009. A new sponge-inhabiting amphipod species (Crustacea, Gammaridea, Sebidae) from the Veracruz Coral Reef System, southwestern Gulf of Mexico. ---- *Organisms, Diversity & Evolution* 9, 72.e1-72.e8. (*Seba alvarezi* n. sp. (Blanquilla coral reef, Veracruz, Mexico). A synoptic comparison with related species and a key to regional *Seba* are provided.)

WIRKNER, C. S. 2009. The circulatory system in Malacostraca—evaluating character evolution on the basis of different phylogenetic hypotheses. ---- *Arthropod Systematics & Phylogeny* 67, 57-70.

WIRKNER, C. S. & S. RICHTER 2010. Evolutionary morphology of the circulatory system in Peracarida (Malacostraca, Crustacea). ---- *Cladistics* 26, 143-167.

WISENDEN, B. D., M. L. RUGG, N. L. KORPI & L. C. FUSELIER 2009. Lab and field estimates of active time of chemical alarm cues of a cyprinid fish and an amphipod crustacean. ---- *Behaviour* 146, 1423-1442. (*Gammarus lacustris*)

- WITT, J. D. S., D. L. THRELOFF & P. D. N. HEBERT 2008. Genetic zoogeography of the *Hyalella azteca* species complex in the Great Basin region: geologic and biotic perspectives. - --- *Geological Society of America. Special Paper 439*, 103-114. (Not seen, unfortunately!)
- WITTMANN, A. C., C. HELD, H. O. PÖRTNER & F. J. SARTORIS 2010. Ion regulatory capacity and the biogeography of Crustacea at high southern latitudes. ---- *Polar Biology* 33, 919-928.
- WONG, J. C. Y. & D. D. WILLIAMS 2009. Comparison of the structure and presumptive function of Type II microtrichs and associated cuticular microstructures in species of *Gammarus* (Amphipoda, Crustacea) from different habitats. ---- *Zoomorphology* 128, 315-325.
- WONGKAMHAENG, K., N. PAPHAVASI, S. BUSSARAWIT & J. NABHITABHATA 2009. Seagrass amphipods of Libong Island, Trang province, Thailand. ---- *The Natural History Journal of Chulalongkorn University* 9, 69-83. (Deals with *Ampelisca cyclops*, *A. miharaensis*, *Kamaka* sp. A, *Eriopisella sechellensis*, *Periocolodes longimanus*, *Synchelidium* sp. A, and *Urothoe spinidigitus*. All species are described and illustrated and some ecological data provided.)
- WOODS, C. M. C. 2009. Caprellid amphipods: An overlooked marine finfish aquaculture resource? ---- *Aquaculture* 289, 199-211.
- WOODS, H. A., A. L. MORAN, C. P. ARANGO, L. MULLEN & C. SHIELDS 2009. Oxygen hypothesis of polar gigantism not supported by performance of Antarctic pycnogonids in hypoxia. ---- *Proceedings of the Royal Society B* 276, 1069-1075.
- XUEREB, B., A. CHAUMOT, R. MONS, J. GARRIC & O. GEFFARD 2009. Acetylcholinesterase activity in *Gammarus fossarum* (Crustacea Amphipoda): Intrinsic variability, reference levels, and a reliable tool for field surveys. ---- *Aquatic Toxicology* 93, 225-233.
- XUEREB, B., E. LEFÉVRE, J. GARRIC & O. GEFFARD 2009. Acetylcholinesterase activity in *Gammarus fossarum* (Crustacea Amphipoda): Linking AChE inhibition and behavioural alteration. ---- *Aquatic Toxicology* 94, 114-122..
- YAMADA, K., M. HORI, Y. TANAKA, N. HASEGAWA & M. NAKAOKA 2007. Temporal and spatial macrofaunal community changes along a salinity gradient in seagrass meadows of Akkeshi-ko estuary and Akkeshi Bay, northern Japan. ---- *Hydrobiologia* 592, 345-358.
- YAMAMOTO, J., T. NOBETSU, T. IWAMORI & Y. SAKURAI 2009. Observations of food falls off the Shiretoko Peninsula, Japan, using a remotely operated vehicle. ---- *Fisheries Science* 75, 513-515. (No amphipods!)
- YEH, J. & J. C. DRAZEN 2009. Depth zonation and bathymetric trends of deep-sea megafaunal scavengers of the Hawaiian Islands. ---- *Deep-Sea Research I* 56, 251-266. (No amphipods mentioned; too small??)
- YERMAN, M. N. 2009. Melitidae, the *Eriopisella* group. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 713-717. (Deals with *Netamelita lacerta* n. sp., from Lizard island, GBR)
- YERMAN, M. N. & C. O. COLEMAN 2009. Sebidae. In J. K. Lowry & A. A. Myers (eds). Benthic Amphipoda (Crustacea: Peracarida) of the Great Barrier reef, Australia. ---- *Zootaxa* 2260, 861-871. (Deals with *Seba gruneri* n. sp. (Lizard island, GBR), *S. mariolgae* n. sp. (Lizard island) and *S. zeumindi* n. sp. (Lizard island).)

- YU, O. H., S. J. JEONG, D. KIM, J.-H. LEE & H.-L. SUH 2009. Seasonal variations in diel and tidal effects among benthic amphipods with different lifestyles in a sandy surf zone of Korea. ---- *Crustaceana* 82, 1441-1456. (Deals with *Allorchestes angusta*, *Haustorioides koreanus*, *Pontogeneia rostrata* and *Synchelidium lenorostratum*.)
- YU, O. H., S. J. JEONG & H.-L. SUH 2009. Secondary production of the oedicerotid amphipod, *Synchelidium trioostegitum* (Peracarida, Amphipoda) in a sandy shore surf zone of Korea. ---- *Crustaceana* 82, 1275-1285.
- ZADEREEV, E. S., A. P. TOLOMEYEV, A. V. DROBOLOV, A. Yu. EMELIYANOVA & M. V. GUBANOV 2010. The vertical distribution and abundance of *Gammarus lacustris* in the pelagic zone of the meromictic lakes Shira and Shunet (Khakassia, Russia). ---- *Aquatic Ecology*, in press.
- ZAKHAMA-SRAIEB, R & F. CHARFI-CHEIKHROUHA 2010. First record of two lessepsian amphipods in Tunisia: *Elasmopus pecteniscus* and *Stenothoe gallensis*. ---- *Journal of the Marine Biological Association UK*, in press.
- ZAKHAMA-SRAIEB, S. KARAA, M. N. BRADAI, I. JRIBI & F. CHARFI-CHEIKHROUHA 2010. Amphipod epibionts of the sea turtles *Caretta caretta* and *Chelonia mydas* from the Gulf of Gabès (central Mediterranean). ---- *Marine Biodiversity Records* 3.(8 spp recorded)
- ZAKHAMA-SRAIEB, R., Y.-R. SGHAIER & F. CHARFI-CHEIKHROUHA 2008. Les Caprelles (Crustacea: Amphipoda) des cotes tunisiennes. ---- *Bulletin du Société Zoologique de France* 133, 149-158. (Eight species found, and a key provided).
- ZAKHAMA-SRAIEB, Y.-R. SGHAIER & F. CHARFI-CHEIKHROUHA 2009. Amphipod biodiversity of the Tunisian coasts: update and distributional ecology. ---- *Marine Biodiversity Records* 2. (A checklist of all amphipods reported (133 spp) until now from Tunisian waters.)
- ZAMANPOORE, M., M. GRABOWSKI, M. POECKL & F. SCHIEMER 2010. Two new *Gammarus* species (Crustacea, Amphipoda) from warm springs in the south-east pre-alpine area of the Zagros, Iran: habitats with physiological challenges. ---- (Deals with *Gammarus shirazinus* n. sp. (Shiraz, Fars prov.) and *G. loeffleri* n. sp. (W. of Darab, Fars prov.)
- ZAMANPOORE, M., M. POECKL, M. GRABOWSKI & F. SCHIEMER 2009. Two new sympatric species of freshwater *Gammarus* (Crustacea: Amphipoda) from Southern Zagros Region, Iran. ---- *Zootaxa* 2136, 21-39. (Deals with *Gammarus zagrosensis* n. sp and *G. sepidanus* n. sp., both from Sepidan, Fars province, Iran.)
- ZAMZOV, J. P., C. D. AMSLER, J. B. McCLINTOCK & B. J. BAKER 2010. Habitat choice and predator avoidance by Antarctic amphipods: the roles of algal chemistry and morphology. ---- *Marine Ecology Progress Series* 400, 155-163. (Studies on *Gondogeneia antarctica* and *Prostebbingia gracilis*.)
- ZEIDLER, W. 2009. A review of the hyperiidean superfamily Lanceoloidea Bowman & Gruner, 1973 (Crustacea: Amphipoda: Hyperiidea). ---- *Zootaxa* 2000, 1-117. (Another beautiful monograph of a hyperiidean superfamily by Wolfgang! Deals with 16 spp and subsp of *Lanceola*, of which two are new: *L. gruneri* n. sp. (Tasman Sea), and *L. galathea* n. sp. (Indian Ocean, NW of Cocos-Keeling Island), and 2 spp of *Scypholanceola* in the Lanceolidae. *Scypholanceola vanhoeffeni*, *S. chuni* and *S. richardi* are all considered junior synonyms of *S. aestiva*. A new family, Prolanceolidae, is erected for *Prolanceola vibiliformis*, and another new family, Metalanceolidae for *Metalanceola chevreuxi*.. The new family Megalanceolidae contains *Megalanceola* and the new genus *Megalanceoloides*, based on *Lanceola remipes*. The Chuneolidae consist of three species in the genus *Chuneola*, the Microphasmodae of the monotypic genera *Microphasma* and *Microphasmodes*.. Finally, the

new family Mimonecteolidae is erected for the genus *Mimonecteola*, with six species, of which *M. carlsbergi* n.sp. (S. Atlantic, off S. Africa) is new.)

ZEIDLER, W. & C. DE BROYER 2009. *Catalogue of the hyperiidean Amphipoda (Crustacea) of the Southern Ocean with distribution and ecological data.* ---- Census of Antarctic marine life. Synopsis of the Amphipoda of the Southern Ocean. C. De Broyer (ed.) Institut Royal des Sciences Naturelles de Belgique, Brussel. (A most useful catalogue, illustrated with beautiful colour pictures of many of the hyperiids dealt with..)

ZENETOS, A., V. VASSILOPOULOS, M. SALOMIDI & D. POURSANIDIS 2008. Additions to the marine alien fauna of Greek waters (2007 update). ---- *Marine Biodiversity Records* 1, 8 pp. (i.a. *Caprella scaura*)

ZETTLER, M. L. & D. DAUNYS 2007. Long-term macrozoobenthos changes in a shallow boreal lagoon: Comparison of a recent biodiversity inventory with historical data. ---- *Limnologica* 37, 170-185. (A study from the Curonian Lagoon, Baltic Sea)

ZGANEC, K. & S. GOTTSTEIN 2009. The river before damming: distribution and ecological notes on the endemic species *Echinogammarus cari* (Amphipoda: Gammaridae) in the Dobra River and its tributaries, Croatia. ---- *Aquatic Ecology* 43, 105-115.

ZGANEC, K., S. GOTTSTEIN & P. DURIC 2010. Distribution of native and alien gammarids (Crustacea: Amphipoda) along the course of the Una River. ---- *Nat. Croat.* 19, 141-150. (Deals with *Echinogammarus acarinatus*, *Fontogammarus dalmatinus*, *Gammarus balcanicus*, *G. fossarum* and *G. roeseli*, all occurring in this river. *Dikerogammarus haemobaphes* has been found in the Sava River near the mouth of the Una.)

ZGANEC, K., S. GOTTSTEIN, M. GRABOWSKI & D. PLATVOET 2010. Distribution of the endemic amphipod species *Echinogammarus thoni* (Schäferna, 1922) in watercourses of the Balkan Peninsula. ---- *Lauterbornia* 69, 41-50. (Occurs in Albania (first records), Bosnia and Herzegovina, Croatia and Montenegro.)

ZGANEC, K., S. GOTTSTEIN & S. HUDINA 2009. Ponto-Caspian amphipods in Croatian large rivers. ---- *Aquatic Invasions* 4, 327-335. (Deals with *Chelicorophium curvispinum*, *Dikerogammarus bispinosus*, *D. haemobaphes*, *D. villosus* and *Obesogammarus obesus*.)

ZDANEC, K., S. GOTTSTEIN, N. JERAN, P. DURIC & S. HUDINA 2009. *Freshwater endemics in peril: A case study of species Echinogammarus cari (Amphipoda: Gammaridae) threatened by damming.* ---- Chapter 9 in G.H.Tepper (ed.) *Species diversity and evolution.* Nova Science Publishers, Inc.

ZIMINA, O. L. & O. S. LYUBINA 2009. Recent research on the fauna of benthic crustaceans in the Franz Josef Land Archipelago area. ---- *Doklady Biological Sciences* 426, 285-287. (60 spp of amphipods found, but not listed.)

ZIMMER, A., P. B. ARAUJO & G. BOND-BUCKUP 2009. Diversity and arrangement of the cuticular structures of *Hyaella* (Crustacea: Amphipoda: Dogielinotidae) and their use in taxonomy. ---- *Zoologia* 26, 127-142. (Beautiful SEM pictures!)

ZYTKOWICZ, J. & J. KOBAC 2008. Relationships between the occurrence of *Chaetogammarus ischnus* (Stebbing, 1898) and *Pontogammarus robustus* (G. O. Sars, 1894) (Crustacea, Amphipoda) in a lowland Polish dam reservoir. ---- *Oceanological and Hydrobiological Studies* 37, 39-50.

ZYTKOWICZ, J., J. KOBAC, T. KAKAREKO & A. KENTZER 2008. Species composition and distribution of invasive Ponto-Caspian amphipods in the off-channel microhabitats of a temperate lowland dam reservoir. ---- *International Review of Hydrobiology* 93, 62-72. (A

study from a Polish reservoir, Wloclawek reservoir, with four invasive amphipod species, *Chaetogammarus ischnus*, *Chelicorophium curvispinum*, *Dikerogammarus haemobaphes* and *Pontogammarus robustoides*.)

## NEW AMPHIPOD TAXA IN AN 34

### 1. *Families and subfamilies*

**Hirondelleidae** Lowry & Stoddart, 2009

**Izinkalidae** Lowry & Stoddart, 2010

**Kergueleniidae** Lowry & Stoddart, 2010

**Megalanceolidae** Zeidler, 2009

**Metalanceolidae** Zeidler, 2009

**Mimonecteolidae** Zeidler, 2009

**Prolanceolidae** Zeidler, 2009

**Sophrosynidae** Lowry & Stoddart, 2010

### 2. *Genera and subgenera*

**Andeepia** Biswas, Coleman & Hendrycks, 2009

**Arabunnachiltonia** King, 2009

**Bathybirubius** Senna, 2010

**Clessidra** Krapp-Schickel & Vader. 2009

**Cochinorchestia** Lowry & Peart, 2010

**Coxischyrocerus** Just, 2009

**Cubadeutella** Ortiz, Guerra-Garcia & Lalana, 2009

**Fuxigammarus** Sket & Fiser, 2009

**Paramoera** (**Ganigomoera**) Sidorov, 2010

**Glossomaera** Krapp-Schickel, 2009

**Graciliphotis** Myers, 2009

**Latigammaropsis** Myers, 2009

**Megalanceoloides** Zeidler, 2009

**Memana** Stoddart & Lowry, 2010

**Pratinas** Stoddart & Lowry, 2010

**Pardaliscidae**

**Chiltoniidae**

**Phoxocephalidae**

**Maeridae**

**Talitridae**

**Ischyroceridae**

**Caprellidae**

**Anisogammaridae**

**Eusiridae**

**Maeridae**

**Photidae**

**Photidae**

**Megalanceolidae**

**Aristiidae**

**Aristiidae**

<b>Pumiliophotis</b> Myers, 2009	Protomedeiinae
<b>Rocasphotis</b> Souza-Filho & Serejo, 2010	Photidae
<b>Rudolphia</b> Grosso & Peralta, 2009	Paraleptamphopidae
<b>Ruffia</b> Bréhier, Vonk & Jaume, 2010	Phreatogammaridae
<b>Tropischyrocerus</b> Just, 2009	Ischyroceridae
<b>Virgammaropsis</b> Myers, 2009	Photidae
<b>Wangiannachiltonia</b> King, 2009	Chiltoniidae

### 3. *Species and subspecies*

<b>abeona</b> Lowry & Stoddart, 2010 ( <i>Clepidecrella</i> )	Kergueleniidae
<b>abyssalis</b> Lörz, 2010 ( <i>Rhachotropis</i> )	Eusiridae
<b>abyssi</b> Lowry & Stoddart, 2010 ( <i>Sophrrosyne</i> )	Sophrrosynidae
<b>acromatius</b> Just, 2009 ( <i>Tepidopleustes</i> )	Pleustidae
<b>adela</b> Winfield & Ortiz, 2009 ( <i>Lysianopsis</i> )	Lysianassidae
<b>adelphe</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>aequiserrata</b> Myers & LeCroy, 2009 ( <i>Paradexamine</i> )	Dexaminidae
<b>aiso</b> Souza-Filho & Serejo, 2010 ( <i>Rocasphotis</i> )	Photidae
<b>akantha</b> Stoddart & Lowry, 2010 ( <i>Podoprionoides</i> )	Opisidae
<b>alonso</b> Senna, 2010 ( <i>Coxophoxus</i> )	Phoxocephalidae
<b>alvarezi</b> Winfield, Ortiz & Chazaro-Olvera, 2009 ( <i>Seba</i> )	Sebidae
<b>alyxis</b> Hughes & Lowry, 2009 ( <i>Cymadusa</i> )	Ampithoidae
<b>anastasiae</b> Sidorov, Holsinger & Takhteev, 2010 ( <i>Stygobromus</i> )	Crangonyctidae
<b>anepsia</b> d'Udekem d'Acoz, 2009 ( <i>Liljeborgia</i> )	Liljeborgiidae
<b>angraensis</b> Souza-Filho, Souza & Valerio-Bérardo, 2009 ( <i>Ampelisca</i> )	Ampeliscidae
<b>antennatus</b> Messouli, El Alami El Filali, Coineau & Boutin, 2008 ( <i>Metacrangonyx</i> )	Metacrangonyctidae

<b>antespinosus</b> Sket & Fiser, 2009 ( <i>Fuxigammarus</i> )	Anisogammaridae
<b>antholobae</b> Krapp-Schickel & Vader, 2009 ( <i>Parametopella</i> )	Stenothoidae
<b>appendiculata</b> Ariyama, Angsupanich & Rodcharoen, 2010 ( <i>Kamaka</i> )	Kamakidae
<b>artemis</b> Myers, 2009 ( <i>Virgammaropsis</i> )	Photidae
<b>athenae</b> Myers, 2009 ( <i>Latigammaropsis</i> )	Photidae
<b>atkinsae</b> Lowry & Springthorpe, 2009 ( <i>Tegano</i> )	Melitidae
<b>banksi</b> Taylor, 2009 ( <i>Birubius</i> )	Phoxocephalidae
<b>barbatus</b> Sket & Fiser, 2009 ( <i>Fuxigammarus</i> )	Anisogammaridae
<b>barnardi</b> Lowry & Stoddart, 2009 ( <i>Shoemakerella</i> )	Lysianassidae
<b>bathysciarum</b> d'Udekem d'Acoz, 2009 ( <i>Liljeborgia</i> )	Liljeborgiidae
<b>berardo</b> Senna, 2010 ( <i>Pseudharpinia</i> )	Phoxocephalidae
<b>bet</b> Lowry & Stoddart, 2009 ( <i>Tryphosella</i> )	Lysianassidae
<b>bousfieldi</b> Lowry & Peart, 2010 ( <i>Microrchestia</i> )	Talitridae
<b>bova</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>brucei</b> Lowry & Springthorpe, 2009 ( <i>Talorchestia</i> )	Talitridae
<b>bullae</b> Stoddart & Lowry, 2010 ( <i>Podoprionella</i> )	Opisidae
<b>californica</b> Lowry & Stoddart, 2010 ( <i>Sophrosyne</i> )	Sophrosynidae
<b>caliginis</b> d'Udekem d'Acoz & Vader, 2009 ( <i>Liljeborgia</i> )	Liljeborgiidae
<b>cameloides</b> Lowry & Stoddart, 2009 ( <i>Tryphosella</i> )	Lysianassidae
<b>campensis</b> Sittrop & Serejo, 2009 ( <i>Lepechinella</i> )	Lepechinellidae
<b>cantractia</b> Lowry & Stoddart, 2010 ( <i>Sophrosyne</i> )	Sophrosynidae
<b>capricornia</b> Lowry & Hughes, 2009 ( <i>Mallacoota</i> )	Maeridae



<b>caribensis</b> Guerra-Garcia, Krapp-Schickel & Müller, 2006 ( <i>Deutella</i> )	Caprellidae
<b>carlsbergi</b> Zeidler, 2009 ( <i>Mimonecteola</i> )	Mimonecteolidae
<b>carolinae</b> Coleman & Lowry, 2009 ( <i>Prosocratus</i> )	Cheirocratidae
<b>casuarina</b> Taylor, 2009 ( <i>Birubius</i> )	Phoxocephalidae
<b>casuarinensis</b> Kilgallen, 2009 ( <i>Podocerus</i> )	Podoceridae
<b>cataraqui</b> Lowry & Stoddart, 2010 ( <i>Clepidocrella</i> )	Kergueleniidae
<b>cavernicola</b> Ortiz, Guerra-Garcia & Lalana, 2009 ( <i>Cubadeutella</i> )	Caprellidae
<b>charlotteae</b> Lowry & Stoddart, 2009 ( <i>Tryphosella</i> )	Lysianassidae
<b>charybdis</b> d'Udekem d'Acoz & Vader, 2009 ( <i>Liljeborgia</i> )	Liljeborgiidae
<b>chathamensis</b> Lörz, 2010 ( <i>Rhachotropis</i> )	Eusiridae
<b>chibcha</b> Guerra-Garcia, Krapp-Schickel & Müller, 2006 ( <i>Tritella</i> )	Caprellidae
<b>cobia</b> Azman, 2009 ( <i>Cyproidea</i> )	Cyproideidae
<b>cobia</b> Krapp-Schickel, 2009 ( <i>Maeropsis</i> )	Maeridae
<b>cohabitus</b> Holsinger, Shafer, Fong & Culver, 2008 ( <i>Gammarus</i> )	Gammaridae
<b>coliboi</b> Lowry & Stoddart, 2010 ( <i>Clepidocrella</i> )	Kergueleniidae
<b>colombiensis</b> Valencia & Alvarez, 2009 ( <i>Chelorchestia</i> )	Talitridae
<b>colombiensis</b> Guerra-Garcia, Krapp-Schickel & Müller, 2009 ( <i>Pseudaeginella</i> )	Caprellidae

<b>convexus</b> Ariyama, 2009 ( <i>Erichthonius</i> )	Ischyroceridae
<b>cooki</b> Taylor, 2009 ( <i>Limnoporeia</i> )	Phoxocephalidae
<b>cornutus</b> Sket & Fiser, 2009 ( <i>Fuxigammarus</i> )	Anisogammaridae
<b>cristianae</b> Souza-Filho, Souza & Valerio-Bérardo, 2009 ( <i>Ampelisca</i> )	Ampeliscidae
<b>curioi</b> Javier & Coleman, 2010 ( <i>Talitrus</i> )	Talitridae
<b>curumim</b> Valerio-Bérardo & Thiago de Souza, 2009 ( <i>Apocorophium</i> )	Corophiidae
<b>cymatilis</b> Lowry & Hughes, 2009 ( <i>Pareiasmopus</i> )	Maeridae
<b>davei</b> Myers, 2009 ( <i>Photis</i> )	Photidae
<b>delicata</b> Lörz, 2010 ( <i>Rhachotropis</i> )	Eusiridae
<b>dentipalma</b> LeCroy, 2009 ( <i>Colomastix</i> )	Colomastigidae
<b>diamantina</b> Lowry & Stoddart, 2009 ( <i>Hirondellea</i> )	Hirondelleidae
<b>dingaal</b> King, 2009 ( <i>Ampelisca</i> )	Ampeliscidae
<b>dionysus</b> Myers, 2009 ( <i>Latigammaropsis</i> )	Photidae
<b>drummondae</b> Kilgallen, 2009 ( <i>Uroh ustorius</i> )	Urohaustoriidae
<b>eden</b> Stoddart & Lowry, 2010 ( <i>Aristias</i> )	Aristiidae
<b>edgari</b> Peart in Hughes & Lowry, 2009 ( <i>Paragrubia</i> )	Ampithoidae
<b>endeavour</b> Lowry & Stoddart, 2009 ( <i>Hirondellea</i> )	Hirondelleidae
<b>epidemus</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae

<b>eumilli</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>eumilli</b> Hughes, 2009 ( <i>Tomituka</i> )	Platyischnopidae
<b>eupraxiae</b> Krapp-Schickel, 2009 ( <i>Metopa</i> )	Stenothoidae
<b>euroka</b> Lowry & Stoddart, 2010 ( <i>Kerguelenia</i> )	Kergueleniidae
<b>excavatus</b> Kilgallen, 2010 ( <i>Aristias</i> )	Aristiidae
<b>exigua</b> Krapp-Schickel, 2009 ( <i>Metopa</i> )	Stenothoidae
<b>exilis</b> Myers & LeCroy, 2009 ( <i>Paradexamine</i> )	Dexaminidae
<b>fantome</b> Peart, in Hughes & Lowry, 2009 ( <i>Sunamphitoe</i> )	Ampithoidae
<b>febras</b> Sidorov, 2009 ( <i>Pseudocrangonyx</i> )	Pseudocrangonyctidae
<b>flynnana</b> Lowry & Stoddart, 2009 ( <i>Tryphosella</i> )	Lysianassidae
<b>fongi</b> Fiser & Zigmajster, 2009 ( <i>Niphargus</i> )	Niphargidae
<b>franklin</b> Lowry & Stoddart, 2009 ( <i>Hirondellea</i> )	Hirondelleidae
<b>frasassianus</b> Karaman, Borowsky & Dattagupta, 2010 ( <i>Niphargus</i> )	Niphargidae
<b>galatheae</b> Zeidler, 2009 ( <i>Lanceola</i> )	Lanceolidae
<b>garpoorea</b> Krapp-Schickel, 2009 ( <i>Stenothoe</i> )	Stenothoidae
<b>genaroi</b> Ortiz & Lalana, 2009 ( <i>Caribitroides</i> )	Talitridae
<b>geojeensis</b> Kim, Hendrycks & Lee, 2010 ( <i>Hourstonius</i> )	Amphilochidae
<b>gerlachae</b> Coleman, 2009 ( <i>Ceina</i> )	Ceinidae
<b>gladius</b> Myers, 2009 ( <i>Bemlos</i> )	Aoridae
<b>goanna</b> Myers & LeCroy, 2009 ( <i>Polycheria</i> )	Dexaminidae

<b>gomoni</b> Stoddart & Lowry, 2010 ( <i>Aristias</i> )	Aristiidae
<b>griffithsi</b> Lowry & Stoddart, 2010 ( <i>Izinkala</i> )	Izinkalidae
<b>gruneri</b> Zeidler, 2009 ( <i>Lanceola</i> )	Lanceolidae
<b>gruneri</b> Yerman & Coleman, 2009 ( <i>Seba</i> )	Sebidae
<b>guzikae</b> King, 2009 ( <i>Wangiannachiltonia</i> )	Chiltoniidae
<b>habanensis</b> Ortiz, Lalana & Varela, 2008 ( <i>Hornellia</i> )	Melphidippidae
<b>hendrickxi</b> Winfield & Alvarez, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>hephaestus</b> Myers, 2009 ( <i>Gammaropsis</i> )	Photidae
<b>hermes</b> Myers, 2009 ( <i>Latigammaropsis</i> )	Photidae
<b>hestia</b> Myers, 2009 ( <i>Latigammaropsis</i> )	Photidae
<b>hipposideros</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>hipposideros</b> Stoddart & Lowry, 2010 ( <i>Normanion</i> )	Opisidae
<b>hirsuta</b> Sittrop & Serejo, 2009 ( <i>Lepechinella</i> )	Lepechinellidae
<b>hoeyae</b> Hughes & Lowry, 2009 ( <i>Cymadusa</i> )	Ampithoidae
<b>hurleyi</b> Kilgallen, 2009 ( <i>Hippomedon</i> )	Tryphosinae
<b>ingridae</b> Biswas, Coleman & Hendrycks, 2009 ( <i>Andeepia</i> )	Pardaliscidae
<b>insidiosa</b> Hughes & Lowry, 2009 ( <i>Aborolobatea</i> )	Oedicerotidae
<b>integricauda</b> Lowry & Stoddart, 2010 ( <i>Sophrosyne</i> )	Sophrosynidae
<b>inverarae</b> Lowry & Stoddart, 2010 ( <i>Sophrosyne</i> )	Sophrosynidae
<b>iugum</b> Kilgallen, 2009 ( <i>Hippomedon</i> )	Tryphosinae

<b>ira</b> Lowry & Stoddart, 2010 ( <i>Clepidectrella</i> )	Kergueleniidae
<b>jiigurru</b> King, 2009 ( <i>Ampelisca</i> )	Ampeliscidae
<b>jiigurru</b> Whie & Thomas, 2009 ( <i>Paranamixis</i> )	Leucothoidae
<b>joergpeteri</b> Coleman, 2009 ( <i>Liljeborgia</i> )	Liljeborgiidae
<b>josei</b> Valerio-Bérardo & Thiago de Souza, 2009 ( <i>Monocorophium</i> )	Corophiidae
<b>juliani</b> Coleman, 2009 ( <i>Xystriogidiella</i> )	Bogidiellidae
<b>justi</b> Azman, 2009 ( <i>Amphilochus</i> )	Amphilochidae
<b>kanaka</b> Jaume, Sket & Boxshall, 2009 ( <i>Seborgia</i> )	Sebidae
<b>kanowna</b> Lowry & Stoddart, 2010 ( <i>Kerguelenia</i> )	Kergueleniidae
<b>kapala</b> Lowry & Stoddart, 2009 ( <i>Hirondellea</i> )	Hirondelleidae
<b>karadagiensis</b> Grintsov, 2009 ( <i>Echinogammarus</i> )	Gammaridae
<b>karamani</b> Souza-Filho & Senna, 2009 ( <i>Elasmopus</i> )	Maeridae
<b>kawatiri</b> Lowry & Stoddart, 2010 ( <i>Kerguelenia</i> )	Kergueleniidae
<b>kermadecensis</b> Kilgallen, 2009 ( <i>Ensayara</i> )	Endevouridae
<b>kesanensis</b> Ôzbek & Camur-Elipek, 2010 ( <i>Gammarus</i> )	Gammaridae
<b>khbarnardi</b> Hughes & Lowry, 2009 ( <i>Cymadusa</i> )	Ampithoidae
<b>kingae</b> Taylor, 2009 ( <i>Birubius</i> )	Phoxocephalidae
<b>kirgizi</b> Fiser, Camur-Elipek & Özbek, 2009 ( <i>Niphargus</i> )	Niphargidae
<b>koreanus</b> Lee & Hong, 2010 ( <i>Perotripus</i> )	Caprellidae
<b>lacerta</b> Yerman, 2009 ( <i>Netamelita</i> )	Melitidae
<b>lacertus</b> Azman, 2009 ( <i>Amphilochus</i> )	Amphilochidae

<b>laevipalma</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>larsi</b> Lörz, 2009 ( <i>Epimeria</i> )	Epimeriidae
<b>latiquinta</b> Ariyama, 2009 ( <i>Seba</i> )	Sebidae
<b>latisexta</b> Ariyama, 2009 ( <i>Seba</i> )	Sebidae
<b>laurensis</b> Sittrop & Serejo, 2009 ( <i>Lepechinella</i> )	Lepechinellidae
<b>lecroyae</b> Thoma & Heard, 2009 ( <i>Gammarus</i> )	Gammaridae
<b>ledoyeri</b> Lowry & Stoddart, 2010 ( <i>Sophrosyne</i> )	Sophrosynidae
<b>lejeunei</b> Souza-Filho & Senna, 2009 ( <i>Elasmopus</i> )	Maeridae
<b>leucatensis</b> Bréhier & Jaume, 2009 ( <i>Pseudoniphargus</i> )	Melitidae
<b>leura</b> Lowry & Stoddart, 2010 ( <i>Kerguelenia</i> )	Kergueleniidae
<b>levitelson</b> Myers & LeCroy, 2009 ( <i>Paradexamine</i> )	Dexaminidae
<b>loeffleri</b> Zamanpoore, Grabowski, Poeckl & Schiemer, 2010 ( <i>Gammarus</i> )	Gammaridae
<b>longiseta</b> Kaim-Malka, 2010 ( <i>Haploops</i> )	Ampeliscidae
<b>longisetosum</b> Myers, De-La-Ossa-Carretera & Dauvin, 2010 ( <i>Medicorophium</i> )	Corophiini
<b>lowryi</b> Serejo & Sittrop, 2009 ( <i>Hyachelia</i> )	Hyalidae
<b>lowryi</b> Azman, 2009 ( <i>Narapheonoides</i> )	Cyproideidae
<b>ludmilla</b> Stoddart & Lowry, 2010 ( <i>Pratinas</i> )	Aristiidae
<b>lutensis</b> Hou, Pan & Li, 2010 ( <i>Heterokamaka</i> )	Kamakidae

<b>macayai</b> Lörz, Kilgallen & Thiel, 2010 ( <i>Bircenna</i> )	Eophliantidae
<b>macrodactylus</b> Grosso & Peralta, 2009 ( <i>Rudolphia</i> )	Paraleptamphopidae
<b>margaretae</b> Senna, 2010 ( <i>Bathybirubius</i> )	Phoxocephalidae
<b>makrommatos</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>mariabyrneae</b> Hughes & Lowry, 2009 ( <i>Cymadusa</i> )	Ampithoidae
<b>marina</b> Senna, 2010 ( <i>Leptophoxoides</i> )	Phoxocephalidae
<b>mariolgae</b> Yerman & Coleman, 2009 ( <i>Seba</i> )	Sebidae
<b>marmouchensis</b> Fadil & Dakki, 2006 ( <i>Gammarus</i> )	Gammaridae
<b>massa</b> Myers & LeCroy, 2009 ( <i>Paradexamine</i> )	Dexaminidae
<b>matilda</b> Lowry & Stoddart, 2010 ( <i>Kerguelenia</i> )	Kergueleniidae
<b>mawatarii</b> Tomikawa, Kakui & Yamasaki, 2010 ( <i>Psammogammarus</i> )	Melitidae
<b>mikhaili</b> Sidorov, Holsinger & Takhteev, 2010 ( <i>Stygobromus</i> )	Crangonyctidae
<b>mizani</b> Lim, Azman & Othman, 2010 ( <i>Ceradocus</i> )	Maeridae
<b>montanarius</b> Karaman, Borowsky & Dattagupta, 2010 ( <i>Niphargus</i> )	Niphargidae
<b>moana</b> Kilgallen, 2009 ( <i>Tryphosella</i> )	Tryphosinae
<b>moonamoona</b> Stoddart & Lowry, 2010 ( <i>Podoprionoides</i> )	Opisidae



<b>moorei</b> Lowry & Stoddart, 2010 ( <i>Sophrosyne</i> )	Sophrosynidae
<b>morenoi</b> Iannilli, Minelli & Ruffo, 2009 ( <i>Haploginglymus</i> )	Niphargidae
<b>morinoi</b> Othman & Azman, 2007 ( <i>Talorchestia</i> )	Talitridae
<b>murphyi</b> King, 2009 ( <i>Arabunnachiltonia</i> )	Chiltoniidae
<b>myersi</b> Azman & Lowry, 2009 ( <i>Bolttsia</i> )	Bolttsiidae
<b>myersi</b> Serejo & Sittrop, 2009 ( <i>Lelehua</i> )	Hyalidae
<b>myslenkovi</b> Sidorov, 2010 ( <i>Paramoera (Ganigomoera)</i> )	Eusiridae
<b>nana</b> Myers, 2009 ( <i>Paracorophium</i> )	Corophiidae
<b>naturaliste</b> Lowry & Stoddart, 2009 ( <i>Hirondellea</i> )	Hirondelleidae
<b>nodderi</b> Coleman & Lörz, 2010 ( <i>Camacho</i> )	Aoridae
<b>noncarinatus</b> Labay, 2010 ( <i>Antarctodius</i> )	Ochlesidae
<b>nowra</b> Stoddart & Lowry, 2010 ( <i>Aristias</i> )	Aristiidae
<b>nudus</b> Just, 2009 ( <i>Cerapus</i> )	Ischyroceridae
<b>ochoticus</b> Labay, 2010 ( <i>Odius cassigerus</i> )	Ochlesidae
<b>odontiskos</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>ohtsukai</b> Tomikawa, 2009 ( <i>Cyphocaris</i> )	Cyphocarididae
<b>orteai</b> Ortiz & Thomas, 2007 ( <i>Cerapus</i> )	Ischyroceridae
<b>ortizi</b> Winfield & Alvarez, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>ossiani</b> d'Udekem d'Acoz & Vader, 2009 ( <i>Liljeborgia</i> )	Liljeborgiidae

<b>oti</b> Taylor, 2009 ( <i>Birubius</i> )	Phoxocephalidae
<b>otway</b> Stoddart & Lowry, 2010 ( <i>Aristias</i> )	Aristiidae
<b>ovata</b> Senna, 2010 ( <i>Pseudharpinia</i> )	Phoxocephalidae
<b>palfreyensis</b> Myers, 2009 ( <i>Aoroides</i> )	Aoridae
<b>parabrasiliensis</b> Just, 2009 ( <i>Erichthonius</i> )	Ischyroceridae
<b>parvus</b> Myers, 2009 ( <i>Aoroides</i> )	Aoridae
<b>parvus</b> Taylor, 2009 ( <i>Birubius</i> )	Phoxocephalidae
<b>patagonica</b> Bréhier, Vonk & Jaume, 2010 ( <i>Ruffia</i> )	Phreatogammaridae
<b>peartae</b> Lowry & Stoddart, 2010 ( <i>Sophrosyne</i> )	Sophrosynidae
<b>petitaserrata</b> Hughes, 2009 ( <i>Synopia</i> )	Synopiidae
<b>pollex</b> Krapp-Schickel, 2009 ( <i>Metopoides</i> )	Stenothoidae
<b>pollexa</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>poorei</b> Stoddart & Lowry, 2010 ( <i>Aristias</i> )	Aristiidae
<b>poorei</b> Lowry & Springthorpe, 2009 ( <i>Floresorchestia</i> )	Talitridae
<b>poorei</b> Coleman & Lowry, 2009 ( <i>Iphimedia</i> )	Iphimediidae
<b>poorei</b> Hughes, 2009 ( <i>Pareiasmopus</i> )	Maeridae
<b>preciosus</b> Wang, Hou & Li, 2009 ( <i>Gammarus</i> )	Gammaridae
<b>processa</b> LeCroy, 2009 ( <i>Colomastix</i> )	Colomastigidae
<b>pseudobicarinata</b> Souza-Filho, Souza & Valerio-Bérardo, 2009 ( <i>Ampelisca</i> )	Ampeliscidae
<b>pugilus</b> Just, 2009 ( <i>Tropischyrocerus</i> )	Ischyroceridae
<b>quadratus</b> Myers & LeCroy, 2009 ( <i>Paradexamine</i> )	Dexaminidae
<b>queenslandicus</b> Myers, 2009 ( <i>Pumiliophotis</i> )	Protomedeiinae
<b>rhizophorae</b> Myers, 2009 ( <i>Grandidierella</i> )	Aoridae

<b>rhombocoxus</b> Just, 2009 ( <i>Coxischyrocerus</i> )	Ischyroceridae
<b>rifatlensis</b> Fadil & Dakki, 2006 ( <i>Gammarus</i> )	Gammaridae
<b>rocasensis</b> Souza-Filho, Souza & Valerio-Bérardo, 2009 ( <i>Ampelisca</i> )	Ampeliscidae
<b>rodondo</b> Lowry & Stoddart, 2010 ( <i>Sophrosyne</i> )	Sophrosynidae
<b>rossi</b> Lörz, 2010 ( <i>Rhachotropis</i> )	Eusiridae
<b>rudicula</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>ruffoi</b> Lowry & Stoddart, 2010 ( <i>Sophrosyne</i> )	Sophrosynidae
<b>ruthae</b> Myers, 2009 ( <i>Graciliphotis</i> )	Photidae
<b>saepta</b> Myers, 2009 ( <i>Gammaropsella</i> )	Kamakidae
<b>saisensis</b> Fadil, Fadil & Dakki, 2009 ( <i>Chaetogammarus</i> )	Gammaridae
<b>sampsonae</b> Lowry & Springthorpe, 2009 ( <i>Melita</i> )	Melitidae
<b>sanctensis</b> Jaume, Sket & Boxshall, 2009 ( <i>Seborgia</i> )	Sebidae
<b>sarae</b> Souza-Filho & Serejo, 2010 ( <i>Photis</i> )	Photidae
<b>sarda</b> Stoddart & Lowry, 2010 ( <i>Memana</i> )	Aristiidae
<b>saxeta</b> Myers & LeCroy, 2009 ( <i>Paradexamine</i> )	Dexaminidae
<b>schminkei</b> Coleman, 2009 ( <i>Iphimedia</i> )	Iphimediidae
<b>scopicauda</b> Fiser, Coleman, Zigmajster, Zwitter, Gerecke & Sket, 2010 ( <i>Niphargus</i> )	Niphargidae

<b>scopulosa</b> Lowry & Hughes, 2009 ( <i>Mallacoota</i> )	Maeridae
<b>seasana</b> Lowry & Stoddart, 2009 ( <i>Tryphosella</i> )	Lysianassidae
<b>sepidanus</b> Zamanpoore, Poeckl, Grabowski & Schiemer, 2009 ( <i>Gammarus</i> )	Gammaridae
<b>serrata</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>sertaci</b> Fiser, Camur-Elipak & Özbek, 2009 ( <i>Niphargus</i> )	Niphargidae
<b>shirazensis</b> Zamanpoore, Grabowski, Poeckl & Schiemer, 2010 ( <i>Gammarus</i> )	Gammaridae
<b>silvana</b> Myers, 2009 ( <i>Kamaka</i> )	Kamakidae
<b>sindhusagar</b> Horton & Thurston, 2009 ( <i>Hirondellea</i> )	Lysianassidae
<b>slatyeri</b> Lowry & Hughes, 2009 ( <i>Elasmopus</i> )	Maeridae
<b>smilodonta</b> Hughes & Lowry, 2009 ( <i>Cymadusa</i> )	Ampithoidae
<b>solivagus</b> Kilgallen, 2009 ( <i>Galathella</i> )	Uristidae
<b>solivagus</b> Kilgallen, 2009 ( <i>Tottungus</i> )	Urohaustoriidae
<b>songkhlaensis</b> Ariyama, Angsupanich & Rodcharoen, 2010 ( <i>Kamaka</i> )	Kamakidae
<b>sparsa</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>springthorpei</b> Myers, 2009 ( <i>Globosolembos</i> )	Aoridae
<b>talboti</b> Hughes & Lowry, 2009 ( <i>Perioculodes</i> )	Oedicerotidae
<b>taurica</b> Grintsov, 2009 ( <i>Parhyale</i> )	Hyalidae
<b>taylorae</b> Springthorpe & Lowry, 2009 ( <i>Dulzura</i> )	Hadziidae
<b>temimino</b> Senna & Souza-Filho, 2010 ( <i>Lysianassa</i> )	Lysianassidae
<b>tenuis</b> Myers, 2009 ( <i>Chevalia</i> )	Chevaliidae

<b>terraereginae</b> Haswell, 1880 (rev.) ( <i>Talorchestia</i> )	Talitridae
<b>thomasi</b> LeCroy, 2009 ( <i>Colomastix</i> )	Colomastigidae
<b>thula</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>tinggiensis</b> Lim, Azman & Othman, 2010 ( <i>Victoriopisa</i> )	Maeridae
<b>tiunovi</b> Sidorov, 2010 ( <i>Paramoera (Ganigomoera)</i> )	Eusiridae
<b>topkarai</b> Özbek & Balik, 2009 ( <i>Gammarus</i> )	Gammaridae
<b>torbeni</b> Krapp-Schickel, 2009 ( <i>Metopa</i> )	Stenothoidae
<b>trispinosa</b> Bano & Kazmi, 2010 ( <i>Grandidierella</i> )	Aoridae
<b>tropicalis</b> Just, 2009 ( <i>Erichthonius</i> )	Ischyroceridae
<b>tropicalis</b> Hughes & Lowry, 2009 ( <i>Monoculodes</i> )	Oedicerotidae
<b>udarus</b> Hughes, 2009 ( <i>Gibberosus</i> )	Megaluropidae
<b>uncinatus</b> Kilgallen, 2009 ( <i>Podocerus</i> )	Podoceridae
<b>uncinatus</b> Senna & Serejo, 2007 ( <i>Stephonyx</i> )	Uristidae
<b>undulata</b> White & Thomas, 2009 ( <i>Leucothoe</i> )	Leucothoidae
<b>ursus</b> Kilgallen, 2009 ( <i>Ensayara</i> )	Endevouridae
<b>varanocephalensis</b> Lowry & Hughes, 2009 ( <i>Elasmopus</i> )	Maeridae
<b>varanus</b> Myers, 2009 ( <i>Globosolembos</i> )	Aoridae
<b>varanus</b> Taylor, 2009 ( <i>Metaphoxus</i> )	Phoxocephalidae
<b>verrucosa</b> Krapp-Schickel, 2009 ( <i>Stenothoe</i> )	Stenothoidae
<b>vietnamica</b> Jaume, Sket & Boxshall, 2009 ( <i>Seborgia</i> )	Sebidae
<b>vinodolensis</b> Fiser, Sket & Stoch, 2006	Niphargidae
<b>watsonae</b> Lowry & Peart, 2010 ( <i>Microrchestia</i> )	Talitridae
<b>whoi</b> Stoddart & Lowry, 2010 ( <i>Normanion</i> )	Opisidae

**zagrosensis** Zamanpoore, Poeckl, Grabowski & Schiemer, 2009  
(*Gammarus*) Gammaridae

**zeumindi** Yerman & Coleman, 2009 (*Seba*) Sebidae

#### 4. *New taxa in AN 34 ranked taxonomically after families*

Ampeliscidae	Ampelisca <b>angraensis</b> , <b>cristianae</b> , <b>dingaal</b> , <b>jiigurru</b> , <b>pseudobicarinata</b> , <b>rocasensis</b> Haploops <b>longiseta</b>
Amphilochidae	Amphilochus <b>justi</b> , <b>lacertus</b> Hourstonius <b>geojeensis</b>
Ampithoidae	Cymadusa <b>alyxis</b> , <b>hoeyae</b> , <b>khbarnardi</b> , <b>mariabyrneae</b> , <b>smilodonta</b> Paragrubia <b>edgari</b> Sunamphitoe <b>fantome</b>
Anisogammaridae	<b>Fuxigammarus antespinosus</b> , <b>barbatus</b> , <b>cornutus</b>
Aoridae	Aoroides <b>palfreyensis</b> , <b>parvus</b> Bemlos <b>gladius</b> Camacho <b>nodderi</b> Globosolembos <b>springthorpei</b> , <b>varanus</b> Grandidierella <b>rhizophorae</b> , <b>trispinosa</b>
Aristiidae	Aristias <b>eden</b> , <b>excavatus</b> , <b>gomoni</b> , <b>nowra</b> , <b>otway</b> , <b>poorei</b> <b>Memana sarda</b> <b>Pratinas ludmilla</b>
Bogidiellidae	Xystrigidiella <b>juliani</b>
Bolttsiidae	Bolttsia <b>myersi</b>
Caprellidae	<b>Cubadeutella cavernicola</b> Deutella <b>caribensis</b> Perotripus <b>koreanus</b> Pseudaeginella <b>colombiensis</b> Tritella <b>chibcha</b>
Ceinidae	Ceina <b>gerlachae</b>
Cheirocratidae	Prosocratus <b>carolinae</b>
Chevaliidae	Chevalia <b>tenuis</b>
Chiltoniidae	<b>Arabunnachiltonia murphyi</b> <b>Wangiannachiltonia guzikae</b>
Colomastigidae	<b>Colomastix dentipalma</b> , <b>processa</b> , <b>thomasi</b>
Corophiidae	Apocorophium <b>curumim</b> Medicorophium <b>longisetosum</b> Monocorophium <b>josei</b> Paracorophium <b>nana</b>
Crangonyctidae	Stygobromus <b>anastasiasae</b> , <b>mikhaili</b>
Cyphocarididae	Cyphocaris <b>ohtsukai</b>
Cyproideidae	Cyproidea <b>cobia</b> Narapheonoides <b>lowryi</b>

Dexaminidae	Paradexamine <b>aequiserrata</b> , <b>exilis</b> , <b>levitelson</b> , <b>massa</b> , <b>quadratus</b> , <b>saxeta</b> Polycheria <b>goanna</b>
Endevouridae	Ensayara <b>kermadecensis</b> , <b>ursus</b>
Eophliantidae	Bircenna <b>macayai</b>
Epimeriidae	Epimeria <b>larsi</b>
Eusiridae	Paramoera ( <b>Ganigomoera</b> ) <b>myslenkovi</b> , <b>tiunovi</b> Rhachotropis <b>abyssalis</b> , <b>chathamensis</b> , <b>delicata</b> , <b>rossi</b>
Exoedicerotidae	Parhalimедon <b>kyhursti</b>
Gammaridae	Chaetogammarus <b>saisensis</b> Echinogammarus <b>karadagensis</b> , <b>parabrasiliensis</b> , <b>tropicalis</b> Gammarus <b>cohabitus</b> , <b>kesanensis</b> , <b>lecroyae</b> , <b>loeffleri</b> , <b>marmouchensis</b> , <b>preciosus</b> , <b>rifatensis</b> , <b>sepidanus</b> , <b>shirazensis</b> , <b>topkarai</b> , <b>zagrosensis</b>
Hadziidae	Dulzura <b>taylorae</b>
<b>Hirondelleidae</b>	Hirondellea <b>diamantina</b> , <b>endeavour</b> , <b>franklin</b> , <b>kapala</b> , <b>naturaliste</b>
Hyalidae	Hyachelia <b>lowryi</b> Lelehua <b>myersi</b> Parhyale <b>taurica</b>
Iphimediidae	Iphimedia <b>poorei</b> , <b>schminkei</b>
Ischyroceridae	Cerapus <b>nudus</b> <b>Coxischyrocerus rhombocoxus</b> Erichthonius <b>convexus</b> <b>Tropischyrocerus pugilus</b>
<b>Izinkalidae</b>	Izinkala <b>griffithsi</b>
Kamakidae	Gammaropsella <b>saepta</b> Heterokamaka <b>lutensis</b> Kamaka <b>appendiculata</b> , <b>silvana</b> , <b>songkhlaensis</b>
<b>Kergueleniidae</b>	Clepidecrella <b>abeona</b> , <b>cataraqui</b> , <b>colliboi</b> , <b>ira</b> Kerguelenia <b>euroka</b> , <b>kanowna</b> , <b>kawatiri</b> , <b>leura</b> , <b>matilda</b>
Lanceolidae	Lanceola <b>galathea</b> , <b>gruneri</b>
Lepechinellidae	Lepechinella <b>campensis</b> , <b>hirsute</b> , <b>laurensi</b>
Leucothoidae	Leucothoe <b>adelphe</b> , <b>bova</b> , <b>epidemos</b> , <b>eumilli</b> , <b>hendrickxi</b> , <b>hipposideros</b> , <b>laevipalma</b> , <b>makrommatos</b> , <b>odontiskos</b> , <b>ortizi</b> , <b>pollexa</b> , <b>rudicula</b> , <b>serrata</b> , <b>sparsa</b> , <b>thula</b> , <b>undulata</b> Paranamixis <b>jiigurru</b>
Liljeborgiidae	Liljeborgia <b>anepsia</b> , <b>bathysciarum</b> , <b>caliginis</b> , <b>charybdis</b> , <b>joergpeteri</b> , <b>ossiani</b>
Lysianassidae	Hippomedon <b>hurleyi</b> , <b>iugum</b> Hirondellea <b>sindhusagar</b> Lysianassa <b>temimino</b> Lysianopsis <b>adelae</b> Shoemakerella <b>barnardi</b> Tryphosella <b>bet</b> , <b>cameloides</b> , <b>charlotteae</b> , <b>flynnana</b> , <b>moana</b> , <b>seasana</b>
Maeridae	Ceradocus <b>mizani</b>



	<b>Clessidra</b>
	Elasmopus <b>karamani</b> , <b>lejeunei</b> , <b>slatyeri</b> , <b>varanocephalensis</b>
	<b>Glossomaera</b>
	Maeropsis <b>cobia</b>
	Mallacoota <b>capricornia</b> , <b>scopulosa</b>
	Parelasmopus <b>cymatilis</b> , <b>poorei</b>
	Victoriopisa <b>tinggiensis</b>
<b>Megalanceolidae</b>	<b>Megalanceoloides</b>
Megaluropidae	Gibberosus <b>ударus</b>
Melitidae	Melita <b>sampsonae</b>
	Netamelita <b>lacerta</b>
	Psammogammarus <b>mawatarii</b>
	Pseudoniphargus <b>leucatensis</b>
	Tegano <b>atkinsae</b>
Melphidippidae	Hornellia <b>habanensis</b>
Metacrangonyctidae	Metacrangonyx <b>antennatus</b>
<b>Metalanceolidae</b>	
<b>Mimonecteolidae</b>	Mimonecteola <b>carlsbergi</b>
Niphargidae	Haploginglymus <b>morenoi</b>
	Niphargus <b>fongi</b> , <b>frasassianus</b> , <b>kirgizi</b> , <b>montanarius</b> , <b>scopicauda</b> , <b>sertaci</b> , <b>vinodolensis</b>
Ochlesidae	Antarctodius <b>noncarinatus</b>
	Odius cassigerus <b>ochoticus</b>
Oedicerotidae	Aborolobatea <b>insidiosa</b>
	Monoculodes <b>tropicalis</b>
	Periculodes <b>talboti</b>
Opisidae	Normanion <b>hipposideros</b> , <b>whoi</b>
	Podoprionella <b>bulla</b>
	Podoprionoides <b>akantha</b> , <b>moonamoona</b>
Paraleptamphopidae	<b>Rudolphia macrodactylus</b>
Pardaliscidae	<b>Andeepia ingridae</b>
Photidae	Gammaropsis <b>hephaestus</b>
	<b>Graciliphotis ruthae</b>
	<b>Latigammaropsis athenae</b> , <b>dionysus</b> , <b>hermes</b> , <b>hestia</b>
	Photis <b>davei</b> , <b>sarae</b>
	<b>Rocasphotis aiso</b>
	<b>Virgammaropsis artemis</b>
Phoxocephalidae	<b>Bathybirubius margaretae</b>
	Birubius <b>banksi</b> , <b>casuarinas</b> , <b>kingae</b> , <b>oti</b> , <b>parvus</b>
	Coxophoxus <b>alonso</b>
	Leptophoxoides <b>marina</b>
	Limnoporeia <b>cooki</b>
	Metaphoxus <b>varanus</b>
	Pseudharpinia <b>berardo</b> , <b>ovata</b>
Phreatogammaridae	<b>Ruffia patagonica</b>
Platyschnopidae	Tomituka <b>eumilli</b>
Pleustidae	Tepidopleustes <b>acromatius</b>
Podoceridae	Podocerus <b>casuarinensis</b> , <b>uncinatus</b>
<b>Prolanceolidae</b>	

Protomedeiinae	<b>Pumiliophotis queenslandicus</b>
Pseudocrangonyctidae	Pseudocrangonyx <b>febras</b>
Sebidae	Seba <b>alvarezi, gruneri, latiquinta, latisexta, mariolgae, zeumindi</b>
	Seborgia <b>kanaka, sanctensis, vietnamica</b>
<b>Sophrosynidae</b>	Sophrosyne <b>abyssi, californica, cantractia, integricauda, inverarae, ledoyeri, moorei, peartae, rodondo, ruffoi</b>
Stenothoidae	Metopa <b>eupraxiae, exigua, torbeni</b>
	Metopoides <b>pollex</b>
	Parametopella <b>antholobae</b>
	Stenothoe <b>garpoorea, verrucosa</b>
Synopiidae	Synopia <b>petitaserrata</b>
Talitridae	Caribitroides <b>genaroi</b>
	Chelorchestia <b>colombiensis</b>
	<b>Cochinorchestia</b>
	Floresorchestia <b>poorei</b>
	Micrororchestia <b>bousfieldi, watsonae</b>
	Talitrus <b>curioi</b>
	Talorchestia <b>brucei, morinoi, terraereginae</b> (rev.)
Uristidae	Galathella <b>solivagus</b>
	Stephonyx <b>uncinatus</b>
Urohaustoriidae	Tottungus <b>solivagus</b>
	Urohaustorius <b>drummondae</b>